

Manhattan Ceiling Mount for TV & Monitors, For screens: 37" to 65", Adjustable height: 70-157 cm, VESA compatibility: all between 200x200 to 600x400mm - check the dimensions of the four mounting holes on back of screen to ensure it fits, Max 50kg, LFD, Bracket

Gamintojas: **MANHATTAN** · Modelis: **462051** · EAN: **766623462051** · Prekės kodas: **833516**



70,91 €

Kaina su PVM

Be PVM: **58,60 €**

Sandėlyje






Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports one flat 37" to 80" TV up to 50 kg (110 lbs.)
- ✓ Optimized views with +5 to -25° tilt and +/-30° swivel
- ✓ Ceiling plate with +/- 60° adjustment to suit sloped and flat ceilings
- ✓ Telescopic extension pole from 707 to 1577 mm (28 to 62 in.)
- ✓ Heavy-duty steel construction with powder coating
- ✓ Internal cable management for a clutter-free appearance
- ✓ Detachable VESA plate to easily hook and mount your display
- ✓ Saves wall and floor space; ideal for conference rooms, lobbies, classrooms, digital signage, surveillance and more
- ✓ Meets VESA standards: 200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x400





Aprašymas

Ceiling TV Mount - Telescopic TV mount bracket with tilt for sloped and flat ceilings to save wall and floor space
Upgrade viewing perspectives when wall and floor space is limited or low-level installations are impractical. This Manhattan Ceiling TV Mount holds a 37" to 80" LCD, LED or plasma display up to 50 kg (110 lbs.). Its powder-coated, heavy-duty steel construction provides a secure and confident overhead installation.

Keep your guests and co-workers informed and entertained

Designed for both residential and business applications, this mount is ideal for conference rooms, lobbies, entrances, meeting spaces, classrooms, hospitality, digital signage, video conferencing, surveillance and more.

Viewable from anywhere in the room

The full-motion mount lets you rotate your display +/-30° around the pole without using tools and can be tilted from +5 to -25° toward your audience for optimum visibility. Such great options keep images, contrast and colors clear, sharp and defined with no glare. Plus, the overhead installation means there's less likelihood that someone or something will block the view.

Adjustable height

With a telescopic pole, the TV mount lets you suspend a display at your desired distance from the ceiling between 707 to 1577 mm (28 to 62 in.).

Suits flat and sloped ceilings

This Manhattan TV mount accommodates both ceiling types: You can adjust the ceiling plate +/- 60° to work with sloped and level (flat) surfaces.

Clean-looking, clutter-free cable management

Internal cable management keeps your cords concealed and organized to give a professional look to the installation.

Techninė specifikacija

Mounting	
Number of displays supported	1
Maximum weight capacity (per display)	50 kg
Maximum screen size	2.03 m (80")

Mounting type	Ceiling
Maximum weight capacity	50 kg
Minimum VESA mount	200 x 200 mm
Maximum VESA mount	600 x 400 mm
Minimum screen size	94 cm (37")
Panel mounting interface	200 x 200,300 x 200,300 x 300,400 x 200,400 x 400,400 x 300,600 x 400
Ergonomics	
Height adjustment	Yes
Height adjustment range	707 - 1577 mm
Tilt adjustment	Yes
Tilt angle range	-25 - 5°
Swivelling	Yes
Swivel angle range	-30 - 30°
Wheels	No
Cable management	Yes
Easy to adjust	Yes
Design	
Product colour	Black
Housing material	Steel
Technical details	
Compliance certificates	RoHS
Sustainability compliance	Yes
Packaging content	
Manual	Yes
Weight & dimensions	
Width	650 mm
Depth (max)	179.2 cm
Height	185 mm
Weight	5.58 kg
Packaging data	
Package weight	6.28 kg
Matmenys ir svoris	
Svoris	5,93kg

Dokumentai ir vaizdo įrašai

- > Naudojimo instrukcija
- > Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE

intellinetnetwork.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt