

Intellinet Industrial IP55 19" Wall Mount Cabinet with Integrated Fans, 12U 600 mm (17.7 in.) Depth, Roof-mounted Two-fan Ventilation Unit, Dust- and Water-proof Enclosure, Assembled, Light Gray RAL7035

 Gamintojas: **INTELLINET** · Modelis: **716109** · EAN: **766623716109** · Prekės kodas: **836096**


534,90 €

Kaina su PVM

 Be PVM: **442,07 €**

Neturime


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ IP55-rated for industrial applications: protection against dust ingress and water jets from any direction
- ✓ Efficient heat dissipation for a wide operating temperature up to 50°C (122°F)
- ✓ Sturdy, secure steel construction with antistatic powder coating
- ✓ Steel door that can be opened 190°
- ✓ Usable installation depth: 169 mm (6.7 in.) to 549 mm (21.6 in.)
- ✓ Earthing kit included
- ✓ Maximum load capacity of 100 kg (220 lbs.)
- ✓ Swing handle with three-point door lock and two included keys
- ✓ Roof-mounted, quiet two-fan ventilation unit with air filters and a noise level of only 24.9 db (A)
- ✓ Numbered rackmount space height units





Aprašymas

Network Cabinet Wall Mount with IP55 Rating for Industrial Applications - sealed protection against dust and water

The IP55 Wall Mount Cabinet from Intellinet Network Solutions is equipped to handle challenging environment conditions. The cabinet's powder-coated steel housing is compliant with IEC standard EN 60529 for safe protection against dust ingress and water jets from any direction. Four sealed cable glands with PVC blind caps on the bottom panel allow for cable entry. To ensure the neatly sealed design, the cabinet comes fully assembled, which also makes your installation quick and convenient. The sturdy 19" steel construction carries heavy rackmounted equipment up to 100 kg (220 lbs.) and can be securely locked with a 3-point door lock on the swing handle. This IP55 wall mount enclosure line is available in 6, 9, 12 and 18U sizes.

Includes two-fan ventilation unit for efficient cooling

To keep your network equipment cool, this cabinet has a built-in roof-mounted two-fan ventilation unit. It provides improved performance and longer life to your networking components through reliable cooling and ideal air circulation.

Techninė specifikacija

Features	
Rack capacity	9U
Type	Wall mounted rack
Maximum weight capacity	100 kg
Product colour	Grey
Material	Steel
Key lock	Yes
Front door key lock	Yes
Cooling type	Active
Number of fans	2 fan(s)
Fan performance	85 cfm
Noise level	24.9 dB
Cable management	Yes
Door opening angle	190°
International Protection (IP) code	IP55
Power	
AC input voltage	110 - 240 V
AC input frequency	50/60 Hz

Rated current	10 A
---------------	------

Operational conditions

Operating temperature (T-T)	-10 - 50 °C
-----------------------------	-------------

Weight & dimensions

Size (imperial)	48.3 cm (19")
-----------------	---------------

Width	615 mm
-------	--------

Depth	600 mm
-------	--------

Height	635 mm
--------	--------

Weight	36 kg
--------	-------

Packaging data

Nuts included	Yes
---------------	-----

Number of nuts	10
----------------	----

Screws included	Yes
-----------------	-----

Number of screws	10
------------------	----

Package weight	37.5 kg
----------------	---------

Technical details

Compliance certificates	CE, RoHS
-------------------------	----------

Sustainability compliance	Yes
---------------------------	-----

Matmenys ir svoris

Svoris	35,50kg
--------	---------

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE

[intellinetnetwork.eu](mailto:info@shopro.lt)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt