

# InLine 17291F kabelių lizdinio / kištukinio jungčių tipo keitiklis DisplayPort Pilka, Juoda

Gamintojas: **INLINE** · Modelis: **17291F** · EAN: **4043718338146** · Prekės kodas: **836687**



## 16,90 €

Kaina su PVM

Be PVM: **13,97 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ DisplayPort Kampuotas Kištukinis
- ✓ DisplayPort Tiesus Lizdinis
- ✓ Jungties kontaktų dengimas: Auksas
- ✓ „DisplayPort“ versija: 1.4 7680 x 4320 pikseliai
- ✓ Korpuso medžiaga: Aliuminis
- ✓ Pilka, Juoda



## Aprašymas

**90° downward-angled DisplayPort adapter:** Ideal for downward cable routing, e.g. for monitors on wall mounts or in confined desk spaces.

**Full 8K support:** High-resolution display for professional applications and high-quality AV technology.

**Gold-plated contacts for reliable connection:** Minimise signal loss and offer corrosion protection.

**Compact design for flexible installation:** Enables clean cabling even in tight spaces.

**DisplayPort 1.4 compatible:** Can be used with all modern DP devices, long-term usability.

The InLine® DisplayPort 1.4 adapter in a 90° downward-facing design (male to female) offers a well-thought-out solution for all locations where cables need to be routed downward, such as monitors on wall mounts or in cramped workstations. The adapter relieves mechanical stress on the connection and protects the cable from kinking or damage.

With support for 8K UHD, it ensures razor-sharp image quality – ideal for professional working environments. The gold-plated contacts ensure a stable signal connection, even with frequent use.

A practical, robust accessory for system integrators, AV technicians and anyone who values functional details.

Connection 1: DisplayPort plug (90° down)

Connection 2: DisplayPort socket

Standard: DisplayPort 1.4

Max. resolution: up to 8K UHD

Contacts: gold-plated

Application: cable routing downwards

Design: 90° angled downwards

## Techninė specifikacija

| Ryšys                                 |                       |
|---------------------------------------|-----------------------|
| Jungtis 1                             | DisplayPort           |
| Jungtis 2                             | DisplayPort           |
| 1 jungtis – vidinė ar išorinė         | Kištukinis            |
| 2 jungtis – vidinė ar išorinė         | Lizdinis              |
| 1 jungties forma                      | Kampuotas             |
| 2 jungties forma                      | Tiesus                |
| „DisplayPort“ versija                 | 1.4                   |
| Jungties kontaktų dengimas            | Auksas                |
| Veikimo charakteristikos              |                       |
| Produkto spalva                       | Pilka, Juoda          |
| Korpuso medžiaga                      | Aliuminis             |
| Maksimali rezoliucija                 | 7680 x 4320 pikseliai |
| Aplinkos sąlygos                      |                       |
| Darbo temperatūros diapazonas (TT)    | -10 - 60 °C           |
| Sandėliavimo temperatūros norma (T-T) | -20 - 80 °C           |
| Sertifikatai                          |                       |
| Atitikties sertifikatai               | CE, TÜV mark, RoHS    |
| Svoris ir matmenys                    |                       |
| Plotis                                | 23 mm                 |
| Ilgis                                 | 20 mm                 |
| Aukštis                               | 28 mm                 |
| Svoris                                | 12 g                  |
| Pakuotės duomenys                     |                       |
| Pakuotės plotis                       | 70 mm                 |
| Pakuotės gylis                        | 140 mm                |

|                     |                        |
|---------------------|------------------------|
| Pakuotės aukštis    | 23 mm                  |
| Paketo svoris       | 15 g                   |
| Pakuotės tipas      | Užspaudžiamas maišelis |
| Kitos savybės       |                        |
| Matmenys (WxDxH)    | 23 x 20 x 28 mm        |
| Logistikos duomenys |                        |
| Kilmės šalis        | Taivanas               |
| Matmenys ir svoris  |                        |
| Svoris              | 0,02kg                 |

## Gamintojo ir saugos informacija

### GAMINTOJAS

#### Intos Electronic AG

Siemensstraße 11, D-35394 Gießen, DE

service@inline-info.com

[intos.de](https://www.intos.de)

### PLATINTOJAS

#### MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt