

LogiLink PA0367 mobile device charger Universal White AC Fast charging Indoor

Gamintojas: **LOGILINK** · Modelis: **PA0367** · EAN: **4052792077766** · Prekės kodas: **837316**



30,90 €

Kaina su PVM

Be PVM: **25,54 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Equipped with GaN technology, performance and charging speeds are extremely powerful
- ✓ Compact and lightweight, easily fit into your laptop bag or backpack. The perfect mobile accessory for traveling
- ✓ Connections: 2x USB-C (PD)
- ✓ Conduct higher voltages than silicon-based chargers with better heat dissipation
- ✓ Input: 100-240 V AC 50/60 Hz 1.5 A
- ✓ Output: USB-C1: 5.0 V/3.0 A (15.0 W), 9.0 V/3.0 A (27.0 W), 12.0 V/3.0 A (36.0 W), 15.0 V/3.0 A (45.0 W), 20.0 V/3.25 A (65.0 W max.), USB-C2: 5.0 V/3.0 A (15.0 W), 9.0 V/3.0 A (27.0 W), 12.0 V/3.0 A (36.0 W), 15.0 V/3.0 A (45.0 W), 20.0 V/3.25 A (65.0 W)
- ✓ Average active efficiency: 81.10 %, Efficiency at low load (10 %): 76.80 %, No-load power consumption: 0.15 W
- ✓ Device protection: Overcurrent, overvoltage, overheating and short circuit
- ✓ Compatible with most devices such as smartphones, tablets and more



Aprašymas

The LogiLink USB-C GaN wall charger is a compact and powerful 2-port charger with 65 watts. It uses gallium nitride (GaN) technology, which makes it smaller and able to conduct higher voltages than silicon-based chargers. The charger supports USB-C Power Delivery (PD) and Fast Charging. It can charge two smartphones, tablets or laptops simultaneously at full speed. It is also largely compatible with most USB-C devices.

Techninė specifikacija

Performance	
Charger type	Indoor
Charger compatibility	Universal
Power source type	AC
Number of simultaneously connected devices (max)	2
USB Type-C ports quantity	2
Wireless charging	No
Fast charging	Yes
Fast charging technology	Power Delivery 3.0, Quick Charge 4
Number of outputs	2 outputs
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	65 W
Power protection features	Over current, Over voltage, Overcharge, Overheating, Short circuit
Design	
Product colour	White
Gallium nitride (GaN) transistors	Yes
Power	
Maximum power	65 W
Maximum output voltage	20 V
Minimum output voltage	5 V
AC adapter power	65 W
Output current (5V)	3 A
Output current (9V)	3 A
Output current (12V)	3 A
Output current (15V)	3 A
Output current (20V)	3.25 A
Weight & dimensions	
Width	95 mm

Depth	32 mm
Height	36 mm
Weight	95 g
Packaging data	
Package width	75 mm
Package depth	40 mm
Package height	95 mm
Package weight	128 g
Package type	Box
Operational conditions	
Operating temperature (T-T)	-10 - 40 °C
Packaging content	
Quantity per pack	1 pc(s)
AC adapter included	Yes
Manual	Yes
Matmenys ir svoris	
Svoris	0,13kg

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

2direct GmbH

Langenstück 5, 58579 Schalksmühle, DE

info@2direct.de

[2direct.de](https://www.2direct.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt