

Epson EcoTank ET-M3180 - Multifunktionsdrucker - s/w - Tintenstrahl - A4/Legal (Medien) - bis zu 39 Seiten/Min. (Drucken) - 250 Blatt - 33.6 Kbps - USB 2.0, LAN

Gamintojas: **EPSON** · Modelis: **C11CG93402** · EAN: **8715946655215** · Prekės kodas: **838284**



722,90 €

Kaina su PVM

Be PVM: **597,44 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Low TCO and energy use: Keep your printing costs extremely low
- ✓ High ink yields: Print up to 11,000 pages with the included ink
- ✓ Save time: Print, scan, copy and fax
- ✓ Built for business: Duplex printing and PCL support
- ✓ Easy connectivity: Wi-Fi, USB and Ethernet

Aprašymas

Save money

A high ink yield combined with Epson's economical inkjet technology delivers a low TCO and a competitive cost per page.

Save time

This reliable cartridge-free printer features an enhanced ink filling system and easy-to use-ink bottles, keeping intervention to a minimum. Thanks to the ink tank being positioned at the front of the printer, with a clear view of the ink levels, this new design is compact and provides easy access for refilling. Its fast First Page Out Time (FPOT) of six seconds from sleep, and 20ppm print speed, mean you won't be waiting around for jobs.

Save energy

Unlike a laser, our inkjet technology doesn't need any heat during the printing process, helping to keep energy use low and reduce electricity bills.

Business features

Wi-Fi, Ethernet and USB connectivity and a compact footprint mean that it's easy to place on a desktop and connect to a user's PC or laptop.

Techninė specifikacija

Printing	
Print technology	Inkjet
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1200 x 2400 DPI
Print speed (black, normal quality, A4/US Letter)	39 ppm
Print speed (ISO/IEC 24734) black	20 ppm
Duplex print speed (black, normal quality, A4/US Letter)	9 ppm
Duplex print speed (ISO/IEC 24734, A4) black	9 ppm
Time to first page (black, normal)	6 s
Copying	
Copying	Mono copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Maximum copy size	A4
Maximum number of copies	99 copies
Copier resize	25 - 400%
Scanning	
Scanning	Colour scanning
Duplex scanning	No
Optical scanning resolution	1200 x 2400 DPI
Optical scanning resolution (ADF)	1200 x 2400 DPI
Scan technology	CIS
Scan to	Cloud
Scan speed (black)	7 inch/min
Scan speed (colour)	7 inch/min
Image formats supported	BMP, JPEG, PICT, TIFF, PNG
Document formats supported	PDF
Fax	
Faxing	Mono faxing

Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Fax memory	180 pages
Auto-redialing	Yes
Speed dialling	Yes
Fax speed dialling (max numbers)	100
Fax forwarding	Yes
Fax forwarding to	PC
Error Correction Mode (ECM)	Yes
Features	
Maximum duty cycle	5000 pages per month
Printing colours	Black
Recommended duty cycle	200 - 1500 pages per month
Page description languages	PCL 5e, PCL 6
Country of origin	Philippines
Input & output capacity	
Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	100 sheets
Paper input type	Paper tray
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	35 sheets
Maximum input capacity	250 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper
ISO A-series sizes (A0...A9)	A4
Non-ISO print media sizes	Legal
Paper tray media weight	64 - 256 g/m ²
Ports & interfaces	
Direct printing	Yes
Standard interfaces	Ethernet, USB 2.0, Wireless LAN
USB port	Yes
Network	

Wi-Fi	Yes
Ethernet LAN	Yes
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-PSK, WPA2-AES
Management protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping
Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint, Google Cloud Print

Performance

Internal memory	2 MB
Card reader integrated	No
Sound pressure level (printing)	56 dB
Sound power level (printing)	6.9 dB

Design

Product colour	Black, White
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display diagonal	6.1 cm (2.4")
Touchscreen	Yes
Colour display	Yes

Power

Power consumption (printing)	14 W
Power consumption (copying)	12 W
Power consumption (ready)	5.7 W
Power consumption (off)	0.2 W
Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
AC input voltage	220 - 240 V

System requirements

Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Server operating systems supported	Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64, Windows Server 2012 R2, Windows Server 2012 x64, Windows Server 2016

Weight & dimensions

Width	375 mm
Depth	347 mm
Height	346 mm
Weight	7.3 kg
Packaging data	
Package width	410 mm
Package depth	440 mm
Package height	420 mm
Package weight	9.29 kg
Quantity per pack	1 pc(s)
Packaging content	
Included cartridge capacity (black)	11000 pages
Cables included	AC
Warranty card	Yes
Logistics data	
Harmonized System (HS) code	84433100
Pallet gross weight	0 g
Products per pallet layer	2 pc(s)
Products per pallet	10 pc(s)
Pallet weight (UK)	0 g
Products per pallet layer (UK)	4 pc(s)
Products per pallet (UK)	20 pc(s)
Other features	
Printing method	Epson PrecisionCore
Number of users	3 user(s)
Compatible operating systems	Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.6.8, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 Bit), Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64 Bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 Bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit)
Fax polling	Yes
Other network protocols supported	WSD-Scan
Supported network protocols	TCP/IPv4, TCP/IPv6
Noise level	56 dB
Ink drop	2.8

Print head nozzles

400 nozzles black

Matmenys ir svoris

Svoris

9,08kg

Dokumentai ir vaizdo įrašai[› Gaminio lankstinukas](#)**Gamintojo ir saugos informacija**

GAMINTOJAS

Seiko Epson

Owa, Suwa 3-3-5, Nagano, JP

corporate.epson

ATSAKINGAS ASMUO ES

Epson Deutschland

Schiessstraße 49, D-40549 Düsseldorf, DE

epson.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt