

Lindy 43340 USB ekrano adapteris 3840 x 2160 pikseliai Balta

Gamintojas: **LINDY** · Modelis: **43340** · EAN: **4002888433402** · Prekės kodas: **839009**



36,91 €

Kaina su PVM

Be PVM: **30,50 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Adds an HDMI port, a USB Type A port and a Type C power supply port to your computer
- ✓ Supports HDMI resolutions up to 4K 3840x2160@30Hz
- ✓ Supports USB 3.2 / 3.1 Gen 1 / USB 3.0 standard (5Gbps)
- ✓ Supports Power Delivery 3.0 up to 100W
- ✓ 2 year warranty



Aprašymas

The Lindy USB 3.2 Type C to HDMI, USB and Power Delivery Converter allows users to maximise the functionality of a single USB 3.2 Type C port by connecting and simultaneously using an HDMI display and USB SuperSpeed peripheral as well as a USB Type C power supply to your MacBook, ultrabook or notebook. The only requirement is that the computer supports the DisplayPort Alternate Mode.

USB Power Delivery of up to 100W provides power to a notebook or ultrabook, simply connect a compatible USB power supply to the USB Type C socket of the converter.

With support for resolutions up to 3840x2160p 30Hz, the converter is ideal for use by designers and video editors. Installation is simple as no drivers are required, while Type-C's reversible design has been developed to work regardless of which way the cable is inserted into the port.

Information about USB 3.0, 3.1 and 3.2

USB 3.0, USB 3.1 and USB 3.2 PCs, cables and devices are all compatible with each other, when using either a USB Type A or USB Type C host interface.

USB 3.0, USB 3.1 Gen 1 and USB 3.2 Gen 1 all support data transfer rates up to 5 Gbps.

USB 3.1 Gen 2 and USB 3.2 Gen 2 both support data transfer rates up to 10 Gbps.

Techninė specifikacija

Veikimo charakteristikos	
HDMI versija	1.4
HDCP	Taip
HDCP versija	1.4
Maksimali rezoliucija	3840 x 2160 pikseliai
Lustų rinkinys	VL815, AG6311
Sertifikavimas	CE, FCC, RoHS, REACH & California Proposition 65
Konstrukcija	
Produkto spalva	Balta
Svoris ir matmenys	
Plotis	75,5 mm
Ilgis	38,4 mm
Aukštis	15,3 mm
Svoris	42 g
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	-20 - 40 °C
Sandėliavimo temperatūros norma (T-T)	-40 - 80 °C
Darbo santykinės drėgmės diapazonas	5 - 90%
Pakuotės duomenys	
Pakuotės tipas	Užspaudžiamas maišelis
Pakuotės plotis	174 mm
Pakuotės aukštis	194 mm
Paketo svoris	60 g
Pakuotės turinys	
Instrukcija	Taip
Logistikos duomenys	
Darniosios sistemos (DS) kodas	84733080
Matmenys ir svoris	

Svoris

0,06kg

Dokumentai ir vaizdo įrašai

[› Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.

Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH

Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt