

Manhattan Power Cord/Cable Y-Splitter, C14 Male to 2x C13 Female (kettle lead), Monitor to CPU, 1.8m, 10A, Black, Powers two devices from one PDU, Lead, Lifetime Warranty

Gamintojas: **MANHATTAN** · Modelis: **157469** · EAN: **766623157469** · Prekės kodas: **840296**



14,90 €

Kaina su PVM

Be PVM: **12,31 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Two-in-one cable powers two devices like server and storage system or PC and monitor simultaneously from a single PDU or UPS outlet
- ✓ Extends a C13 to AC power cable for an enhanced reach to a wall outlet
- ✓ Pure bare copper wire for maximum conductivity
- ✓ Flexible, durable PVC jacket
- ✓ High-temperature resistance for use in areas that are not air conditioned
- ✓ Great for use with Intellinet 19" Rackmount Smart PDU (#163682)
- ✓ For indoor use only



Aprašymas

C13 to C14 PDU Dual Power Cable 1.8m - Power Two Devices from a Single Source in Rack-Mount Applications and IT environments
The Y-Splitter Power Cable (2 x C13 Female to C14 Male, 1.8 m) from Manhattan is the efficient way to power two devices simultaneously from a single PDU or UPS outlet. Perfect for use in server racks, IT rooms, or office setups, this dual power cord simplifies your power distribution by supporting equipment like a server and storage system or a PC and monitor - all from one power source.

Extend and Optimize Power Connections

In addition to combining two outputs into one line, the cable also serves as an extension for an existing C13 power connection, offering more flexibility in tight rackmount environments or when access to wall outlets is limited. With 1.8 meters of length, it helps improve cable routing and reduce clutter.

High-Quality Build for Reliable Performance

Constructed with pure bare copper wire, the Y-splitter cable ensures maximum electrical conductivity and consistent performance. Its flexible, heavy-duty PVC jacket offers excellent durability.

Techninė specifikacija

Features	
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Female
Cable length	1.8 m
Connector 1	C14 coupler
Connector 2	2 x C13 coupler
Connector 1 standard	IEC 60320
Connector 2 standard	IEC 60320
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Jacket material	Polyvinyl chloride (PVC)
Conductor material	Copper
Number of conductors	24
Conductor cross section	0.2 mm²
Number of cable cores	3
Power	
Input voltage	250 V
Maximum current	10 A
Operational conditions	
Operating temperature (T-T)	-10 - 60 °C

Storage temperature (T-T)	-20 - 70 °C
---------------------------	-------------

Certificates

Compliance certificates	CE, REACH, RoHS, UKCA, VDE
-------------------------	----------------------------

Weight & dimensions

Width	48 mm
Depth	1800 mm
Height	40 mm
Diameter	6.5 mm
Weight	245 g

Packaging data

Quantity per pack	1 pc(s)
Package type	Polybag
Package weight	250 g

Matmenys ir svoris

Svoris	0,25kg
--------	--------

Dokumentai ir vaizdo įrašai

[> Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbHLöhbacher Str. 7, D-58553 Halver, DE
intellinetnetwork.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURUV. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt