

Manhattan Power Cord/Cable, C14 Male to C13 Female (kettle lead), Monitor to CPU, 1m, 10A, Black, Lead, Lifetime Warranty

Gamintojas: **MANHATTAN** · Modelis: **352673** · EAN: **766623352673** · Prekės kodas: **840299**



12,90 €

Kaina su PVM

Be PVM: **10,66 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connects devices like server, computer, monitor and printer to a PDU, UPS or other power supply, great for rackmount network applications
- ✓ Extends a C13 to AC power cable for an enhanced reach to a wall outlet
- ✓ Pure bare copper wire for maximum conductivity
- ✓ Flexible, durable PVC jacket with heavy-duty strain relief
- ✓ High-temperature resistance for use in areas that are not air conditioned
- ✓ Great for use with Intellinet 19" Rackmount Smart PDU (#163682)
- ✓ For indoor use only



Aprašymas

C13 to C14 PDU Power Cable 1m - Extension Cord for Reliable Power Distribution in Rack-Mount Applications and IT environments

The Power Extension Cable (C13 Female to C14 Male, 10 A, 250 V) from Manhattan is designed to deliver dependable power in IT and networking environments. Whether you're working in a data center, server room, or enterprise rack setup, this cable provides a simple, effective way to connect servers, switches, storage systems, monitors, or printers to a PDU, UPS, or another compatible power source.

Extended Reach and Flexibility

Ideal for rack mount applications, this extension cable helps you reach distant power connections or reposition devices more effectively within tight enclosures. It also serves as a practical solution for extending an existing C13 power cord, allowing you to improve cable routing and maintain a tidy installation.

Techninė specifikacija

Features	
Product colour	Black
Connector 1 gender	Female
Connector 2 gender	Male
Cable length	1 m
Connector 1	C13 coupler
Connector 2	C14 coupler
Connector 1 standard	IEC 60320
Connector 2 standard	IEC 60320
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Jacket material	Polyvinyl chloride (PVC)
Conductor material	Copper
Number of conductors	32
Conductor cross section	0.2 mm²
Number of cable cores	3
Power	
Input voltage	250 V
Maximum current	10 A
Operational conditions	
Operating temperature (T-T)	-10 - 60 °C
Storage temperature (T-T)	-20 - 70 °C
Certificates	
Compliance certificates	CE, REACH, RoHS, UKCA, VDE
Weight & dimensions	
Width	48 mm
Depth	1000 mm
Height	40 mm

Diameter	6.8 mm
----------	--------

Weight	105 g
--------	-------

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Package type	Polybag
--------------	---------

Package weight	110 g
----------------	-------

Matmenys ir svoris

Svoris	0,11kg
--------	--------

Dokumentai ir vaizdo įrašai

[› Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE
intellinetnetwork.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt