

Manhattan Mains Power Cord/Cable, Euro 2-pin (CEE 7/4 Schuko) plug to C5 Female (cloverleaf/triangular), 3m, 2.5A, Lead, Lifetime Warranty

Gamintojas: **MANHATTAN** · Modelis: **356602** · EAN: **766623356602** · Prekės kodas: **840302**



15,90 €

Kaina su PVM

Be PVM: **13,14 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connects a device with IEC 60320 C6 socket to a standard two-slot EU AC or similar power outlet
- ✓ Great for laptop power supplies, printers and more
- ✓ Ideal replacement, upgrade or spare power cable for a misplaced or overused one
- ✓ Universal CEE 7/7 hybrid plug fits both European type F and French type E sockets
- ✓ Pure bare copper wire for maximum conductivity
- ✓ Flexible, durable PVC jacket with heavy-duty strain relief
- ✓ High-temperature resistance for use in areas that are not air conditioned
- ✓ For indoor use only



Aprašymas

Laptop Power Cord 3m - great as a replacement or spare AC power supply cable for notebook computer and printer

The Manhattan EU Power Cable CEE 7/7 to C5 (sometimes popularly called the Mickey Mouse connector) easily connects and extends the reach between a European two-prong power outlet and a laptop power adapter, printer or other compatible device that receives power through a three-slot C6 "cloverleaf" socket. Ideal for new systems or replacement applications, this power cable is engineered and built from quality materials that meet current safety standards to deliver and maintain reliable connections. Fully molded boots with strain relief, a durable PVC jacket and heavy-duty construction enable this power cable to transmit dependable power where and when needed with maximum electrical conductivity.

Techninė specifikacija

Features	
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Female
Cable length	3 m
Connector 1	CEE7/7
Connector 2	IEC C5
Connector 2 standard	IEC 60320
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Jacket material	Polyvinyl chloride (PVC)
Conductor material	Copper
Cable type	H05VV-F3G
Number of conductors	3
Conductor cross section	0.75 mm²
Power	
Input voltage	250 V
Input current	2.5 A
Operational conditions	
Operating temperature (T-T)	-10 - 60 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	10 - 85%
Storage relative humidity (H-H)	5 - 90%
Certificates	
Compliance certificates	CE, REACH, RoHS, UKCA, VDE
Weight & dimensions	
Width	37 mm

Depth	37 mm
Diameter	6.8 mm
Weight	240 g
Packaging data	
Quantity per pack	1 pc(s)
Package type	Polybag
Package width	190 mm
Package depth	40 mm
Package height	310 mm
Package weight	250 g
Logistics data	
Master (outer) case width	400 mm
Master (outer) case length	300 mm
Master (outer) case height	280 mm
Master (outer) case gross weight	16 kg
Products per master (outer) case	60 pc(s)
Matmenys ir svoris	
Svoris	0,25kg

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE

[intellinetnetwork.eu](mailto:info@intellinetnetwork.eu)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt