

Aerocool Graphite V3 „Midi Tower“ Juoda

Gamintojas: **AEROCOOL** · Modelis: **ACCM-PB24133.11** · EAN: **4710562759457** · Prekės kodas: **841764**



96,90 €

Kaina su PVM

Be PVM: **80,08 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ „Midi Tower“ PC
- ✓ ATX, „micro ATX“, Mini-ITX
- ✓ Palaikomas kietojo disko dydis: 2.5,3.5" SSD formos koeficientas: 2.5"
- ✓ 2,5" lizdų skaičius: 4 3,5" lizdų skaičius: 2
- ✓ Iluminacija Mėlyna, Žalia, Raudona
- ✓ ABS, SPCC, Plienas
- ✓ Juoda



Aprašymas

Featuring a mesh front panel design, this high-performance mid tower case allows for increased air circulation and viewing of your front LED fans. Full tempered glass side panel with a convenient hinge mechanism and handle allows for easy opening and closing while showcasing the inside of your rig. Comes with three additional vertical expansion slots, allowing for vertical graphics card installation.

WIDE AND STURDY CHASSIS DESIGN

Featuring a chassis design focused on delivering increased interior space, you now have more freedom and possibilities to customize your PC how you want.

With more room for your graphics card, coolers and fans, and even your motherboard, the Graphite will allow you to fully maximize the performance of your PC build.

EXPANSION SLOTS FOR VERTICAL GRAPHICS CARD INSTALLATION

Built with three additional vertical expansion slots, allowing you to install your graphics card at a vertical position.

Supports Nvidia® GeForce RTX 30 series graphics cards including Founder's Edition.

MESH FRONT PANEL DESIGN

Featuring a mesh front panel design, this case allows for clear viewing of your front LED fans while improving air flow and ventilation.

FULL TEMPERED GLASS SIDE PANEL WITH HINGE DESIGN

Full tempered glass side panel with a convenient hinge mechanism and handle allows for easy opening and closing while showcasing the inside of your rig.

EFFICIENT CABLE MANAGEMENT

Comes equipped with two cable passthrough tubes on the motherboard tray to keep your cables neat, tidy, and secure.

AIR COOLING

Supports air cooling in the front, top, and rear of the case to enhance cooling performance.

- Front: 120mm x 3 or 140mm x 2 (Max.)
- Top: 120mm x 2 or 140mm x 2 (Max.)
- Rear: 120mm x 1 or 140mm x 1 (Max.)

LIQUID COOLING

Supports liquid cooling in the front, top, and rear of the case for maximum efficiency cooling.

- Front: 120/240/280/360mm Radiator (Optional)

- (radiator length <394mm, thickness <38mm)
- Top: 120/240mm Radiator (Optional)
- (radiator length < 296mm) (memory module height < 50mm)
- Rear: 120mm Radiator (Optional)
- (GPU width <130mm if installed vertically)

DUAL CHAMBER DESIGN

Built with a dual chamber design to direct heat away from the main chamber for more effective all-around cooling.

BUILT FOR HIGH PERFORMANCE

- Supports ATX, Micro-ATX, and Mini-ITX motherboards
- Supports CPU cooler up to 180mm
- Supports graphics cards up to 348mm
- (without front radiator)

CONVENIENT ACCESS TO YOUR MEDIA

Quick and easy access to 2 x USB 3.0, HD audio and mic ports, and power button.

STORAGE CAPABILITY

Supports up to 2 x 3.5" HDDs (1 x 3.5" and 1 x 3.5"/2.5"), and 4 x 2.5" SSDs (3 x 2.5" and 1 x 2.5"/3.5").

EASY MAINTENANCE

Removable dust filters on the top and bottom of the case for fast and convenient cleaning.

Techninė specifikacija

Konstrukcija	
Forma	„Midi Tower“
Tipas	PC
Produkto spalva	Juoda
Palaikomos motininės plokštės formos faktoriai	ATX, „micro ATX“, Mini-ITX
3,5" lizdų skaičius	2
Medžiaga	ABS, SPCC, Plienas
2,5" lizdų skaičius	4
Plėtimosi angų skaičius	10
Iliuminacija	Taip
Apšvietimo spalva	Mėlyna, Žalia, Raudona
Didžiausias CPU vėsintuvo aukštis	18 cm
Didžiausias grafinės kortelės ilgis	34,8 cm
Maitinimo šaltinis	
Pridėtas maitinimo šaltinis	Ne
Palaikomi maitinimo formos koeficientai	ATX
Ryšys	
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	2

Audio įėjimas	Taip
Audio išeiga	Taip
Aušinimas	
Sumontuoti priekiniai ventiliatoriai	2x 140 mm
Daugiausia priekinių ventiliatorių	3
Palaikomi priekinių ventiliatorių skersmenys	120,140 mm
Įrengti galiniai ventiliatoriai	1x 140 mm
Maksimalus galinių ventiliatorių skaičius	1
Palaikomas galinio ventiliatoriaus skersmuo	120,140 mm
Maksimalus viršutinių ventiliatorių skaičius	2
Palaikomi viršutinių ventiliatorių skersmenys	120,140 mm
Palaikomi priekinio radiatoriaus dydžiai	120,240,280,360 mm
Palaikomi galinio radiatoriaus dydžiai	120 mm
Palaikomi viršutinio radiatoriaus dydžiai	120,240 mm
Laikmenos	
Palaikomas kietojo disko dydis	2.5,3.5"
SSD formos koeficientas	2.5"
Svoris ir matmenys	
Plotis	230 mm
Ilgis	406 mm
Aukštis	460 mm
Svoris	5,75 kg
Medžiagos storis	0,5 mm
Pakuotės duomenys	
Paketo svoris	6,75 kg
Logistikos duomenys	
Darniosios sistemos (DS) kodas	84733080
Matmenys ir svoris	
Svoris	6,12kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Aerocool Advanced Technologies Corp.

Zhongxiao E. Rd., Nangang Dist. No. 508, Sec. 7, 115011 Taipei City, TW

aerocool.io

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt