MSI MAG Coreliquid A15 240 Motininė plokštė, Procesorius Universalusis skystinis aušintuvas 12 cm Juoda 1 vnt

Gamintojas: **MSI** · Modelis: **306-7ZWAA11-L80** · EAN: **4711377257305** · Prekės kodas: **843317**



96,90 €

Kaina su PVM

Be PVM: **80,08 €**


Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Motininė plokštė, Procesorius Universalusis skystinis aušintuvas 12 cm
- ✓ Palaikomi procesoriaus lizdai: LGA 1700, LGA 1851, AM4 lizdas, AM5 lizdas
- ✓ 64,89 cfm Graižtinis guolis
- ✓ Impulsų pločio moduliacijos (PWM) palaikymas
- ✓ 120 x 120 x 25 mm
- ✓ Juoda
- ✓ 1 vnt











Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

MSI's mainstream MAG series epitomizes stability and durability and is built to withstand the most intense gaming sessions. The entire lineup features robust construction with metallic-like hardness and excellent heat dissipation, ensuring stability for all critical gaming components.

Design Concept

The MAG CORELIQUID A15 embodies a bold military-inspired design, featuring sharp, angular lines that exude strength and precision. A refined paint finish combined with brushed aluminum accents elevates the cooler head’s premium look. Paired with ARGB GEN2 lighting effects, it highlights the striking mix of materials, delivering eye-catching details that will make your setup truly stand out.

Cable invisible

The pre-installed fans use hidden daisy-chain connectors that keep cables out of sight, allowing the fan design to stand out fully and seamlessly.

High Efficiency Pump

The CORELIQUID A15 series is equipped with a high-performance pump that operates at speeds up to 3400 RPM. Combined with high-quality ceramic bearings, it achieves a perfect balance between performance and quiet operation.

Full-Plane & Screwless Copper Base

The new generation full-plane copper base eliminates the traditional screw perforation design, significantly enhancing water-tightness and ensuring more reliable system operation. Equipped with a precise 0.1mm micro-channel design, it efficiently absorbs CPU heat and works in tandem with the high-performance pump to quickly dissipate heat, delivering exceptional cooling performance.

Adjustable Offset kit Performance

The adjustable offset kit provides 2 positions and allows for precise adjustment of position of CPU, ensuring optimal alignment and significantly improving the cooling effect.

Metal back plate

The MAG CORELIQUID A15 Series is engineered with a robust metal backplate, offering significantly greater strength compared to plastic alternatives. Designed to seamlessly support the offset kit, it ensures even pressure distribution without the risk of bending, even under high-performance conditions. This upgrade guarantees stability and durability, giving gamers peace of mind during intense gameplay or overclocking sessions.

CycloBlade 9

MSI's CycloBlade 9 fan combines a hybrid blade design, delivering powerful airflow and high static pressure. This ensures extreme cooling performance during intense gaming while maintaining low noise levels for an immersive experience. Additionally, the ARGB GEN2 lighting effects make your rig stand out on the battlefield, making it the ultimate choice for esports players.

HIGH THERMAL DISSIPATION

This high-performance liquid cooler features 12 widened water channels, increasing water flow by 25%, even with a maintained thickness of 27mm, delivering more efficient cooling performance. The radiator's FPI (fins per inch) reaches an impressive 20, further expanding the cooling surface area. This design not only significantly enhances cooling efficiency but also ensures stable, powerful cooling under high loads and overclocking conditions.

Performance enthusiasts can push for maximum performance without thermal limitations, unlocking even greater potential.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

EVAPORATION PROOF TUBING

The MAG CORELIQUID A15 series utilizes nylon-braided EPDM water cooling tubes, offering high and low-temperature resistance, corrosion resistance, excellent flexibility, and anti-aging properties. This design not only reduces the evaporation of the coolant but also makes it easy for players to install without worrying about bending or positioning the tubes.

INTEGRATING WITH THE SYSTEM ENVIRONMENT

With the MSI CENTER software, users can integrate MSI liquid cooling with their motherboard and adjust the speed of the cooling fan and pump through the motherboard. The MSI CENTER provides users with easy-to-use controls to fine-tune their hardware and achieve optimal computer performance.

GLOW YOUR PC

Splash on some color and vibrant RGB lighting effects using MSI Mystic Light with 16.8 million colors and fancy LED effects. MSI Mystic Light provides you complete control of RGB lighting of your PC in one software.

Techninė specifikacija

Performance	
Suitable location	Motherboard, Processor
Type	All-in-one liquid cooler
Fan diameter	12 cm
Supported processor sockets	LGA 1700, LGA 1851, Socket AM4, Socket AM5
Maximum airflow	64.89 cfm
Pulse-width modulation (PWM) support	Yes
Bearing type	Rifle bearing
Pump noise level	20 dB
Pump connector	3-pin + 4-pin
Quantity per pack	1 pc(s)
Pump motor speed	3400 RPM
Fan speed (min)	500 RPM
Fan speed (max)	2050 RPM
Pump's mean time to failure (MTTF)	50000 h
Fan's mean time to failure (MTTF)	40000 h
Design	
Product colour	Black
Radiator material	Aluminum
Base plate material	Copper
Number of fans	2 fan(s)

Illumination LED	Yes
Illumination colour	Multi
Fan connector	3-pin
Power	
Fan power consumption	1.68 W
Pump power consumption	2.52 W
Pump voltage	5 V
Pump current	210 mA
Fan voltage	5 V
Fan current	0.14 A
Weight & dimensions	
Radiator width	27.7 cm
Radiator depth	12 cm
Radiator height	2.7 cm
Waterblock width	7.12 cm
Waterblock depth	6.95 cm
Waterblock height	7.5 cm
Fan dimensions (W x D x H)	120 x 120 x 25 mm
Cable length	0.6 m
Packaging content	
Screws included	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	15,00cm × 35,00cm × 27,00cm
Svoris	2,07kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Micro-Star Int'l Co.
Lide St., Zhonghe Dist. No. 69, 235 New Taipei City, TW
msi.com

ATSAKINGAS ASMUO ES

Mystar Computer B.V.
Science Park Eindhoven 5706, 5692 ER Son, NL
msi.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.