Vivolink VLSP60AW loudspeaker 2-way White Wired 60 W

Gamintojas: **VIVOLINK** · Modelis: **VLSP60AW** · EAN: **5712505565162** · Prekės kodas: **844831**



171.90€

Kaina su PVM

Be PVM: **142.07€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 2 x 30 Watt active speakers
- ✓ Automatic ECO mode after 90 seconds (<lt/>0,5 Watt)
- ✓ Audio inputs: 2xRCA + Stereo 3,5 mm
- ✓ Switchable stereo / mono output
- ✓ One pair of speakers (one active + one passive)
- ✓ 140cm 230V Powercord



Aprašymas

Professional stereo speakers in a rugged and durable design for meetingrooms, conferencerooms and classrooms.
Professional Speakers with Powersaving stand-by function.
The PROSPEAKERS is a powerfull stereo speakersystem suitable for meeting- and conferencerooms, classrooms and more. Despite the compact design, the PROSPEAKERS deliver excellent sound through use of the integrated 2-way speaker units.
The PROSPEAKERS is equipped with a powerfull basswoofer and a combined midrange and tweeter unit which contributes to powerfull and great sound.
The PROSPEAKERS mounts both standing and via wallmount and can even be used in horizontal position The system includes 10 meters speaker cable for use between the active and the passive unit.

Note: Passive speaker weight: 1950g, Active speaker weight: 3010g, Mounts weight: 392g each.
Only connect to one if the inputs. Either RCA or Minijack Connector.
There is RCA and Minijack 3,5mm input on the speaker, the two terminal types are connected together inside the speaker so both input terminals

are open for sound inputs.

Techninė specifikacija

Loudspeakers	
Speaker type	2-way
Audio output channels	2.0 channels
Speaker placement	Wall-mountable
Number of drivers	2
Tweeter	Yes
Tweeter diameter (imperial)	2.54 cm (1")
Woofer	Yes
Woofer diameter (imperial)	13.3 cm (5.25")
Audio	
RMS rated power	60 W
Peak Music Power Output (PMPO)	300 W
Speakers RMS power	30 W
Frequency range	45 - 20000 Hz
Impedance	4 Ω
Sensitivity	88 dB
Performance	
Product colour	White
Recommended usage	Universal
Number of speakers	2
Housing material	Plastic
Volume control	Rotary
Plug and Play	Yes
On/off switch	Yes
Certification	CE
Ports & interfaces	
Connectivity technology	Wired
3.5 mm (1/8-inch) in	Yes
6.35 mm (1⁄4-inch) input	1
Audio RCA inputs	1
Connector(s)	RCA, Minijack, Phoenix

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Power	
Power source type	AC
AC input voltage	230 - 240 V
Power consumption (typical)	75 W
Power consumption (standby)	0.5 W
Current	1 A
Weight & dimensions	
Width	178 mm
Depth	162 mm
Height	240 mm
Weight	6.26 kg
Cord length	10 m
Packaging data	
Package width	210 mm
Package depth	440 mm
Package height	270 mm
Package weight	6.36 kg
Packaging content	
Cables included	AC
Mounting brackets included	Yes
Logistics data	
Harmonized System (HS) code	85182200
Other features	
Magnetically shielded	Yes
Speaker weight	6.36 g
Front speaker frequency range	45 - 20000 Hz
Front speaker impedance	4 Ω
Front speaker sensitivity	88 dB
Housing colour	White
Power source	AC
Matmenys ir svoris	
Svoris	6.75kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Dokumentai ir vaizdo įrašai

› Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

EET Group A/S
Bregnerødvej 133D, 3460 Birkerød, DK
eetgroup.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt