

# Epson EB-L690SE Short throw projector 6000 ANSI lumens 3LCD WUXGA (1920x1200) White

Gamintojas: **EPSON** · Modelis: **V11HB36080** · EAN: **8715946737904** · Prekės kodas: **846679**



## 6 263,90 €

Kaina su PVM

Be PVM: **5 176,78 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ 6 000 liumenų ryškumas su 4K patobulinimo technologija esant 60 Hz: Šis biudžetui palankus lazerinis projektorius puikiai tinka dideliems ekranams profesionaliose erdvėse, nes jo perteikiami vaizdai yra itin ryškių kontūrų ir spalvų bei gali turėti iki 4,6 mln. pikselių.
- ✓ Kompaktiškas trumpo atstumo dizainas įtraukiančiam vaizdui: Projektuokite keičiamo dydžio, iki 500 col. siekiančius šešėlių nemetančius ir neakinančius, bet įtraukiančius vaizdus kompaktiškose erdvėse, kurių trumpo atstumo santykis yra 0,5–0,7:1, o didinimo galimybė siekia 1,4 karto.
- ✓ Tylos veikimas: Užtikrina puikias ekrano eksploatacines savybes ir vos 36 dB arba 26 dB siekiantį triukšmo lygį ekonominiu režimu, sukuriant tylią ir susitelkimą skatinančią aplinką įtraukiančioms vizualinėms patirtims.
- ✓ Daug pastangų nereikalaujantis lankstus įrengimas: Fiksuotas centrinis objektyvas su rankiniu būdu valdomu objektyvo poslinkiu ir pažangiomis funkcijomis, pvz., kampinio fokusavimo reguliavimu, užtikrina lengvą nustatymą ir pritaikymą prie bet kokios aplinkos.
- ✓ Išplėstiniai tvirtinimo įrankiai: Taip pat galimi įvairūs nemokami programinės įrangos įrankiai ir pasirinktinis išorinis kameros modulis, kad būtų užtikrintas didesnis lankstumas įrengimo metu.
- ✓ Tvarūs pasirinkimai su „Epson“: Pagaminta iš 19 % perdirbto plastiko, mažos elektros sąnaudos, mažesnės pakuotės ir iki 30 000 valandų naudojimo trukmės ekonominiu režimu (normaliu režimu – 20 000 valandų).



## Aprašymas

Designed for compact spaces, the EB-L690SE short-throw offers 6,000 lumens of bright WUXGA resolution with 4K Enhancement, HDR and advanced installation features. With up to 30,000 hours of maintenance-free projection in Eco mode, lens shift, 1.4x zoom and corner focus, it's ideal for professional applications. Flexible control options are available via HDBaseT, LAN and more.

## Awe-inspiring immersive short throw projector

Create stunning, shadow-free presentations in compact spaces with a short throw ratio of 0.5–0.7:1, built-in lens shift, and WUXGA resolution with 4K Enhancement. With 1.4x optical zoom, corner focus, and display sizes up to 500", this high-performance display is perfect for immersive applications. Its compact design, low noise, and sleek white chassis ensure crystal-clear images in any setting, all at an affordable price.

## Flexible installation for professional setups

Designed for easy installation, the EB-L690SE can be quickly configured for optimal performance in any room layout. Features like lens shift, horizontal and vertical keystone correction, and 360° projection ensure precise image positioning. Options such as split-screen capabilities, edge blending, and geometry correction, along with the optional ELPEC01 camera and Epson Projector Professional Tool, enable fast setup and calibration, enhancing flexibility for complex setups.

## Stream, share, and connect with ease

With optional wireless connectivity, a USB-A port for PC-free operation, and HDBaseT/HDMI daisy chaining, the EB-L690SE enhances installation flexibility and convenience.

## Smart control for seamless experience

The EB-L690SE streamlines large-scale deployments with NFC functionality and the Epson Projector Config Tool. The intuitive OSD menu, coupled with Epson's EPMC solution, enables effortless cloud monitoring and management. Compatible with Crestron XiO Cloud, it offers centralised control for seamless operation.

## Peace of mind with high durability and support

Engineered for long-lasting performance, the EB-L690SE features fit-and-forget laser technology, backed by a 3-year warranty. It minimises maintenance needs, reduces downtime, and offers peace of mind with Epson's renowned after-sales support.

## Environmentally friendly design

Built with sustainability in mind, our projectors are manufactured using 100% renewable electricity\* and packaged in 100% recyclable cardboard. With low maintenance and energy consumption and benefits from end-of-life recycling and energy recovery services across Europe.

## Techninė specifikacija

| Projector                   |                   |
|-----------------------------|-------------------|
| Projector brightness        | 6000 ANSI lumens  |
| Projection technology       | 3LCD              |
| Projector native resolution | WUXGA (1920x1200) |
| Contrast ratio (typical)    | 5000000:1         |
| Native aspect ratio         | 16:10             |

|                                              |                                                                                 |
|----------------------------------------------|---------------------------------------------------------------------------------|
| Screen size compatibility                    | 2540 - 12700 mm (100 - 500")                                                    |
| Projection distance                          | 1.09 - 7.84 m                                                                   |
| Projection distance (wide)                   | 1.1 - 5.6 m                                                                     |
| Projection distance (tele)                   | 1.5 - 7.8 m                                                                     |
| Number of colours                            | 1.07 billion colours                                                            |
| Keystone correction, horizontal              | -30 - 30°                                                                       |
| Keystone correction, vertical                | -30 - 30°                                                                       |
| <b>Light source</b>                          |                                                                                 |
| Light source type                            | Laser                                                                           |
| Service life of light source                 | 20000 h                                                                         |
| Service life of light source (economic mode) | 30000 h                                                                         |
| <b>Lens system</b>                           |                                                                                 |
| Focus                                        | Manual                                                                          |
| Focal length range                           | 7.54 - 10.55 mm                                                                 |
| Aperture range (F-F)                         | 1.8 - 2                                                                         |
| Zoom capability                              | Yes                                                                             |
| Zoom type                                    | Manual                                                                          |
| Throw ratio                                  | 0.50 - 1.70:1                                                                   |
| Horizontal lens shift range                  | -20 - 20%                                                                       |
| Vertical lens shift range                    | -50 - 50%                                                                       |
| <b>Video</b>                                 |                                                                                 |
| Analog signal format system                  | Not supported                                                                   |
| Full HD                                      | Yes                                                                             |
| 3D                                           | No                                                                              |
| Video colour modes                           | Cinema, DICOM simulation mode, Dynamic, Multi-projection, Natural, Presentation |
| <b>Ports &amp; interfaces</b>                |                                                                                 |
| VGA (D-Sub) ports quantity                   | 0                                                                               |
| HDMI ports quantity                          | 2                                                                               |
| DVI port                                     | No                                                                              |
| Serial interface type                        | RS-232C                                                                         |
| HDMI version                                 | 2.3                                                                             |
| HDBaseT port                                 | Yes                                                                             |
| USB 2.0 ports quantity                       | 3                                                                               |
| USB 2.0 Type-A ports quantity                | 2                                                                               |

|                                  |                                                                  |
|----------------------------------|------------------------------------------------------------------|
| USB 2.0 Type-B ports quantity    | 1                                                                |
| <b>Network</b>                   |                                                                  |
| Ethernet LAN                     | Yes                                                              |
| Wi-Fi                            | Yes                                                              |
| Wi-Fi standards                  | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) |
| Miracast                         | Yes                                                              |
| Apple AirPlay 2 support          | Yes                                                              |
| <b>Storage</b>                   |                                                                  |
| Card reader integrated           | No                                                               |
| <b>Features</b>                  |                                                                  |
| Noise level                      | 36 dB                                                            |
| Interactive                      | No                                                               |
| Noise level (economic mode)      | 26 dB                                                            |
| HDCP                             | Yes                                                              |
| Preset modes                     | Cinema, Dynamic, Presentation                                    |
| <b>Multimedia</b>                |                                                                  |
| Built-in speaker(s)              | Yes                                                              |
| RMS rated power                  | 10 W                                                             |
| <b>Design</b>                    |                                                                  |
| Product type                     | Short throw projector                                            |
| Market positioning               | Education                                                        |
| Product colour                   | White                                                            |
| Placement                        | Ceiling, Desktop                                                 |
| Cable lock slot                  | Yes                                                              |
| Cable lock slot type             | Kensington                                                       |
| <b>Power</b>                     |                                                                  |
| Power source                     | AC                                                               |
| Power consumption (typical)      | 362 W                                                            |
| Power consumption (standby)      | 0.4 W                                                            |
| Power consumption (max)          | 415 W                                                            |
| Power consumption (economy mode) | 250 W                                                            |
| AC input frequency               | 50/60 Hz                                                         |
| AC adapter output voltage        | 100 - 240 V                                                      |
| <b>Operational conditions</b>    |                                                                  |

|                           |             |
|---------------------------|-------------|
| Storage temperature (T-T) | -10 - 60 °C |
|---------------------------|-------------|

|                                   |          |
|-----------------------------------|----------|
| Operating relative humidity (H-H) | 20 - 80% |
|-----------------------------------|----------|

|                                 |          |
|---------------------------------|----------|
| Storage relative humidity (H-H) | 10 - 90% |
|---------------------------------|----------|

#### Weight & dimensions

|        |        |
|--------|--------|
| Weight | 9.3 kg |
|--------|--------|

|       |        |
|-------|--------|
| Width | 440 mm |
|-------|--------|

|       |        |
|-------|--------|
| Depth | 368 mm |
|-------|--------|

|        |        |
|--------|--------|
| Height | 151 mm |
|--------|--------|

#### Packaging content

|                         |     |
|-------------------------|-----|
| Remote control included | Yes |
|-------------------------|-----|

|                    |     |
|--------------------|-----|
| Batteries included | Yes |
|--------------------|-----|

#### Technical details

|                 |           |
|-----------------|-----------|
| Warranty period | 3 year(s) |
|-----------------|-----------|

#### Matmenys ir svoris

|        |         |
|--------|---------|
| Svoris | 13,20kg |
|--------|---------|

## Gamintojo ir saugos informacija

#### GAMINTOJAS

##### Seiko Epson

Owa, Suwa 3-3-5, Nagano, JP  
[corporate.epson](mailto:corporate.epson)

#### ATSAKINGAS ASMUO ES

##### Epson Deutschland

Schiessstraße 49, D-40549 Düsseldorf, DE  
[epson.de](https://www.epson.de)

#### PLATINTOJAS

##### MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius  
[info@shopro.lt](mailto:info@shopro.lt)