

Manhattan VGA and USB-A to HDMI Converter, Analog VGA Video and USB Audio to Digital HDMI Signal, 1920x1080, 1080p@60Hz, 24-bit colour, 1.65 Gbps / 165 MHz, Three Year Warranty

Gamintojas: **MANHATTAN** · Modelis: **152426** · EAN: **766623152426** · Prekės kodas: **847941**



27,90 €

Kaina su PVM

Be PVM: **23,06 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Easily converts analog VGA video and USB audio to a digital HDMI signal
- ✓ Ideal for connecting Mac, PCs and Laptops to high-definition monitors, HDTVs, projectors and more
- ✓ Supports VGA and HDMI video resolutions up to 1920x1080, 1080p@60Hz, 24-bit colour depth and video amplifier bandwidth up to 1.65 Gbps / 165 MHz
- ✓ Provides high quality, digital USB audio; powered with one connection
- ✓ Compact and portable design fits easily in laptop bag for offsite presentations, business travellers and more
- ✓ Works great in combination with Manhattan High Speed HDMI Cable with Ethernet (323215)
- ✓ Plug and play; Windows and Mac compatible; simple to install
- ✓ Three-Year Warranty



Aprašymas

Converts analog PC-based audio/video signals into digital HDMI. _x000D_ _x000D_

The Manhattan VGA and USB to HDMI Converter translates analog PC audio/video signals to HDMI format for compatible projectors, flat-panel HD

displays, televisions and more. Advanced built-in circuitry lets you easily enjoy PC-based media on high-definition displays or TVs and maintains simultaneous A/V reception at the source PC. High bandwidth capability supports video resolutions up to 1920 x 1080 and 1080p@60Hz, serving beautifully for training, retail and trade-show purposes. Quick Plug and Play installation and Windows and Mac compatibility means the Manhattan VGA and USB to HDMI Converter makes it easy to deliver digital content stored on any desktop and notebook computers.

Techninė specifikacija

Features	
Cable length	1 m
Connector 1	USB Type-A + VGA (D-Sub)
Connector 2	HDMI
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDCP	Yes
Maximum resolution	1920 x 1080 pixels
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Data transfer rate	1.65 Gbit/s
Bandwidth	165 MHz
Product colour	Black
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 96%
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC)
Certification	HDMI CE FCC
Weight & dimensions	
Weight	102 g
Width	89 mm
Depth	68 mm
Height	29 mm
Logistics data	
Harmonized System (HS) code	84733080

Matmenys ir svoris

Svoris	0,12kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE
intellinetnetwork.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt