

Manhattan USB-C to HDMI Cable, 4K@60Hz, 5 Gbps (USB 3.2 Gen1 aka USB 3.0), 15cm, Black, Male to Female, Three Year Warranty

Gamintojas: **MANHATTAN** · Modelis: **153706** · EAN: **766623153706** · Prekės kodas: **848942**



19,90 €

Kaina su PVM

Be PVM: **16,45 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Resolutions up to Ultra-High-Definition (UHD) 4K@60Hz (3840×2160)
- ✓ Compatible with any USB-C device that supports DP Alt Mode, including smartphones, Apple® MacBooks®, Chromebooks™, Pixels™, tablets and more
- ✓ Supports display modes Extended or Mirror on Windows®, and Mirror on Mac®
- ✓ Serves as an external graphics card, which allows adding up to two external displays to your system (requires one adapter per display)
- ✓ Built-in, sturdy 15 cm (6 in.) cable
- ✓ Bus powered: no external power supply needed
- ✓ Sturdy, sleek aluminum housing, great for both desktop and travel
- ✓ Portable, compact, lightweight design that easily fits into laptop bag pockets
- ✓ HDCP 2.2 compliant
- ✓ Plug-and-play installation; Windows®, macOS®, Linux®, ChromeOS™, iPadOS® and Android™ compatible





Aprašymas

Manhattan 153706 Videokabel-Adapter 0,15 m USB Typ-C HDMI Schwarz - Silber (153706)

Techninė specifikacija

Features	
Cable length	0.15 m
Connector 1	USB Type-C
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDCP	Yes
HDCP version	2.2
Maximum resolution	3840 x 2160 pixels
Maximum refresh rate	60 Hz
Product colour	Black, Silver
AWG wire size	34
Plug and Play	Yes
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8.1
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	Android, ChromeOS
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 85 °C
Operating relative humidity (H-H)	10 - 90%
Certificates	
Certification	CE FCC RoHS REACH UKCA

Weight & dimensions

Weight	18 g
Width	22 mm
Depth	194 mm
Height	10 mm

Packaging data

Package weight	24 g
----------------	------

Packaging content

Quantity per pack	1 pc(s)
Manual	Yes

Matmenys ir svoris

Svoris	0,02kg
--------	--------

Dokumentai ir vaizdo įrašai[› Gaminio lankstinukas](#)**Gamintojo ir saugos informacija**

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbHLöhbach Str. 7, D-58553 Halver, DE
intellinetnetwork.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURUV. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt