

# ACT Powercord C19 IEC Lock - C20 IEC Lock Dual Locking white 2 m, PC3639 (PL0012)

Gamintojas: **ACT** · Modelis: **PL0012** · EAN: **8716065552805** · Prekės kodas: **849421**



## 39,91 €

Kaina su PVM

Be PVM: **32,98 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Connectors: C19 IEC Lock - C20 Dual locking IEC Lock
- ✓ Protects against accidental disconnection in critical equipment, PDUs, servers, network equipment, etc
- ✓ Suitable for all PDUs; PDU doesn't need a locking mechanism of its own
- ✓ PDU side locks at the top and side
- ✓ Minimizes risks of damage and downtime
- ✓ Maximum load: 16A/250V~



## Aprašymas

## DESCRIPTION

The ACT IEC Dual Lock power cable offers locking at both ends: C19 IEC Lock on one side and the C20 IEC Lock Dual Locking connector on the PDU side. The C20 connector locks at the top and side, providing additional protection against accidental disconnection from the PDU. The locking mechanism is universal and works with all major PDU brands. The PDU doesn't need to have its own locking mechanism and no tools are required. The IEC Lock prevents accidental disconnection/release of the cable from both the equipment and the PDU. This minimizes the risk of damage and downtime. The power cables are available in a range of colors for easy identification. The ACT IEC Lock can be used in Europe, Australia

(16A/250V~), USA, Canada and Japan (20A/120V~).

## Techninė specifikacija

| Features                             |                                                 |
|--------------------------------------|-------------------------------------------------|
| Product colour                       | White                                           |
| Connector 1 gender                   | Female                                          |
| Connector 2 gender                   | Male                                            |
| Cable length                         | 2 m                                             |
| Connector 1                          | C19 coupler                                     |
| Connector 2                          | C20 coupler                                     |
| Connector 1 standard                 | IEC 60320                                       |
| Connector 2 standard                 | IEC 60320                                       |
| Connector 1 form factor              | Straight                                        |
| Connector 2 form factor              | Straight                                        |
| Connector 1 lockable                 | Yes                                             |
| Connector 2 lockable                 | Yes                                             |
| Suitable for use in country/location | Australia, Canada, Europe, Japan, United States |
| Jacket material                      | Polyvinyl chloride (PVC)                        |
| Conductor material                   | Copper                                          |
| AWG wire size                        | 15                                              |
| Conductor cross section              | 1.5 mm <sup>2</sup>                             |
| Power                                |                                                 |
| Input voltage                        | 250 V                                           |
| Input current                        | 16 A                                            |
| Operational conditions               |                                                 |
| Operating temperature (T-T)          | -20 - 50 °C                                     |
| Certificates                         |                                                 |
| Certification                        | CE, CSA, ENEC 05, UL, VDE                       |
| Weight & dimensions                  |                                                 |
| Diameter                             | 9 mm                                            |
| Matmenys ir svoris                   |                                                 |
| Svoris                               | 1,00kg                                          |

## Dokumentai ir vaizdo įrašai

> [Gaminio lankstinukas](#)

## Gamintojo ir saugos informacija

### GAMINTOJAS

#### **Intronics BV**

Koolhovenstraat 1E, 3772 MT Barneveld, NL

[intronics.nl](https://intronics.nl)

### PLATINTOJAS

#### **MB KOMPIUTERIŲ GURU**

V. Nagevičiaus g. 3, LT-08237 Vilnius

[info@shopro.lt](mailto:info@shopro.lt)