

Samsung VM55C-R LCD Vidaus

Gamintojas: **SAMSUNG** · Modelis: **LH55VMCRBGBXEN** · EAN: **8806095363899** · Prekės kodas: **849568**



3 108,90 €

Kaina su PVM

Be PVM: **2 569,34 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 139,7 cm (55") LCD
- ✓ 1920 x 1080 pikseliai „Full HD“
- ✓ 500 cd/m² 1100:1 0,63 x 0,63 mm
- ✓ Vidaus Horizontalus / vertikalus Juoda
- ✓ VESA tvirtinimo pagrindas 600 x 400 mm
- ✓ Ethernet LAN jungtis USB prievadas
- ✓ 250 W



Aprašymas

Samsung VM55C-R - 138 cm (55) Diagonalklasse VHR-R Series LCD-Display mit LED-Hintergrundbeleuchtung [Energieklasse G] (LH55VMCRBGBXEN)

Techninė specifikacija

Display	
Display technology	LCD
Pixel pitch	0.63 x 0.63 mm
Display brightness	500 cd/m²
Display diagonal	139.7 cm (55")
Display resolution	1920 x 1080 pixels
HD type	Full HD
Panel type	IPS
Aspect ratio	16:9
Pixel frequency	78 MHz
Contrast ratio (typical)	1100:1
Contrast ratio (dynamic)	100000:1
Response time	8 s
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Horizontal scan range	57.3 - 70 kHz
Vertical scan range	47 - 63 Hz
Haze rate	28%
Colour gamut	72%
Operating hours (hours/days)	24/7
Display diagonal (metric)	138 cm
Design	
Placement supported	Indoor
Orientation	Horizontal/Vertical
Bezel width (side)	0.44 mm
Bezel width (top)	0.44 mm
Bezel width (bottom)	0.44 mm
Bezel colour	Black
Tiled bezel width	0.44 mm
Frame material	Glossy
Wall mountable	Yes
VESA mounting	Yes
Panel mounting interface	600 x 400 mm

Product colour	Black
Ports & interfaces	
HDMI ports quantity	2
HDMI input ports quantity	1
HDMI version	2
DVI port	Yes
DVI-D ports quantity	1
DisplayPorts quantity	1
DisplayPorts in	1
DisplayPort version	1.2
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
RS-232 input ports	1
RS-232 output ports	1
USB port	Yes
USB ports quantity	1
HDCCP	Yes
HDCCP version	2.2
IR input ports quantity	1
Audio input	Yes
Audio output	Yes
Video out	Yes
Power	
Power consumption (typical)	250 W
Power consumption (sleep)	0.5 W
Energy efficiency scale	A to G
Energy efficiency class (SDR)	G
Energy consumption (SDR) per 1000 hours	155 kWh
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Technical details	

Compliance certificates

CB, Federal Communications Commission (FCC)

Sustainability

Certification

FCC (USA) Part 15, Subpart B Class B CE (Europe) : EN 55032:2015+A11:2020 / EN 55035:2017+A11:2020 / EN IEC 61000-3-2:2019 / EN 61000-3-3:2013+A1:2019 VCCI (Japan) : VCCI-CISPR32 : 2015 KC (Korea) : KS C 9832 / KS C 9835 RCM (Australia/Newzealand) : AS/N CB (Europe) : IEC62368-1/EN62368-1 CCC (China) : GB 4943.1-2011 (Singapore) : PSB+IEC62368-1NOM (Mexico) : Tunerless : NOM-019-SCFI-1998IRAM (Argentina) : IRAM+IEC62368-1 SIRC (Saudi Arabia) : SASO+IEC62368-1 BIS (India) : IEC60950-1 / IS13252KC (Kore

Sustainability compliance

Yes

Weight & dimensions

Width

1211 mm

Depth

69.9 mm

Height

681.7 mm

Weight

16.8 kg

Packaging data

Package width

1414 mm

Package depth

257 mm

Package height

844 mm


Package weight

25.1 kg

Matmenys ir svoris

Svoris

25,00kg

Energijos efektyvumas ir ekologinis projektavimas


Energijos efektyvumo klasė

G A-G

- [Energijos etiketė](#)
- [EPREL duomenų bazė](#)



2026/10/25

Dokumentai ir vaizdo įrašai

› Greitos pradžios vadovas

Gamintojo ir saugos informacija

GAMINTOJAS

Samsung Electronics Co Ltd

Samsung-ro 129, 16677 Suwon-si, KR

[samsung.com](https://www.samsung.com)

ATSAKINGAS ASMUO ES

Samsung Electronics Iberia, S.A

Avenida de Barajas 32, 28108 Alcobendas, ES

[samsung.com](https://www.samsung.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt