

# StarTech.com 103B-USBC-MULTIPORT knyginių kompiuterių dokas / jungčių replikatorius Vielinis USB 3.2 Gen 2 (3.1 Gen 2) Type-C Pilka

Gamintojas: **STARTECH** · Modelis: **103B-USBC-MULTIPORT** · EAN: **065030894005** · Prekės kodas: **852271**



## 51,90 €

Kaina su PVM

Be PVM: **42,89 €**

**Sandėlyje**




**Prekė internetu**

Nusenuokite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Vielinis
- ✓ Priimančioji sąsaja: USB 3.2 Gen 2 (3.1 Gen 2) Type-C
- ✓ „USB Power Delivery“
- ✓ Ethernet LAN jungtis 10,100,1000 Mbit/s
- ✓ Pilnai abipusis (duplex)





## Aprašymas

Built-in 1ft (30cm) USB-C Host Cable | 2-Port USB Type-A 3.2 Gen 1 (5Gbps) Hub | HDMI 2.0b (HDR) 4K 60Hz

This Works With Chromebook (WWCB) certified USB-C Multiport Adapter supports up to 4K 60Hz HDMI 2.0b (HDR10) via DP Alt Mode. The USB-C dock converts a USB-C laptop or tablet, such as a Chromebook, Dell XPS, or a MacBook, into a workstation. The adapter connects to a host computer's USB-C, USB4, or Thunderbolt™ 3/4 port. It features one HDMI video output, a 2-Port USB 3.2 Gen 1 (5 Gbps) Hub, and Gigabit Ethernet. Connect a laptop USB-C power supply to the dedicated USB Power Delivery (PD) 3.0 port, located on the Multiport Adapter, to charge the laptop. The Multiport Adapter features an extra-long built-in 12-inch (30 cm) USB-C host cable.

## Works With Chromebook (WWCB) certified

This USB-C Multiport Adapter is tested and certified to meet Google's compatibility standards ensuring seamless operation with Chromebook devices. The Multiport Adapter is ideal for setup and deployment in business and education environments. Automatic firmware updates are available through ChromeOS for maximum security, compatibility, and performance.

## Connect USB Peripherals

The USB-C to USB 3.2 Gen 1 hub features two 5Gbps USB Type-A ports, for connecting USB peripherals.

## Multiple Use Cases

A versatile dock solution for use at your office, home office, hotel, or in the boardroom. It's portable enough to be carried in a bag or backpack. This lightweight USB-C Adapter can operate with bus-power alone, or use the dedicated USB-C Power Delivery port to connect a USB-C power adapter (not included with Multiport Adapter) for laptop charging.

## Charge Your Laptop

Connect a USB-C power source (not included), such as the power adapter included with a laptop, to the USB-C Power Delivery pass-through port. With support for USB Power Delivery 3.0 pass-through (up to 100W), the USB Type-C Multiport Adapter allows you to power and charge your laptop. USB PD 3.0 features Fast Role Swap (FRS) to prevent USB data disruption when disconnecting the power source.

## Wired Gigabit Network Connectivity

The Gigabit Ethernet port ensures reliable wired network access, with support for PXE Boot and Wake-on-LAN (WoL).

Enhance Productivity and Device Management with the StarTech.com Connectivity Tools Application

Developed to improve performance and security, StarTech.com Connectivity Tools is the only software suite on the market that is compatible with a wide variety of IT connectivity accessories. The software suite includes:

- Advanced Windows Layout Utility : Setup and save custom windows layouts.
- MAC Address Pass-Through Utility : Improve network security.
- USB Event Monitoring Utility : Track and log connected USB devices.
- Wi-Fi Auto Switch Utility : Enable quick access to wired LAN.

For more information and to download the StarTech.com Connectivity Tools application, please visit: [www.startech.com/connectivity-tools](http://www.startech.com/connectivity-tools)

This product is backed for 3 years by StarTech.com, including free lifetime 24/5 multi-lingual technical assistance.

This product works with devices capable of running the latest version of ChromeOS and has been certified to meet Google's compatibility standards. Google is not responsible for the operation of this product or its compliance with safety requirements. Android, Chromebook and the Works With Chromebook badge are trademarks of Google LLC. Thunderbolt is a trademark of Intel Corporation.

## Techninė specifikacija

| Ryšys                                          |                                  |
|------------------------------------------------|----------------------------------|
| Ryšio technologija                             | Vielinis                         |
| Priimančioji sąsaja                            | USB 3.2 Gen 2 (3.1 Gen 2) Type-C |
| USB 2.0 portų kiekis                           | 0                                |
| USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius | 2                                |
| HDMI portų kiekis                              | 1                                |
| Mikrofonas, line-in jack                       | Ne                               |
| Ausinių išvestys                               | 0                                |
| USB 3.2 (3.1 1 kart.) C tipo prievadų skaičius | 1                                |
| „USB Power Delivery“                           | Taip                             |
| USB maitinimo šaltinio peržiūra                | 3.0                              |
| USB maitinimo tiekimas iki                     | 100 W                            |
| HDMI versija                                   | 2.0b                             |
| DC įėjimo lizdas                               | Ne                               |
| Tinklas                                        |                                  |
| Ethernet LAN jungtis                           | Taip                             |
| Ethernet LAN (RJ-45) portų kiekis              | 1                                |
| Eterneto LAN duomenų perdavimo norma           | 10,100,1000 Mbit/ai              |
| Pilnai abipusis (duplex)                       | Taip                             |
| Veikimo charakteristikos                       |                                  |
| Produkto spalva                                | Pilka                            |
| Integruotas kortelių skaitytuvas               | Ne                               |
| Duomenų perdavimo sparta                       | 5 Gbit/s                         |
| HD tipas                                       | 4K Ultra HD                      |
| Maksimali skaitmeninė raiška                   | 4096 x 2160 pikseliai            |
| UASP palaikymas                                | Taip                             |
| Energijos valdymas                             |                                  |
| Maitinimo šaltinio tipas                       | USB                              |
| Energijos suvartojimas                         | 14 W                             |

|                                                  |                                                                                                                                                                                                                                                                                    |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USB kabelio ilgis                                | 0,3 m                                                                                                                                                                                                                                                                              |
| Belaidis įkrovimas                               | Ne                                                                                                                                                                                                                                                                                 |
| <b>Programinė įranga</b>                         |                                                                                                                                                                                                                                                                                    |
| Palaikomos „Windows“ operacinės sistemos         | Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64 |
| Palaikomos MAC operacinės sistemos               | Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura                                                                                                                                                           |
| Palaikoma operacinė sistema „Linux“              | Ubuntu 18.04 LTS, Ubuntu 20.04 LTS                                                                                                                                                                                                                                                 |
| Palaikomos mobiliosios operacinės sistemos       | Android                                                                                                                                                                                                                                                                            |
| Kitos palaikomos operacinės sistemos             | ChromeOS                                                                                                                                                                                                                                                                           |
| <b>Aplinkos sąlygos</b>                          |                                                                                                                                                                                                                                                                                    |
| Darbo temperatūros diapazonas (TT)               | 0 - 35 °C                                                                                                                                                                                                                                                                          |
| Sandėliavimo temperatūros norma (T-T)            | -26 - 65 °C                                                                                                                                                                                                                                                                        |
| Darbo santykinės drėgmės diapazonas              | 0 - 95%                                                                                                                                                                                                                                                                            |
| <b>Svoris ir matmenys</b>                        |                                                                                                                                                                                                                                                                                    |
| Plotis                                           | 48 mm                                                                                                                                                                                                                                                                              |
| Ilgis                                            | 100 mm                                                                                                                                                                                                                                                                             |
| Aukštis                                          | 16 mm                                                                                                                                                                                                                                                                              |
| Svoris                                           | 105 g                                                                                                                                                                                                                                                                              |
| <b>Pakuotės duomenys</b>                         |                                                                                                                                                                                                                                                                                    |
| Pakuotės plotis                                  | 178 mm                                                                                                                                                                                                                                                                             |
| Pakuotės gylis                                   | 110 mm                                                                                                                                                                                                                                                                             |
| Pakuotės aukštis                                 | 40 mm                                                                                                                                                                                                                                                                              |
| Paketo svoris                                    | 120 g                                                                                                                                                                                                                                                                              |
| <b>Pakuotės turinys</b>                          |                                                                                                                                                                                                                                                                                    |
| Greitos pradžios vadovas                         | Taip                                                                                                                                                                                                                                                                               |
| <b>Techninė informacija</b>                      |                                                                                                                                                                                                                                                                                    |
| Atitikties sertifikatai                          | RoHS                                                                                                                                                                                                                                                                               |
| <b>Logistikos duomenys</b>                       |                                                                                                                                                                                                                                                                                    |
| Gaminių skaičius pagrindinėje (išorinėje) dėžėje | 20 vnt                                                                                                                                                                                                                                                                             |
| Pagrindinės (išorinės) dėžės plotis              | 367 mm                                                                                                                                                                                                                                                                             |
| Pagrindinės (išorinės) dėžės ilgis               | 232 mm                                                                                                                                                                                                                                                                             |
| Pagrindinės (išorinės) dėžės aukštis             | 228 mm                                                                                                                                                                                                                                                                             |

## Kitos savybės

|                |                                                                            |
|----------------|----------------------------------------------------------------------------|
| Lustų rinkinys | Realtek - RTL8153B, Analogix - ANX7327, Analogix - ANX7518, VIA - VL817-Q7 |
|----------------|----------------------------------------------------------------------------|

## Tvarumas

|                                |      |
|--------------------------------|------|
| Tvarumo reikalavimų laikymasis | Taip |
|--------------------------------|------|

## Matmenys ir svoris

|        |        |
|--------|--------|
| Svoris | 0,11kg |
|--------|--------|

## Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

## Gamintojo ir saugos informacija

## GAMINTOJAS

**StarTech.com Ltd.**

Artisans Crescent 45, N5V 5E9 Ontario, London,  
CA  
[startech.com](http://startech.com)

## ATSAKINGAS ASMUO ES

**StarTech.com Limited**

Laarderhoogtweg 25, 1101 EB Amsterdam, NL  
[startech.com](http://startech.com)

## PLATINTOJAS

**MB KOMPIUTERIŲ GURU**

V. Nagevičiaus g. 3, LT-08237 Vilnius  
[info@shopro.lt](mailto:info@shopro.lt)