

j5create JCD3199P USB-C® Dock Dual 4K HDMI™ with 140W GaN PD3.1 Power Adapter-EU, Black

Gamintojas: **J5 CREATE** · Modelis: **JCD3199P-EN** · EAN: **4712795088571** · Prekės kodas: **853104**



246,90 €

Kaina su PVM

Be PVM: **204,05 €**

Sandėlyje









Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports dual 4K HDMI™ (4K@60Hz + 4K@30 Hz)
- ✓ Supports Power Delivery 3.1 140W power in
- ✓ Reliable network connectivity via the Gigabit Ethernet
- ✓ Two USB™ 10Gbps and two USB™ 5Gbps ports for connecting peripherals
- ✓ Built-in a magnetic wireless charger provides up to 15W fast wireless charging. Compatible with iPhone®
- ✓ MagSafe®, Samsung® S23/S22/S21, Google™ Pixel™ 5/6/7, AirPods®, and more. The 15W wireless charging will only work when a USB-C® power adapter over 60W is connected to the dock
- ✓ Includes SD™/microSD™ card reader
- ✓ Cable storage compartment
- ✓ Security lock





Aprašymas

This compact multi-port dock is ideal for office application, featuring everything from the essential two HDMI™ outputs, USB™ ports, Gigabit Ethernet, SD™/microSD™ card reader, Audio Jack and an upgraded Power Delivery 3.1 specification. It comes with a mount for saving-space vertical placement and gives you the ability to connect your MacBook® or other USB-C® compatible laptops to a 4K monitor or TV. With USB™ Power Delivery 3.1 it'll take you to a new flexible power application, you'll be able to charge your laptop and power your peripherals with a single USB-C® power adapter even if your laptop only has one USB-C® port. The top of the dock functions as a wireless charging pad that supports up to 15W fast charging and is also compatible with MagSafe®. Access a wired network through the Gigabit Ethernet port for a fast and stable network connection. It is also equipped with a cable storage compartment ensures an easy connection regardless of your USB-C® port's location. Through a single USB-C® (Thunderbolt™ 3, 4, and USB4® compatible) host cable, this compact adapter provides all the essential connectivity you need to create a workstation virtually anywhere!

Techninė specifikacija

Ports & interfaces

Connectivity technology	Wired
Host interface	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
HDMI ports quantity	2
Microphone in	Yes
Headphone outputs	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3.1
USB Power Delivery up to	140 W
HDMI version	2.1
Combo headphone/mic port	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s

Performance

Product colour	Grey
Card reader integrated	Yes
Colour name	Space Grey
Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	10 Gbit/s
HD type	4K Ultra HD
Maximum digital resolution	3840 x 2160 pixels
Number of displays supported	2
Maximum refresh rate	60 Hz
Cable lock slot	Yes
Display modes	Extended, Mirror
Housing material	Aluminium, Plastic
Country of origin	Taiwan

Power

Power source type	USB
Power connector	USB Type-C
Input current	5 A
Output voltage	20 V
Output current	5 A
Compatible power plug types	EU
Wireless charging	Yes
Wireless charging power	15 W

Software

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura

Operational conditions

Operating temperature (T-T)	-1 - 41 °C
Storage temperature (T-T)	-17 - 68 °C
Operating relative humidity (H-H)	0 - 85%
Storage relative humidity (H-H)	0 - 85%

Weight & dimensions

Depth	180 mm
Weight	877 g

Packaging data

Quantity per pack	1 pc(s)
Package width	154 mm
Package depth	175 mm
Package height	103 mm
Package weight	1.01 kg

Packaging content

Cables included	AC
AC adapter included	Yes
Packaging content	1 - JCD3199P USB-C® Dock Dual 4K HDMI™ with 140W GaN PD3.1 Power Adapter 1 - 140W GaN PD3.1 USB-C® 1-Port Charger Detachable 3 Pin Power Cord (*Depends on selling area) • 47.24 in /120 cm for US • 39.37in / 100cm for AU/EU/UK 1 - Quick Installation Guide (QIG)

Technical details

Master (outer) case GTIN (EAN/UPC)	24712795088544
Warranty period	2 year(s)
Compliance certificates	CE, REACH, RoHS

Logistics data

Products per master (outer) case	2 pc(s)
Master (outer) case width	186 mm
Master (outer) case length	249 mm
Master (outer) case height	174 mm
Export Control Classification Number (ECCN)	EAR99
Master (outer) case net weight	2.3 kg

Other features

Cable length	0.695 m
--------------	---------

Sustainability

Sustainability compliance	Yes
---------------------------	-----

Matmenys ir svoris

Svoris	1,14kg
--------	--------

Gamintojo ir saugos informacija

GAMINTOJAS

j5create

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt