

Lindy 38329 vaizdo kabelio adapteris 0,157 m HDMI A tipo (standartinis) DisplayPort Juoda

Gamintojas: **LINDY** · Modelis: **38329** · EAN: **4002888383295** · Prekės kodas: **855494**



92,90 €

Kaina su PVM

Be PVM: **76,78 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 0,157 m
- ✓ 7680 x 4320 pikseliai 48 Gbit/s 120 Hz
- ✓ HDMI A tipo (standartinis) Tiesus Kištukinis
- ✓ Juoda
- ✓ DisplayPort Tiesus Lizdinis



Aprašymas

A converter allows devices which use different interfaces e.g. HDMI and DVI to connect to one another by converting one signal to the other.

The Lindy HDMI 8K60 to DisplayPort 1.4 Converter allows the connection of HDMI source devices, such as a PC, Blu-ray player or media player to DisplayPort monitors digital signage and LFDs (Large Format Displays). Supporting resolutions up to 8K 7680x4320@60Hz or 3840x2160@120Hz, this converter ensures superior clarity content within innovative workspaces, engaging collaboration environments and educational setups. Immersive multi-channel audio is supported up to 7.1CH to compliment the video on screen.

For added convenience the converter features a USB power cable, allowing the converter to be externally powered when used with low power HDMI sources. The converter can also be used to add an additional display to extend the available desktop workspace. It is also ideally suited for travelling due to its compact, lightweight form factor and convenient plug and play installation.

Techninė specifikacija

Features	
Cable length	0.157 m
Connector 1	HDMI Type A (Standard)
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Power source	USB
HDMI version	2.1
HDCP	Yes
HDCP version	2.3
DisplayPort version	1.4
Maximum resolution	7680 x 4320 pixels
Data transfer rate	48 Gbit/s
Maximum refresh rate	120 Hz
Refresh rate at maximum resolution	60 Hz
Bend radius (min)	2.5 cm
Product colour	Black
Chipset	LT6711GX_U2
Jacket material	Polyvinyl chloride (PVC)
Connector housing material	Acrylonitrile butadiene styrene (ABS)
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 45 °C
Operating relative humidity (H-H)	20 - 70%
Storage relative humidity (H-H)	20 - 70%
Weight & dimensions	
Cable diameter	4.8 mm
Weight	30 g
Packaging data	
Package type	Polybag
Packaging content	

Packaging content

USB Type A to Micro-B Cable

Logistics data

Warranty period

2 year(s)

Matmenys ir svoris

Svoris

0,04kg

Dokumentai ir vaizdo įrašai[> Atitikties deklaracija](#)**Gamintojo ir saugos informacija**

GAMINTOJAS

LINDY International Ltd.

Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB

lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH

Markircher Str. 22, 68229 Mannheim, DE

lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt**Saugos dokumentai**[> Atitikties deklaracija](#)