


Hisense 55" 4K UHD IPS Digital Signage Display - 24/7 Operation

Skaitmeninė dvipusė sulankstoma A formos plokštė 139,7 cm (55") „Wi-Fi“ 500 cd/m² 4K Ultra HD Juoda Android 11 24/7

Gamintojas: **HISENSE** · Modelis: **55DM66D** · EAN: **6973172944332** · Prekės kodas: **856006**



914,91 €

Kaina su PVM

Be PVM: **756,12 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Vidaus Skaitmeninė dvipusė sulankstoma A formos plokštė Juoda
- ✓ Ethernet LAN jungtis „Wi-Fi“
- ✓ 139,7 cm (55") 3840 x 2160 pikseliai 500 cd/m²
- ✓ Įmontuoti garsiakalbiai 20 W
- ✓ „Direct-LED“ 60 Hz 8 ms



Aprašymas

Hisense Digital Signage is designed to serve multiple business applications: public spaces, transportation systems, museums, stadiums, retail stores, hotels, restaurants and corporate buildings. With DM series, it delivers powerful engagement from any devices, boost business with real-time updates, data-driven insights and visually appealing content, manage and control devices at anytime from anywhere, and simplify the cable management by connecting a series of displays to a single video output.

Smart Power

A built-in ambient light sensor automatically adjusts the screen brightness according to current light conditions. This display is Energy Star certified to help you protect the environment and save costs.

Wireless Screen Sharing

Everything you need for screen sharing solutions. ScreenShare is a in house built-in screen sharing application that enables the screen sharing wirelessly and seamlessly from anywhere and from any devices.

Mobile Device Management

VisionInfo is a cloud-based device management software that offers end-to-end device management and control through all devices. It is a powerful, effective and easy to use tool to control your devices at anytime from anywhere.

Conformal Coating

Electronic components are completely protected from the environmental factors like moisture, dust, salt, chemicals, temperature changes and mechanical abrasion.

Clean Cable Solution

The integrated cable holder hides cables and keeps the back of the display tidy and uncluttered. This reduces visual distractions that can get in the way of your viewing experience.

Anti-glare Coating

All displays offer higher haze panels that help reduce reflections without adversely affecting the image quality. Anti-glare coatings can also improve the perceived contrast of the display.

Narrow Bezel

With a narrow bezel and symmetrical design, the display can be easily integrated into any environment. All terminals face outwards, ensuring the display hangs flush against the wall which saves space and facilitates installation.

Android 11

Android 11 works to keep your data safe and secure. With Android 11, you have more control over what information apps can and can't access. Devices that work better together, enhance your messaging, audio and multitasking experiences.

Techninė specifikacija

Display

Display diagonal

139.7 cm (55")

Display resolution	3840 x 2160 pixels
Display brightness	500 cd/m²
HD type	4K Ultra HD
Panel type	ADS
LED backlight	Yes
LED backlighting type	Direct-LED
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	1200:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Display diagonal (metric)	139 cm
Number of displays	1
Panel life	50000 h
Native refresh rate	60 Hz
Haze rate	25%
RGB colour space	NTSC

Ports & interfaces

HDMI ports quantity	3
DisplayPorts quantity	1
USB port	Yes
HDMI version	2
HDMI input ports quantity	2
HDMI output ports quantity	1
DisplayPorts in	1
DisplayPort version	1.2
USB ports quantity	2
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)
USB connector type	USB Type-A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Ethernet LAN (RJ-45) ports	1
Number of speaker outputs	1
RS-232 interface	Yes

Audio

Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	20 W
Design	
Product design	Digital A-board
Product colour	Black
Placement supported	Indoor/outdoor
VESA mounting	Yes
Orientation	Horizontal/Vertical
Screen shape	Flat
Panel mounting interface	300 x 300 mm
Mounting type	Wall
Performance	
Purpose	Commercial
Wi-Fi Direct	Yes
Browsing	Yes
Operating hours (hours/days)	24/7
Automatic brightness control	Yes
International Protection (IP) code	IPX5
Power	
Power consumption (typical)	115 W
Power consumption (standby)	0.3 W
Power consumption (max)	190 W
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	170 kWh
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Computer system	
Computer system	Yes
Processor manufacturer	ARM
Processor family	ARM Cortex
Processor model	A55
Processor architecture	ARM Cortex-A55

Internal storage capacity	32 GB
Operating system installed	Android 11
Weight & dimensions	
Display width	1239.7 mm
Display depth	63.3 mm
Display height	710.2 mm
Display weight	13.9 kg
Packaging data	
Package width	1387 mm
Package depth	159 mm
Package height	838 mm
Package weight	19.5 kg
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	AC
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Features	
Suitable for indoor use	Yes
Suitable for outdoor use	Yes
Wall mountable	Yes
Technical details	
Compliance certificates	CCC, CE, Federal Communications Commission (FCC), UKCA, cTUVus
Other features	
Manual	Yes
Quick start guide	Yes
Bluetooth	Yes
Power supply type	Internal

Matmenys ir svoris

Svoris

20,00kg

Energijos efektyvumas ir ekologinis projektavimas



170 kWh/1000h



170 kWh/1000h



2026/04/13

Energijos efektyvumo klasė

G A-G

- > Energijos etiketė
- > Gaminio informacijos lapas
- > EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- > Naudojimo instrukcija
- > Gaminio lankstinukas
- > Vaizdo įrašas youtube.com/watch?v=6Uf8fNEZslw

Gamintojo ir saugos informacija

GAMINTOJAS

Hisense International

Donghai Xi Road 17, 266071 Qingdao, CN

global.hisense.com

ATSAKINGAS ASMUO ES

Hisense Gorenje Germany GmbH

Parkring 31-33, 85748 Garching, DE

de.hisense.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt