

Epson TM-T20IV 203 x 203 DPI Wired Thermal POS printer

Gamintojas: **EPSON** · Modelis: **C31CL47102A0** · EAN: **8715946742410** · Prekės kodas: **856009**



208,89 €

Kaina su PVM

Be PVM: 172,64 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Thermal POS printer
- ✓ 203 x 203 DPI
- ✓ Connectivity technology: Wired
- ✓ USB port Ethernet LAN Serial interface
- ✓ Built-in barcodes
- ✓ Black
- ✓ 1.7 kg



Aprašymas

The combination of its fast print speeds, high reliability and economical operation, make this printer a must-have for small retail and speciality stores, hospitality venues and grocery stores.

Techninė specifikacija

Printing

Print technology	Thermal
Type	POS printer
Colour	No
Maximum resolution	203 x 203 DPI
Print speed	250 mm/sec
Character size	1.25 x 3 mm
Character density	22.6 cpi
Printing characters	Graphic
Paper handling	
Printing media thickness	53 - 75 µm
Maximum roll diameter	8.3 cm
Supported paper width	80 mm
Ports & interfaces	
Connectivity technology	Wired
USB port	Yes
Serial interface	Yes
USB 2.0 ports quantity	1
USB connector	USB Type-A
Serial interface type	RS-232
Optional connectivity	Wireless LAN
Network	
Ethernet LAN	Yes
Wi-Fi	No
Ethernet LAN data rates	10,100 Mbit/s
Features	
Built-in barcodes	CODABAR (NW-7), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A, UPC-E
Mean time between failures (MTBF)	360000 h
Cutter	Yes
Autocutter durability	2 million cuts
Print head life	150 km
Wall mountable	Yes
Receive buffer	4 KB
Built-in sensors details	Paper End Sensor, Paper Near End Sensor
Design	

Product colour	Black
Power	
Power source type	DC
Power consumption (printing)	27.2 W
AC input voltage	100 - 230 V
AC input frequency	50/60 Hz
DC output voltage	24 V
Power consumption (standby)	0.96 W
Operational conditions	
Operating temperature (T-T)	5 - 45 °C
Storage temperature (T-T)	-10 - 50 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	10 - 90%
System requirements	
Windows operating systems supported	Yes
Mobile operating systems supported	Android, iOS
Weight & dimensions	
Width	140 mm
Depth	199 mm
Height	146 mm
Weight	1.7 kg
Packaging data	
Cables included	AC
Packaging content	
AC adapter included	Yes
Technical details	
Compliance certificates	Federal Communications Commission (FCC), ICES
Safety warning	UL62368-1, CAN/CSA C22.2 No.62368-1
Other features	
Mean cycles between failures (MCBF)	60000000
Matmenys ir svoris	
Svoris	2,68kg

Dokumentai ir vaizdo įrašai

> [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Seiko Epson

Owa, Suwa 3-3-5, Nagano, JP
[corporate.epson](https://corporate.epson.com)

ATSAKINGAS ASMUO ES

Epson Deutschland

Schiessstraße 49, D-40549 Düsseldorf, DE
epson.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Ispėjimai

- Safety warning: UL62368-1, CAN/CSA C22.2 No.62368-1