

Yealink CMKit-121 Mikrofonas Juoda, Pilka

Gamintojas: YEALINK · Modelis: 1103836 · EAN: 6938818319493 · Prekės kodas: 856522



1 665,90 €

Kaina su PVM

Be PVM: 1 376,78 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Mikrofonas Juoda, Pilka
- ✓ Talpinimas palaikomas: Lubos
- ✓ RJ-45
- ✓ Maitinimo šaltinio tipas: PoE



Aprašymas

The Yealink CM20 is a premium ceiling microphone, expertly crafted to enhance audio performance in professional conference settings. Boasting an advanced array of 16 omnidirectional microphones, the CM20 captures sound in 360°, ensuring clarity and inclusivity in every discussion. With an integrated DSP, CM20 offers plug-and-play functionality with Yealink MVC systems, removing the need for external audio processing. Designed for medium to large conference rooms, the CM20 combines advanced technology with a sleek, elegant design, making it a perfect blend of functionality and style.

The Yealink CS10, a low-profile (120mm) 2-way coaxial network speaker, excels in video conferencing with its exceptional audio performance.

Designed specifically for the modern meeting environment, the CS10 blends high-quality audio with an elegant, minimalist design, making it a perfect match for contemporary conference rooms. Versatile and engineered for ease of use, the CS10 is a PoE-enabled speaker that can optionally deployed with variety supplementary components, simplifying installation across diverse ceiling types. Its covert design, establishes the CS10 as more than just a speaker – it is an essential addition to your meeting space, enhancing both visual and auditory experiences.

Meet Yealink RCH40, the Gigabit PoE+ Switch designed for Meeting Room Audio & Video Networking. With four Gigabit Ethernet downlink ports and one Gigabit Ethernet uplink port, Yealink RCH40 supports 802.3af/at standards, delivering up to 30W of power per port. With a total PoE power budget of up to 90W, it's an ideal solution for connect-ing audio and video devices in video conference systems.

Techninė specifikacija

Features	
Product type	Microphone
Product colour	Black, Grey
Placement supported	Ceiling
Audio	
Frequency range	100 - 20000 Hz
Impedance	8 Ω
Microphone	
Microphone sensitivity	94 dB
Microphone frequency	120 - 16000 Hz
Microphone direction type	Omnidirectional
Number of microphone arrays	16
Signal-to-Noise Ratio (SNR)	86 dB
Ports & interfaces	
Device interface	RJ-45
Ethernet LAN (RJ-45) ports	4
Power	
Power source type	PoE
Weight & dimensions	
Weight	15.6 kg
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Operating relative humidity (H-H)	5 - 90%
Storage temperature (T-T)	0 - 70 °C
Logistics data	
Country of origin	China

Packaging data

Package width	767 mm
Package depth	413 mm
Package height	367 mm
Package weight	16.9 kg
Package type	Box

Packaging content

Quantity	1
Mounting kit	Yes
Screws included	Yes
User guide	Yes
Packaging content	CM20 Microphone, White Mesh Cover (Black Optional), Quick Start Guide, Assembly Fixing Bracket, Dust Cover, Length-Adjustable Pole (Optional), Bracing Bridge*1 pair, Suspend Pole Adapter (Optional), Expansion Bolt*6 (ø6 * 30 mm, white, Polyamide), Self-tapping Screw*6 (T4*30mm), Machine Screw*5 (3*6PMOZN3+), Bracing Bredge Screw*20 (M3*6PWMHOZN3)

Matmenys ir svoris

Svoris	12,00kg
--------	---------

Gamintojo ir saugos informacija

GAMINTOJAS

Yealink Network Technology Co., Ltd

Hu'an Road High Tech Park 666, Huli District Xiamen, CN

yealink.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt