

Lindy 2m High Speed HDMI Cable, Gold Line

Gamintojas: **LINDY** · Modelis: **37862** · EAN: **4002888378628** · Prekės kodas: **857431**



53,91 €

Kaina su PVM

Be PVM: **44,55 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ No compromise, ultimate performance High Speed HDMI 2.0 cable for demanding environments and mission critical systems
- ✓ Supports UHD resolutions up to 4096x2160@60Hz 4:4:4 8bit
- ✓ Full metal 24K gold plated housing, 24K gold plated connectors and contacts
- ✓ Low attenuation triple shielded cable, corrosion resistant, high performance OFC 24AWG conductors
- ✓ HDMI 2.0 compliant: 3D, 4K, 18Gbps, HEC, ARC, CEC, Dolby® True HD, DTS-HD Master Audio; HDMI ATC certified; 25 year warranty



Aprašymas

From the Lines cable connectivity concept developed by Lindy, Gold Line High Speed HDMI cables are the no compromise, high performance connection solution for use in the most demanding professional environments.

Gold Line High Speed HDMI cables feature triple shielded construction with 24AWG OFC conductors for premium performance and corrosion resistance. High quality 24K gold plated contacts and connectors maintain optimal signal integrity and maximum reliability.

UHD resolutions up to 4K 4096x2160@60Hz 4:4:4 8bit are supported. Gold Line HDMI cables are also capable of transmitting 32 channel audio and Dolby® True HD.

These superior quality cables utilise a unique low attenuation design that ensures consistent and reliable transmission even over very long

distances.

The HDMI 2.0 specification is supported for 18G bandwidth capacity in cable lengths up to 7.5m. Gold Line HDMI cables are classified as High Speed up to 7.5m and Standard at lengths above 7.5m.

Gold Line HDMI cables are available in lengths from 0.5m to 20m.

Techninė specifikacija

Features	
Cable length	2 m
Connector 1	HDMI Type A (Standard)
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Grey
Connector contacts plating	Gold
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Data transfer rate	18 Gbit/s
Maximum resolution	4096 x 2160 pixels
AWG wire size	24
Cable jacket material	Polyvinyl chloride (PVC)
Operational conditions	
Operating temperature (T-T)	-10 - 80 °C
Storage temperature (T-T)	-10 - 80 °C
Certificates	
Compliance certificates	RoHS
Certification	REACH, UL, ATC
Logistics data	
Harmonized System (HS) code	84733080
Matmenys ir svoris	
Svoris	0,26kg

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.

Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB

lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH

Markircher Str. 22, 68229 Mannheim, DE

lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt