

Epson EB-760Wi 4100 ANSI lumens 3LCD WXGA (1280x800) White

Gamintojas: **EPSON** · Modelis: **V11HA80080** · EAN: **8715946715261** · Prekės kodas: **861733**



2 238,90 €

Kaina su PVM

Be PVM: **1 850,33 €**

Sandėlyje






Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Interaktyvus HD projektorius įvairioms patalpoms: 53-100 colių UST matymo neapribojantis ekranas (be šešėlių / atspindžių)
- ✓ Ryškus ir ekonomiškasis lazeris: 4 100 lm CLO su 3LCD technologija, kad spalvos taptų ryškesnės naudojant vos 205 W
- ✓ Nesudėtingos prijungimo galimybės: Auto. įjungimas, laidinis / belaidis ekranas su USB 2A išvestimi išmaniosioms laikmenoms prijungti
- ✓ Lengva naudotis ir patvari technologija: Praktiškai nereikalaujantis techninės priežiūros – 5 metų, 12 000 val. garantija
- ✓ Dokumentų kameros suderinamumas: Kurkite ir gyvai įrašinėkite visiškai įtraukiančią pamoką ar pristatymą





Aprašymas

The EB-760Wi is a step up from the EB-760W, with added interactive features.

Interactive technology enables two digital pens to be used simultaneously on the display (finger touch available through optional accessory FT01). Presentations can be controlled and brought to life with on-screen annotations, while a variety of convenient built-in tools support productivity. An optional Epson visualiser camera can be controlled via the display, projecting documents or objects from a desk for everyone to see in incredible HD detail.

The ultra short throw lens allows safe, discreet positioning above the display, enabling presenters free access to interact without casting shadows.

With a 4,100 lumens laser-light source, combined with 3LCD technology, it produces a large, bright and vibrant display up to 100", visibly clear from all angles and at a distance.

Versatile wired and wireless connectivity options, including screen mirroring via Miracast™, allow participants to effortlessly share content from their PCs or mobile devices.

Unlike a flat-panel display, there is no heavy, breakable, glass panel to create disruptive, reflected blind spots from certain angles, and presenters are not subjected to LCD panel direct blue light radiation, believed to damage eyes.

Techninė specifikacija

Projector	
Projector brightness	4100 ANSI lumens
Projection technology	3LCD
Projector native resolution	WXGA (1280x800)
Contrast ratio (typical)	2500000:1
Native aspect ratio	16:10
Smart projector	No
Screen size compatibility	1346.2 - 2540 mm (53 - 100")
Number of colours	1.07 billion colours
Projector brightness (economic mode)	2100 ANSI lumens
Keystone correction, horizontal	-3 - 3°
Keystone correction, vertical	-3 - 3°
Matrix size	1.5 cm (0.59")
Light source	
Light source type	Laser

Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focus	Manual
Fixed focal length	3.7 mm
F-number (relative aperture)	1.6
Zoom ratio	1.35:1
Throw ratio	0.27 - 0.37:1
Video	
Analog signal format system	Not supported
Full HD	No
3D	No
Ports & interfaces	
VGA (D-Sub) ports quantity	3
HDMI ports quantity	3
Composite video in	1
Component video (YPbPr/YCbCr) in	0
DVI port	No
Serial interface type	RS-232C
Service port type	USB Type-B
USB 2.0 ports quantity	2
Headphone outputs	3
Microphone in	Yes
Network	
Smart TV	No
Ethernet LAN	Yes
Wi-Fi	Yes
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Miracast	Yes
Storage	
Card reader integrated	No
Features	
Noise level	37 dB

Interactive	Yes
Noise level (economic mode)	27 dB
On Screen Display (OSD)	Yes
Air filter	Yes
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	16 W
Design	
Market positioning	Presentation
Product colour	White
Placement	Ceiling, Desktop, Wall
Cable lock slot	Yes
Cable lock slot type	Kensington
Display	
Built-in display	No
Power	
Power source	AC
Power consumption (typical)	197 W
Power consumption (economy mode)	141 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Operational conditions	
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	-10 - 90%
Weight & dimensions	
Weight	6 kg
Width	356 mm
Depth	395 mm
Height	133 mm
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	AC, USB
Interactive pen included	Yes

Matmenys ir svoris

Matmenys (I × P × A) 43,00cm × 39,00cm × 16,00cm

Svoris 9,20kg

Gamintojo ir saugos informacija

GAMINTOJAS

Seiko Epson

Owa, Suwa 3-3-5, Nagano, JP
corporate.epson

ATSAKINGAS ASMUO ES

Epson Deutschland

Schiessstraße 49, D-40549 Düsseldorf, DE
epson.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt