

EnGenius Cloud Managed Security Gateway 2 x 2.5 GbE LAN & 6 x 2.5 GbE WAN & 2 SFP+ ports

Gamintojas: **ENGENIUS NETWORKS EUROPE BV** · Modelis: **ESG620** · EAN: **4713361935992** · Prekės kodas: **862417**



638,90 €

Kaina su PVM

Be PVM: **528,02 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Simple, unified cloud management for any size business
- ✓ Intuitive and centralized device visibility from anywhere
- ✓ 1x SFP+ and 1x 2.5GE WAN and 7x 2.5GE and 1xSFP+ LAN for maximum performance
- ✓ Quad-core 2.2 GHz processor for greater speed and power
- ✓ Built-in load balancing and safeguards with dual-WAN and cellular failover
- ✓ 4 x 2.5 GbE PoE+ to power up multiple Wi-Fi 6E AP, IP camera or IP phone
- ✓ Stateful firewall with high-efficiency filtering and inspection to enhance security
- ✓ High-speed and secure site-to-site VPN and client VPN
- ✓ Quick self-healing VPN and VLAN setup for faster and easier deployments
- ✓ Touchless system maintenance and automatic updates



Aprašymas

EnGenius ESG620 SD-WAN gateway provides a high-performance network solution with advanced features, including load balancing, dual-WAN, and site-to-site VPN. The product offers unified management through EnGenius Cloud, allowing for easy configuration and management from anywhere. It offers a comprehensive end-to-end solution for businesses seeking to enhance their network performance and security.

Techninė specifikacija

Design	
Product colour	White
LED indicators	Yes
Performance	
Control display unit	No
Built-in processor	Yes
Processor frequency	2200 MHz
Internal memory	8192 MB
Network	
Ethernet LAN data rates	2500 Mbit/s
Number of concurrent sessions (max)	1250000
Firewall throughput	7700 Mbit/s
SSL VPN throughput	1.5 Gbit/s
VPN support	Site-to-Site VPN Client VPN(IPsec/SecuPoint SSL) Policy-based VPN IPsec NAT traversal (NAT-T) Dead Peer Detection (DPD) Auto-VPN Connection Auto NAT traversal
Security	
Security algorithms	3DES, 128-bit AES, 192-bit AES, 256-bit AES
Firewall security	Yes
Authentication method	MD5, SHA1, SHA2 (256-bit)
VLAN support	Yes
Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Console port	RJ-45
Power	
Power supply	300 W
Weight & dimensions	
Width	330 mm
Depth	230 mm
Height	44 mm
Packaging data	
Package width	404 mm
Package depth	307 mm
Package height	314 mm

Package weight	2.85 kg
----------------	---------

Packaging content

Cables included	AC, LAN (RJ-45)
-----------------	-----------------

Operational conditions

Operating temperature (T-T)	0 - 40 °C
-----------------------------	-----------

Operating relative humidity (H-H)	5 - 95%
-----------------------------------	---------

Logistics data

Master (outer) case net weight	8.55 kg
--------------------------------	---------

Harmonized System (HS) code	85176990
-----------------------------	----------

Master (outer) case width	322 mm
---------------------------	--------

Master (outer) case length	404 mm
----------------------------	--------

Master (outer) case height	314 mm
----------------------------	--------

Master (outer) case gross weight	9.4 kg
----------------------------------	--------

Products per master (outer) case	3 pc(s)
----------------------------------	---------

Matmenys ir svoris

Svoris	2,85kg
--------	--------

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

EnGenius Networks Europe B.V.

Fellenoord 180, 5611 ZB Eindhoven, NL

engeniustech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt