

Sharp PN-HS431 Digital signage flat panel 109.2 cm (43") TFT 700 cd/m² 4K Ultra HD Black 24/7

Gamintojas: **SHARP** · Modelis: **PNHS431** · EAN: **4974019209906** · Prekės kodas: **864981**



Time	Destination	Flight	Gate
15:00	Paris	AA6450	B28
15:05	Munich	BG2301	B17
15:15	New York	JK2003	A23
15:20	Dusseldorf	TR5237	A41
15:30	Boston	AA6450	D9
15:45	Washington	BG2301	E12
16:05	Manchester	JK2003	A19
16:15	Beijing	TR5237	B35
16:20	Istanbul	AA6450	B10

1 080,91 €

Kaina su PVM

Be PVM: **893,31 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Simply more life-like – the displays come with a wide colour gamut showing every colour with much greater accuracy
- ✓ Operation around the clock – 24/7 with 700 cd/m² brightness
- ✓ Real impact – with built-in speakers, support for USB playback and range of connectivity, it is easy to create digital signage
- ✓ Control made simple – using an integrated LAN/RS-232C interface all your displays can easily be controlled and monitored from a single PC
- ✓ All the flexibility you need – the display can be wall mounted in either landscape or portrait mode as well as face-down on a ceiling or face-up on a table or floor



Aprašymas

Make a real impact - anytime, anywhere

Bring all of your information bursting into life wherever and whenever you need to stand out from the crowd.

Sharp's PN-HS professional digital signage displays offer a unique combination of an exceptionally slim and stylish design, brilliantly clear and bright 4K pictures, 24/7 operation and flexible installation. It makes them great for signage and information sharing in a wide range of retail, corporate and transport environments, including high brightness areas like train stations and airports.


Techninė specifikacija

Display	
Display diagonal	109.2 cm (43")
Display technology	TFT
Display resolution	3840 x 2160 pixels
Display brightness	700 cd/m²
HD type	4K Ultra HD
Panel type	LCD
LED backlighting type	Direct-LED
Native aspect ratio	16:9
Response time	8 ms
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.073 billion colours
Pixel pitch	0.245 x 0.245 mm
Active display area (W x H)	941 x 529 mm
Display diagonal (metric)	107 cm
Native refresh rate	60 Hz
Haze rate	25%
Ports & interfaces	
HDMI ports quantity	3
USB port	Yes
HDMI input ports quantity	3
VGA (D-Sub) input ports	1
USB ports quantity	1
Ethernet LAN (RJ-45) ports	1
Audio (L/R) in	1

RS-232 interface	Yes
RS-232C	Yes
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	20 W
Design	
Product design	Digital signage flat panel
Product colour	Black
Placement supported	Indoor
VESA mounting	Yes
Orientation	Horizontal/Vertical
Panel mounting interface	200 x 200 mm
Bezel width (bottom)	1.39 cm
Bezel width (side)	1.39 cm
Bezel width (top)	1.39 cm
Performance	
Purpose	Transportation
Operating hours (hours/days)	24/7
HDCP	Yes
Power	
Power consumption (typical)	140 W
Power consumption (standby)	1 W
Energy efficiency class (SDR)	G
Energy consumption (SDR) per 1000 hours	115 kWh
AC input voltage	100-240 V
AC input frequency	50 - 60 Hz
Weight & dimensions	
Width	973 mm
Depth	63.5 mm
Height	561.2 mm
Weight	11.5 kg
Packaging data	
Package width	1070 mm

Package depth	141 mm
Package height	680 mm
Package weight	14 kg
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	AC
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	-20 - 60 °C
Storage relative humidity (H-H)	10 - 90%
Network	
Ethernet LAN	Yes
Ethernet LAN data rates	100 Mbit/s
Features	
Suitable for indoor use	Yes
Wall mountable	Yes
Technical details	
Compliance certificates	CE, RoHS
Matmenys ir svoris	
Svoris	13,00kg

Energijos efektyvumas ir ekologinis projektavimas



115 kWh/1000h



2026/09/13

Energijos efektyvumo klasė **G A-G**

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)
- › [Atitikties deklaracija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Sharp Corporation

Takumi-cho, Sakai-ku 1, 590-8522 Sakai, JP

global.sharp

ATSAKINGAS ASMUO ES

SHARP BUSINESS SYSTEMS DEUTSCHLAND GMBH

Industriestraße 180, 50999 Köln, DE

sharp.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt

Saugos dokumentai

- › [Atitikties deklaracija](#)