# HP ENVY Wireless All-in-One Color Spausdintuvas, Instant Ink; Copier, Scanner

Gamintojas: **HP INC** · Modelis: **242Q0B#629** · EAN: **195697743993** · Prekės kodas: **868378**

## 249,90 €

Kaina su PVM

Be PVM: **206,53 €**

**Sandėlyje**

**Prekė internetu**
Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ Iki 1200 x 1200 vaizduojamų tc

## Aprašymas

Tinka „HP Instant Ink“ paslaugai

## Techninė specifikacija

| | |
|---|---|
| **Printing** | |
| Print technology | Thermal inkjet |
| Printing | Colour printing |
| Duplex printing | Yes |
| Maximum resolution | 4800 x 1200 DPI |
| Print speed (black, normal quality, A4/US Letter) | 15 ppm |
| Duplex printing mode | Auto |
| Print resolution colour | 4800 x 1200 DPI |
| Print resolution black | 1200 x 1200 DPI |
| Print speed (colour, normal quality, A4/US Letter) | 10 ppm |
| Print speed (black, draft quality, A4/US Letter) | 22 ppm |
| Print speed (colour, draft quality, A4/US Letter) | 20 ppm |
| Print speed (ISO/IEC 24734) black | 15 ppm |
| Print speed (ISO/IEC 24734) colour | 10 ppm |
| Time to first page (black, normal) | 16 s |
| Time to first page (colour, normal) | 18 s |
| N-in-1 print function | Yes |
| Booklet printing function | Yes |
| Borderless printing | Yes |
| **Copying** | |
| Copying | Colour copying |
| Duplex copying | Yes |
| Maximum copy resolution | 600 x 600 DPI |
| Copy speed (black, normal quality, A4) | 22 cpm |
| Copy speed (colour, normal quality, A4) | 15 cpm |
| Copy speed (black, draft, A4) | 22 cpm |
| Copy speed (colour, draft, A4) | 15 cpm |
| Maximum number of copies | 50 copies |
| Copier resize | 25 - 400% |
| ID-card copy function | Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Auto fit function | Yes |
| **Scanning** | |
| Scanning | Colour scanning |
| Duplex scanning | No |
| Optical scanning resolution | 1200 x 1200 DPI |
| Scanner type | Flatbed scanner |
| Maximum scan resolution | 1200 x 1200 DPI |
| Maximum scan area | 215.9 x 297 mm |
| Scan technology | CIS |
| Scan to | E-mail Server, Software |
| Scan speed (colour) | 3.5 ppm |
| Scan speed (black) | 8 ppm |
| Image formats supported | BMP, JPG, PNG, TIFF |
| Document formats supported | PDF |
| Input colour depth | 24 bit |
| Greyscale levels | 256 |
| Scan drivers | TWAIN |
| **Fax** | |
| Faxing | No |
| **Features** | |
| Maximum duty cycle | 1000 pages per month |
| Duplex functions | Print |
| Number of print cartridges | 2 |
| Printing colours | Black, Cyan, Magenta, Yellow |
| Recommended duty cycle | 300 - 400 pages per month |
| Digital sender | Yes |
| Page description languages | PCL 3 GUI |
| All-In-One-multitasking | Yes |
| Country of origin | Thailand |
| Replacement cartridges | HP 303 Black Original Ink Cartridge (~200 pages) T6N02A; HP 303 Tri-Color Original Ink Cartridge (~165 pages) T6N01A; HP 303XL Black Original Ink Cartridge (~600 pages) T6N04A; HP 303XL Tri-Color Original Ink Cartridge (~415 pages) T6N03A. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies |
| HP segment | Home, Home office |
| **Input & output capacity** | |

| | |
|---|---|
| Total number of input trays | 2 |
| Total input capacity | 125 sheets |
| Total output capacity | 60 sheets |
| Auto document feeder (ADF) | Yes |
| Auto document feeder (ADF) input capacity | 35 sheets |
| Maximum number of input trays | 2 |
| Maximum input capacity | 125 sheets |
| Maximum output capacity | 60 sheets |
| **Paper handling** | |
| Maximum ISO A-series paper size | A4 |
| Paper tray media types | Plain paper, Glossy paper, Photo paper, Recycled paper, Matte paper, Lightweight paper |
| ISO A-series sizes (A0...A9) | A4, A5, A6 |
| Maximum print size | 209.9 x 349.6 mm |
| ISO B-series sizes (B0...B9) | B5 |
| ISO C-series sizes (C0...C9) | C5, C6 |
| Non-ISO print media sizes | Hagaki card, 2L |
| JIS B-series sizes (B0...B9) | B5 |
| Envelopes sizes | 10, B5, C5, C6, DL |
| Photo paper sizes | 10x15,13x18,13x13,10x30 |
| Borderless printing media sizes | Letter |
| Custom media width | 97.79 - 127 mm |
| Custom media length | 215 - 355 mm |
| Paper tray media weight | 75 - 300 g/m² |
| Envelope feeder | No |
| **Ports & interfaces** | |
| Direct printing | Yes |
| USB port | Yes |
| USB 2.0 ports quantity | 1 |
| **Network** | |
| Wi-Fi | Yes |
| Wi-Fi standards | Wi-Fi 5 (802.11ac), Wi-Fi 4 (802.11n), 802.11g, 802.11b, 802.11a |
| Mobile printing technologies | Mopria Print Service, Apple AirPrint |
| **Performance** | |
| Internal memory | 256 MB |

| | |
|---|---|
| Maximum internal memory | 256 MB |
| Card reader integrated | No |
| Built-in processor | Yes |
| Processor frequency | 800 MHz |
| Sound pressure level (printing) | 52 dB |
| Sound power level (printing) | 6.2 dB |
| **Design** | |
| Product colour | Beige |
| Market positioning | Home & office |
| Built-in display | Yes |
| Colour name | Portobello |
| Display | LCD |
| Display diagonal | 6.86 cm (2.7") |
| Control type | Buttons, Touch |
| Colour display | Yes |
| **Power** | |
| Power consumption (printing) | 14 W |
| Power consumption (ready) | 14 W |
| Power consumption (sleep) | 1.02 W |
| Power consumption (off) | 0.06 W |
| AC input voltage | 100 - 240 V |
| AC input frequency | 50/60 Hz |
| **Brand-specific features** | |
| HP Instant Ink | Yes |
| HP Auto-On/Auto-Off | Yes |
| HP Dynamic security | Yes |
| HP GTIN (EAN/UPC) with options | (629) 195697743993; (686) 196068028299; (687) 195697743986 |
| HP GTIN (EAN/UPC) | 195697743993, 196068028299, 195697743986 |
| **System requirements** | |
| Windows operating systems supported | Windows 7, Windows 10, Windows 11 |
| Mac operating systems supported | Mac OS X 10.14 Mojave, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS |
| Other operating systems supported | ChromeOS |
| **Operational conditions** | |
| Operating relative humidity (H-H) | 20 - 80% |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Storage temperature (T-T) | -40 - 60 °C |
| Operating temperature (T-T) | 5 - 40 °C |
| Storage relative humidity (H-H) | 10 - 90% |
| Operating altitude | 0 - 3048 m |
| Non-operating altitude | 0 - 4500 m |
| Recommended humidity operating range | 20 - 80% |
| Recommended operating temperature range (T-T) | 15 - 32.5 °C |
| Non-operating relative humidity (non-condensing) | 10 - 90% |
| **Certificates** | |
| Certification | EN 55032:2012/AC:2013 Class B;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN 301 489-17 V3.2.4:2020-09;EN 55032:2012/AC:2013 Class B;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN 301 489-17 V3.2.4:2020-09;IEC 61000-4-2:2008;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-3:2010;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-8:2009;EN 55035:2017 ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-11:2004 +A1:2017;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09 |
| **Sustainability** | |
| Sustainability certificates | Post-Consumer Recycled Plastic |
| Sustainable technologies and materials | Recyclable through HP Planet Partners |
| Sustainability compliance | Yes |
| **Carbon footprint** | |
| Total carbon footprint (kg of CO2e) | 54 |
| Carbon emissions, manufacturing (kg of CO2e) | 45 |
| Carbon emissions, logistics (kg of CO2e) | 2 |
| Carbon emissions, end-of-life (kg of CO2e) | 4 |
| Total carbon emissions, w/o use phase (kg of CO2e) | 3 |
| **Weight & dimensions** | |
| Width | 460 mm |
| Depth | 383 mm |
| Height | 233 mm |
| Weight | 8.12 kg |
| **Packaging data** | |
| Package width | 570 mm |
| Package depth | 303 mm |
| Package height | 464 mm |
| Package weight | 10.1 kg |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.
www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| **Packaging content** | |
| Cartridge(s) included | Yes |
| Included cartridge capacity (black) | 170 pages |
| Included cartridge capacity (CMY) | 120 pages |
| Cables included | AC |
| Bundled software | Download HP app from www.hp.com/hp-app |
| **Logistics data** | |
| Harmonized System (HS) code | 8443310000 |
| Pallet gross weight | 262 kg |
| Layers per pallet | 4 pc(s) |
| Products per pallet | 24 pc(s) |
| **Technical details** | |
| Master (outer) cases per pallet layer | 6 pc(s) |
| General Product Safety Regulation (GPSR) URL | https://support.hp.com/gb-en/product/setup-user-guides/hp-envy-inspire-7900e-series/model/2100402070?sku=242Q0B&serialnumber=242Q0B |
| Other EU Hazard statement(s) | EUH208: Contains sensitizing substance. May produce an allergic reaction |
| Box contents | HP ENVY Inspire 7920e All-in-One Printer; HP 303 Setup Black Instant Ink Ready Cartridge; HP 303 Setup Tri-Color Instant Ink Ready Cartridge; Ink Caution flyer; Regulatory flyer; Setup guide; Reference guide; HP Advanced Glossy and Matte Photo Inbox pouch; Power cord [For ink volume and page yield information, visit http://hp.com/go/learnaboutsupplies] |
| **Other features** | |
| Number of users | 5 user(s) |
| Power supply type | Internal universal power supply |
| Recommended system requirements | Intel Pentium II; Celeron or 233 MHz or better processor; 2 GB available hard disk space; Internet connection; web browser. macOS v10.14 Mojave (or later); 1.5 GB available space; Internet access. |
| Compatible operating systems | Windows 11; Windows 10; Windows 7; macOS 10.14 Mojave or later; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Chrome OS |
| PictBridge | No |
| Number of print heads | 2 |
| Manufacturer warranty | Up to 2 years HP Warranty. 24-hour, 7 days a week Web support; Business hour phone support within warranty period. Two years consist of: (1) one year standard HP warranty; (2) one year extra HP warranty through HP+ activation at setup [11] |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Electromagnetic compatibility | EN 55032:2012/AC:2013 Class B;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN 301 489-17 V3.2.4:2020-09;EN 55032:2012/AC:2013 Class B;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN 301 489-17 V3.2.4:2020-09;IEC 61000-4-2:2008;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-3:2010;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-8:2009;EN 55035:2017 ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-11:2004 +A1:2017;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09 |
| Custom media sizes | Main Tray: 97.79 x 215 to 127 x 355 mm; Photo Tray: No custom sizes |
| Pallet dimensions (W x D x H) | 1200 x 1000 x 1993 mm |
| Pallet dimensions (W x D x H) (imperial) | 1199.9 x 1000 x 1992.9 mm (47.2 x 39.4 x 78.5") |
| Pallet weight (imperial) | 262.2 kg (578 lbs) |
| UNSPSC-code | 43212110 |
| **Matmenys ir svoris** | |
| Matmenys (I × P × A) | 57,00cm × 30,00cm × 46,00cm |
| Svoris | 10,05kg |

## Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- CE ženklinimas
- Vaizdo įrašas objects.icecat.biz/objects/91427330_65415217.mp4

## Gamintojo ir saugos informacija

GAMINTOJAS

**HP Inc**
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

**HP Printing and Computing Solutions S.L.U.**
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

### Įspėjimai

- Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction

### Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija