

# APC Power Cord, C19 to C20, 0.6m

Gamintojas: **APC** · Modelis: **AP9892** · EAN: **731304217893** · Prekės kodas: **868940**

73,89 €

Kaina su PVM

Be PVM: 61,07 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Suitable for High power applications
- ✓ Universal fit in any IEC receptacles
- ✓ Multi region approved with regional input sockets
- ✓ Offers flexibility in setup and usage for compact installations
- ✓ Compliant with safety and performance standards



## Aprašymas

AP9892 is NetShelter range of Power Cord ensuring reliable power delivery and secure connections for your Rack PDUs and servers. It is designed to handle a maximum line current of 16A, making it suitable for various high-power applications. It features IEC 60320 C19 outlet and an IEC 60320 C20 connector, allowing it to connect seamlessly with a wide range of power distribution units (PDUs) and equipment. The cord has a length of 0.6 meters, providing flexibility in setup and usage, especially in compact installations. Additionally, it is CE, EAC, and VDE certified ensuring it meets high safety and performance standards.

## Techninė specifikacija

| Features           |       |
|--------------------|-------|
| Product colour     | Black |
| Connector 1 gender | Male  |

|                                                             |                                      |
|-------------------------------------------------------------|--------------------------------------|
| Connector 2 gender                                          | Female                               |
| Cable length                                                | 0.6 m                                |
| Connector 1                                                 | IEC C20                              |
| Connector 2                                                 | C20 coupler                          |
| Connector 1 form factor                                     | Straight                             |
| Connector 2 form factor                                     | Straight                             |
| Power                                                       |                                      |
| Input current                                               | 16 A                                 |
| Certificates                                                |                                      |
| Waste Electrical and Electronic Equipment (WEEE) compliance | Yes                                  |
| Compliance certificates                                     | RoHS, REACH, WEEE                    |
| Certification                                               | CE; EAC; VDE                         |
| Weight & dimensions                                         |                                      |
| Weight                                                      | 160 g                                |
| Technical details                                           |                                      |
| Halogen free                                                | No                                   |
| Preferred mounting position                                 | no preference                        |
| Sustainable packaging                                       | No                                   |
| SCIP number                                                 | 1cdb2fed-a06f-4574-913d-8df8e70936b2 |
| Proposition 65                                              | Yes                                  |
| Take-back system                                            | No                                   |
| Packaging without single use plastic                        | No                                   |
| Logistics data                                              |                                      |
| Customs product code (TARIC)                                | 8544429090                           |
| Harmonized System (HS) code                                 | 84733080                             |
| Total carbon footprint (kg of CO2e)                         | 8.0190807322709                      |
| Other features                                              |                                      |
| Input connection type                                       | IEC 60320 C20                        |
| Country of origin                                           | China                                |

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Atitikties deklaracija](#)

## Gamintojo ir saugos informacija

### GAMINTOJAS

#### Schneider Electric SE

rue Joseph Monier 35, 92500 Rueil Malmaison, FR

[se.com](https://www.se.com)

### PLATINTOJAS

#### MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

[info@shopro.lt](mailto:info@shopro.lt)

### Saugos dokumentai

> [Atitikties deklaracija](#)