

LogiLink PA0355 mobile device charger Universal White AC Fast charging Indoor

Gamintojas: **LOGILINK** · Modelis: **PA0355** · EAN: **4052792077193** · Prekės kodas: **869645**



33,90 €

Kaina su PVM

Be PVM: **28,02 €**

Neturime





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Charger compatibility: Universal
- ✓ Charger type: Indoor
- ✓ Power source type: AC
- ✓ White
- ✓ Contact
- ✓ Fast charging Over current, Over voltage, Overheating, Short circuit
- ✓ 220 - 240 V 50/60 Hz 20 W Maximum output voltage: 12 V



Aprašymas

Product information "USB-C GaN charger (PD+QC 3.0), 20 W, white" from LogiLink

The GaN (gallium nitride) technology enables this charging adapter to achieve a significantly higher power density than conventional silicon-based models. This means that it can transfer more energy in less time without overheating. With its USB-C connection, the charging adapter is compatible with a wide range of devices, including smartphones, tablets, laptops and even games consoles. Support for PPS (Programmable Power Supply) ensures that the adapter automatically determines the optimum charging speed for each device. The USB-C GaN charging adapter has several protection mechanisms to protect your devices and the adapter itself. Overcurrent, overvoltage, overheating and short-circuit protection ensure safe charging.

Techninė specifikacija

Performance	
Charger type	Indoor
Charger compatibility	Universal
Power source type	AC
Number of simultaneously connected devices (max)	1
USB Type-C ports quantity	1
Fast charging	Yes
Fast charging technology	GaN, Power Delivery 3.0, Programmable Power Supply (PPS), Quick Charge 3.0
Programmable power supply (PPS)	Yes
USB Power Delivery (USB PD)	Yes
Operating principle	Contact
USB Power Delivery revision	3
USB Power Delivery up to	20 W
Power protection features	Over current, Over voltage, Overheating, Short circuit
Design	
Product colour	White
Gallium nitride (GaN) transistors	Yes
Power	
Input voltage	220 - 240 V
Input frequency	50/60 Hz
Input current	0.7 A
Maximum power	20 W
Maximum output voltage	12 V
Minimum output voltage	5 V
AC adapter power	20 W

AC adapter output current	3 A
Output current (5V)	3 A
Output current (9V)	2.22 A
Output current (12V)	1.67 A

Weight & dimensions

Width	30 mm
Depth	75.6 mm
Height	30 mm

Packaging data

Package type	Box
--------------	-----

Matmenys ir svoris

Svoris	1,00kg
--------	--------

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

2direct GmbH

Langenstück 5, 58579 Schalksmühle, DE

info@2direct.de

[2direct.de](https://www.2direct.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt