

Samsung WA75D interactive whiteboard 190.5 cm (75") 3840 x 2160 pixels Touchscreen Grey

 Gamintojas: **SAMSUNG** · Modelis: **LH75WADWLGCXEN** · EAN: **8806095575735** · Prekės kodas: **870314**


2 448,89 €

Kaina su PVM

 Be PVM: **2 023,88 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Touchscreen 190.5 cm (75") ADS Grey
- ✓ 4K Ultra HD 3840 x 2160 pixels 16:9
- ✓ 400 cd/m² 1200:1 8 ms
- ✓ Bluetooth Ethernet LAN
- ✓ VESA mounting 800 x 400 mm



Aprašymas

Samsung WA75D Interaktives Whiteboard 190,5 cm (75) 3840 x 2160 Pixel Touchscreen Grau (LH75WADWLGCXEN)

Techninė specifikacija

Display		
Display diagonal		190.5 cm (75")
Touchscreen		Yes
Display brightness		400 cd/m²
Display resolution		3840 x 2160 pixels
HD type		4K Ultra HD
Panel type		ADS
Native aspect ratio		16:9
Contrast ratio (typical)		1200:1
Response time		8 ms
Touch technology		Multi-touch
Touchscreen type		Infrared
Viewing angle, horizontal		178°
Viewing angle, vertical		178°
Pixel pitch		429.6 x 429.6 mm
Colour gamut		72%
Maximum pixel clock		78 MHz
Haze rate		25%
Computer system		
Operating system installed		Android
Operating system version		13
Maximum internal memory		64 GB
Projector		
Built-in projector		No
Network		
Wi-Fi		Yes
Bluetooth		Yes
Ethernet LAN		Yes
Ports & interfaces		
HDCP		Yes

HDCP version	2.1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
USB 2.0 ports quantity	1
HDMI ports quantity	3
HDMI version	2
Ethernet LAN (RJ-45) ports	2
Microphone connectivity	3.5 mm
Audio output	1
RS-232 ports	2
IR input port	Yes
Video out	Yes

Ergonomics

Product colour	Grey
VESA mounting	Yes
Panel mounting interface	800 x 400 mm
Certification	Part 15, Subpart B Class A KS C9832, KS C9835 EN55032:2015/A11:2020/A1:2020,EN 55035:2017/A11:2020 EN 61000-3-2:2019/A1:2021 EN 61000-3-3:2013/A1:2019/A2:2021 EN 61000-3-2:2019/A1:2021 EN 61000-3-3:2013/A1:2019/A2:2021 EN 61000-3 IEC 62368-1 Edition 3&IEC 60950-1 UL62368-1 edition 3 GB4943.1-2022 PSB+ IEC 62368-1 NOM-019 K 62368 IRAM+ IEC 62368-1 EAC+ IEC 62368-1 INMETRO+ IEC 62368-1 SASO+ IEC 62368-1 BSMI+ IEC 62368-1 IEC 62368-1/AS/NZS 62368-1 IEC60950-1 / IS13252

Performance

Operating hours (hours/days)	12/7
------------------------------	------

Power

Power consumption (typical)	385 W
Power consumption (sleep)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	1709 mm
Height	1020 mm
Depth	88 mm

Weight	45.5 kg
--------	---------

Bezel width	1.64 cm
-------------	---------

Packaging data

Package width	1863 mm
---------------	---------

Package depth	225 mm
---------------	--------

Package height	1140 mm
----------------	---------

Package weight	57.6 kg
----------------	---------

Quantity per pack	1 pc(s)
-------------------	---------

Matmenys ir svoris

Svoris	63,00kg
--------	---------

Gamintojo ir saugos informacija

GAMINTOJAS

Samsung Electronics Co Ltd

Samsung-ro 129, 16677 Suwon-si, KR

samsung.com

ATSAKINGAS ASMUO ES

Samsung Electronics Iberia, S.A

Avenida de Barajas 32, 28108 Alcobendas, ES

samsung.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt