

Epson TM-J7200 (301) W/O MICR,BLACK,INC PSU,EU

 Gamintojas: **EPSON** · Modelis: **C31CF69301** · EAN: **8715946639031** · Prekės kodas: **870432**


942,90 €

Kaina su PVM

 Be PVM: **779,26 €**
Sandėlyje

Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Universalus rašalinis POS spausdintuvas: Greitesnis, kokybiškesnis ir universalesnis
- ✓ Maži eksploatacijos kaštai: Panašūs bendrieji kaštai į ankstesnio adatinio modelio
- ✓ Ilgai išliekantys spaudiniai: Spaudiniai dabar atsparesni drėgmei ir šviesai
- ✓ Paprasta priežiūra: Itin paprasta pakeisti rašalą ir popieriaus ritinėlį
- ✓ Suderinamumas su senesniais modeliais: Aiškus, ryškus tekstas ir blizgios nuotraukos



Aprašymas

Versatile POS printer

The TM-J7200 multifunctional inkjet printer has been designed for use in retail environments where the facility to print receipts as well as slips, forms and coupons is required. This model uses inkjet technology for faster, higher quality printing, while maintaining a low TCO and backwards compatibility.

Faster, better inkjet technology

Inkjet technology means that not only are printouts more detailed (600dpi compared to 180dpi for existing models), they're around twice as fast too, with a print speed of 100mm/s (23.2lps) compared to 43mm/s (13.5lps) for previous models.

Low TCO

Epson has managed to incorporate inkjet technology into this new model while retaining a similar low total cost of ownership to previous dot matrix units.

Simple maintenance

The new ink cartridges have an easy-install design ideal for busy retail counters, as well as drop-in paper roll for quick loading, and the ink formulation used offers better water and light resistance than dot matrix, so receipts and documents will last longer.

Backwards compatible

To make upgrading from existing models incredibly easy, the TM-J7200 is fully backwards-compatible with the TM-J7000 and has exactly the same footprint, so it can simply be swapped in. However to integrate smoothly with the latest ePOS systems, the new model offers both USB and Ethernet connection options.

Techninė specifikacija

Printing	
Print technology	Inkjet
Type	POS printer
Colour	No
Print speed	98 mm/sec
Print speed (graphic)	98 mm/sec
Print speed (receipt)	98 mm/sec
Print speed (slip)	85 mm/sec
Printing characters	Text, Graphic, Barcode
Character sets	ANK
Alphanumeric memory	95
Paper handling	
Supported paper width	58 - 83 mm
Media thickness	0.06 - 0.09 mm
Maximum paper size (slip)	230 x 297 mm
Ports & interfaces	
Connectivity technology	Wired
USB port	Yes
USB 2.0 ports quantity	1
USB connector	USB Type-B
Ethernet LAN (RJ-45) ports	1

Interface	USB 2.0, Ethernet interface (100 Base-TX / 10 Base-T), Drawer kick-out, Customer Display
Network	
Ethernet LAN	Yes
Wi-Fi	No
Features	
Sound pressure level (printing)	55 dB
Mean time between failures (MTBF)	180000 h
Half-cutter	No
Autocutter durability	1.5 million cuts
Country of origin	Indonesia
Printer receipt unit life	3700000000 lines
Printer slip unit life	5000000 lines
Safety	TÜV, TÜV (EN60950-1)
Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11
Design	
Product colour	Black
Power	
Power source type	DC
AC input voltage	24 V
Power consumption (standby)	70000 mA
Operational conditions	
Operating temperature (T-T)	10 - 35 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 85%
Weight & dimensions	
Width	195 mm
Depth	260 mm
Height	188 mm
Weight	5.1 kg
Packaging data	
Cables included	AC
Quantity per pack	1 pc(s)

Package width	297 mm
Package depth	390 mm
Package height	305 mm
Package weight	7.2 kg

Logistics data

Pallet weight (UK)	0 g
Harmonized System (HS) code	84433210
Products per pallet	48 pc(s)
Products per pallet layer	8 pc(s)
Pallet gross width	80 cm
Pallet gross length	120 cm
Pallet gross height	171 cm
Pallet gross weight	0 g
Products per pallet (UK)	60 pc(s)
Products per pallet layer (UK)	10 pc(s)
Pallet width (UK)	100 cm
Pallet length (UK)	120 cm
Pallet height (UK)	171 cm

Technical details

Voltage	24 V
Safety warning	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Always follow the information on the product label.
Font styles	ANK
Box contents	CD Manual, Ink Cartridge, PS-180, Power cable, Power switch cover, Roll paper, Setup guide, USB cable, User manual (CD)

Other features

Paper dimensions	58 mm - 83 mm
Mean cycles between failures (MCBF)	5000000

Matmenys ir svoris

Svoris	7,17kg
--------	--------

Dokumentai ir vaizdo įrašai

› [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Seiko Epson

Owa, Suwa 3-3-5, Nagano, JP

[corporate.epson](https://corporate.epson.com)

ATSAKINGAS ASMUO ES

Epson Deutschland

Schiessstraße 49, D-40549 Düsseldorf, DE

epson.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt

Ispėjimai

- Safety warning: Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.
Always follow the information on the product label.