

Goodram ODA3 USB flash drive 16 GB USB Type-A / USB Type-C 3.2 Gen 1 (3.1 Gen 1) Silver

Gamintojas: **GOODRAM** · Modelis: **ODA3-0160S0R11** · EAN: **5908267960240** · Prekės kodas: **874111**



34,90 €

Kaina su PVM

Be PVM: **28,84 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Double interface USB: type-A and type-C
- ✓ Data transfer between the latest devices
- ✓ Small casing



Aprašymas

USB ODA Flash drive allows you to use one USB drive with various desktop and mobile devices. With both USB 3.2 type A and USB type-C™ connectors, USB ODA can help you to move data between desktop computers and newest mobile phones and tablets.

Ready to work

Type-C™ is becoming the most popular USB type used to transfer data between all electronic devices. The growing popularity of this solution is supported by the fact that manufacturers of next gen laptops, smartphones, PCs and other devices are increasingly equipping their products with an additional “C” next to the standard type A connector or choose only Type-C™. GOoodram OTG ODA is an excellent solution that will work both with an old and new electronic devices generation laptops, smartphones and PCs. The ODA Flash drive is equipped with two fast USB 3.2 connectors: one standard type A and the Type-C™, which means that data transfer between devices of different generations has never been so easy and fast.

Techninė specifikacija

Performance	
Capacity	16 GB
Device interface	USB Type-A / USB Type-C
USB version	3.2 Gen 1 (3.1 Gen 1)
Read speed	60 MB/s
Write speed	20 MB/s
Plug and Play	Yes
Compatible operating systems	Windows 2000 SP4+ MacOS 10.5.x+ Linux v.2.6.x+
Design	
Form factor	Swivel
Product colour	Silver
Housing material	Metal
Weight & dimensions	
Width	36.7 mm
Depth	12.3 mm
Height	7 mm
Weight	9 g
Packaging data	
Package width	103 mm
Package height	123 mm
Package type	Blister
Packaging content	
Quantity per pack	1 pc(s)
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-25 - 85 °C
Operating relative humidity (H-H)	5 - 95%
Storage relative humidity (H-H)	5 - 95%

Logistics data

Products per master (outer) case

20 pc(s)

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Wilk Elektronik SA

Mikolowska 42, 34-173 Łaziska Górne, PL
goodram.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt