

InLine 69927U cable accessory Cable coupler

Gamintojas: **INLINE** · Modelis: **69927U** · EAN: **4043718346882** · Prekės kodas: **874756**



18,90 €

Kaina su PVM

Be PVM: **15,62 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt



Aprašymas

- T-distributor for power connections:** Triple connection option for 3-core cables – ideal for power distribution in damp rooms and outdoor areas.
- Waterproof and robust:** IP68-certified, silicone seal and impact-resistant nylon housing for reliable protection against water, dust, and mechanical influences.
- Flexible for many applications:** Suitable for cable diameters of 4–14 mm, for wire cross-sections of 0.5–6 mm², up to 500 V and 24 A.
- Tool-free installation:** Simple screw system with secure closure – saves time and ensures a permanent connection.
- Ideal for outdoor installations:** Suitable for garden lights, pond pumps, workshop cabling, or power distribution in the event sector.

The InLine T-shaped power cable coupler with 3-way design offers a secure and flexible way to distribute electrical power connections – ideal for indoor and outdoor applications. Thanks to its IP68 protection class, the connection is permanently waterproof and provides reliable protection against dust and moisture.

This 3-pole coupler is specially designed for 3-core power cables. It supports a voltage range up to 230 V and a current rating up to 24 A. The T-distributor is therefore particularly suitable for applications where multiple power outlets are required – e.g., for lighting systems in gardens, on construction sites, or for temporary event installations.

The housing is made of durable nylon (PA66), and the copper contacts ensure reliable electrical conductivity. Installation is carried out using a tool-free screw system: insert the cable, connect it, tighten the caps – done. The integrated silicone seals ensure a secure fit and complete sheathing. The coupling is suitable for cable diameters from 4 to 14 mm and cable cross-sections from 0.5 to 6 mm². With its M20 thread and compact T-shape, it offers maximum flexibility in power distribution – robust, durable, and ready for immediate use.

- Material: Nylon (PA66)
- Thread size: M20
- Contact material: Copper
- Seal: Silicone
- Temperature range: -40 °C to +105 °C
- IP protection rating: IP68
- Cable diameter: 4–14 mm
- Conductor cross-section: 0.5–6 mm²
- Design: 3-way
- Number of poles: 3-pole
- Rated voltage: 500 V
- Rated current: 24 A

Techninė specifikacija

Features	
Product type	Cable coupler
Product colour	Black
Material	Polyamide, Silicone
Protection features	Dust proof, Waterproof
Connector(s)	Mains coupler, IP68, 3-pin, 3-way, M20, black
Certificates	
Compliance certificates	TÜV mark, RoHS
Weight & dimensions	
Width	85 mm
Depth	135 mm
Height	25 mm
Weight	80 g
Packaging content	
Quantity per pack	1 pc(s)
Packaging data	
Package width	150 mm
Package depth	210 mm
Package height	30 mm
Package weight	110 g

Logistics data

Country of origin	China
Package volume	900 cm ³

Matmenys ir svoris

Svoris	0,11kg
--------	--------

Gamintojo ir saugos informacija

GAMINTOJAS

Intos Electronic AG

Siemensstraße 11, D-35394 Gießen, DE

service@inline-info.com

[intos.de](https://www.intos.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt