

InLine ultrasonic diffuser, ambient light, Google Home + Amazon Alexa compatib.

Gamintojas: **INLINE** · Modelis: **40162** · EAN: **4043718291212** · Prekės kodas: **874875**



46,90 €

Kaina su PVM

Be PVM: **38,76 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Outdoor IP security camera
- ✓ CMOS 25.4 / 2.7 mm (1 / 2.7") 1920 x 1080 pixels
- ✓ Wired & Wireless Wi-Fi
- ✓ Night vision 5 m IR
- ✓ Bullet Ceiling/wall
- ✓ IP66
- ✓ Silver, White
- ✓ 440 g



Aprašymas

Reliable outdoor surveillance in Full HD quality:The camera delivers a resolution of 1,920x1,080@50Hz at 25 frames per second and uses H.264 compression for efficient data processing and space-saving storage.

Robust IP66 housing for long-term outdoor use:The water- and dust-proof construction made of metal, glass and ABS+PC is designed for

operating temperatures of -30-50°C and enables reliable use in a wide range of weather conditions.

Clear vision day and night:Four integrated IR LEDs enable night vision up to 15 metres. Additional LED lighting supports image display from as little as 0.5 lux.

Secure network integration via 2.4 GHz WiFi:The camera supports IEEE802.11b/g/n as well as DHCP/IP/TCP/UDP and 64/128-bit WEP or WPA/WPA2. This allows it to be integrated into existing networks in a stable and secure manner.

Local recording without additional infrastructure:The integrated micro SD slot supports memory cards up to 128 GB and enables independent data storage directly in the device.

The InLine® SmartHome HD camera for outdoor use combines robust construction with modern network technology. The IP66-protected housing provides reliable protection against dust and water. This allows for continuous outdoor use even in demanding weather conditions. The camera is designed for operating temperatures of -30-50°C.

The integrated 1/2.7" progressive CMOS sensor delivers a resolution of 1,920x1,080@50Hz at 25 frames/s. Thanks to H.264 compression, image data is processed and stored efficiently. The 75° image angle enables targeted monitoring of defined areas.

Four IR LEDs are available for use in the dark. These enable a night vision range of up to 15 m. In addition, integrated LED lighting supports visibility in low ambient brightness conditions from 0.5 lux.

The camera is integrated into the network via 2.4 GHz WiFi in accordance with IEEE802.11b/g/n. DHCP/IP/TCP/UDP as well as 64/128-bit WEP and WPA/WPA2 are supported. The maximum transmission power is 9.58 dBm in the frequency range from 2.412 to 2.472 GHz.

Power is supplied via AC 100-240V. The included power supply provides 12V/1A via DC 5.5x2.1mm. The maximum power consumption is 10kWh/year.

A micro SD slot for up to 128GB is available in the housing for local storage. Integration into automation systems and scenarios is easy with the Smart Life app.

- Motion detection (~8m)
- Push notifications
- IP66 (water and dust resistant)
- WiFi signal: WiFi 2.4GHz
- WiFi standard: IEEE802.11b/g/n
- Protocol: DHCP/IP/TCP/UDP
- WiFi security: 64/128-bit WEP encryption, WPA/WPA2
- Frequency range: 2.412-2.472 GHz
- Max. transmission power: 9.58 dBm
- Range: Up to 45 m (with line of sight)

Techninė specifikacija

Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired & Wireless
Maximum operating distance	45 m
Antenna type	External
Antennas quantity	1
Design	
Mounting type	Ceiling/wall
Product colour	Silver, White
Form factor	Bullet

Housing material	Glass, Metal, Plastic
International Protection (IP) code	IP66
Camera	
Lens viewing angle, horizontal	75°
Lens viewing angle, vertical	75°
Image sensor	
Sensor type	CMOS
Number of sensors	1
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")
Lens system	
Number of lenses	1
Lens diameter	3.6 mm
Night vision	
Night vision	Yes
Night vision distance	5 m
LED type	IR
Number of illumination LEDs	4
Video	
Maximum resolution	1920 x 1080 pixels
Video compression formats	H.264
Frame rate	25 fps
Network	
Ethernet LAN	No
Wi-Fi	Yes
Bluetooth	No
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Supported network protocols	DHCP/IP/TCP/UDP
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi data rate (max)	300 Mbit/s
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	128 GB

Security

Video motion detection	Yes
Security algorithms	WPA, WPA2

Power

Power source type	AC, DC
AC input voltage	100 - 240 V
DC output voltage	12
DC output current	1 A

Operational conditions

Operating temperature (T-T)	-30 - 50 °C
Storage temperature (T-T)	-30 - 65 °C
Operating relative humidity (H-H)	20 - 85%
Storage relative humidity (H-H)	0 - 90%

Weight & dimensions

Width	70 mm
Depth	170 mm
Height	80 mm
Length	165 mm
Weight	440 g

Packaging data

Package width	150 mm
Package depth	180 mm
Package height	85 mm
Package weight	558 g

Packaging content

Number of cameras	1
Screws included	Yes

Other features

Dimensions (WxDxH)	70 x 170 x 80 mm
--------------------	------------------

Matmenys ir svoris

Svoris	0,56kg
--------	--------

Gamintojo ir saugos informacija

GAMINTOJAS

Intos Electronic AG

Siemensstraße 11, D-35394 Gießen, DE

service@inline-info.com

[intos.de](https://www.intos.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt