

InLine 16759M power cable Black 3 m IEC C14 Schuko

Gamintojas: **INLINE** · Modelis: **16759M** · EAN: **4043718352449** · Prekės kodas: **875128**



22,91 €

Kaina su PVM

Be PVM: **18,93 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 3 m
- ✓ IEC C14 Angled Male
- ✓ Schuko Straight Female
- ✓ 3G0.75
- ✓ Black



Aprašymas

C14 angled to earth-contact adapter cable for space-saving power connections

Space-saving installation thanks to the angled plug: The angled C14 connector reduces the required installation depth and makes cable routing easier in compact environments.

Flexible use of C14 power sources: Enables the connection of devices with earthed plugs to existing C14 sockets without modifying the infrastructure.

Reliable power transmission up to 10 A: Designed for a stable power supply in typical IT and technical applications.

Optimised cable lengths for structured cabling: Available in 0.5 m, 1 m, 2 m and 3 m for a neat and tailored installation.

Adjusted conductor cross-section depending on length: Up to 2 m with 3 x 0.75 mm², and 3 m with 3 x 1.00 mm² for a reliable supply even over longer distances.

This InLine® mains adapter cable with an angled C14 plug for IT equipment to a grounded socket offers a space-saving solution for connecting devices to existing C14 power sources. The angled plug reduces the required installation depth and facilitates installation in confined spaces. The cable enables the flexible operation of devices with earthed plugs on C14 sockets without the need to modify existing power distribution systems. This allows existing connection points to be utilised efficiently.

With a current rating of up to 10 A, the adapter cable is suitable for many typical applications. The various length options, ranging from 0.5 m to 3 m, support structured and clearly organised cable routing.

Depending on the variant, a conductor cross-section of 3G0.75 mm² or 3G1.00 mm² is used. This ensures reliable power transmission even over longer cable runs.

Connection A: C14 for IT equipment, angled

Connection B: EARTH-connected socket

Rated current: 10 A

Conductor cross-section 0.5 m / 1 m / 2 m: 3G0.75 mm²

Conductor cross-section 3 m: 3G1.00 mm²

Lengths: 0.5 m, 1 m, 2 m, 3 m

Techninė specifikacija

Features	
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Female
Cable length	3 m
Connector 1	IEC C14
Connector 2	Schuko
Connector 1 form factor	Angled
Connector 2 form factor	Straight
Connector 1 lockable	No
Number of conductors	3
Conductor cross section	3G0.75
Power	
Input current	10 A
Operational conditions	
Operating temperature (T-T)	-10 - 60 °C
Storage temperature (T-T)	-20 - 70 °C
Weight & dimensions	
Width	55 mm
Depth	3000 mm
Height	50 mm
Weight	351 g

Packaging data

Package width	190 mm
Package depth	240 mm
Package height	55 mm
Package weight	363 g
Package volume	2500 cm ³

Other features

Dimensions (WxDxH)	55 x 3000 x 50 mm
--------------------	-------------------

Matmenys ir svoris

Svoris	0,36kg
--------	--------

Gamintojo ir saugos informacija

GAMINTOJAS

Intos Electronic AG

Siemensstraße 11, D-35394 Gießen, DE

service@inline-info.com

[intos.de](https://www.intos.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt