

InLine 35392E interface hub USB Type-C 10000 Mbit/s Grey

Gamintojas: **INLINE** · Modelis: **35392E** · EAN: **4043718347827** · Prekės kodas: **875360**



42,89 €

Kaina su PVM

Be PVM: **35,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Host interface: USB Type-C
- ✓ Hub interfaces: USB Type-C
- ✓ Ports quantity: 5
- ✓ 10000 Mbit/s
- ✓ USB Power Delivery (USB PD)
- ✓ Grey



Aprašymas

Flexible USB-C port extension: Four additional USB-C sockets for simultaneous operation of modern peripherals.

Integrated Power Delivery: A separate USB-C port supports up to 100 W input power for fast and safe charging of compatible devices.

Fast data transfer: Supports USB 3.2 Gen.2 with up to 10 Gb/s - ideal for large amounts of data.

Cross-platform compatibility: Can be used with Windows, MacOS, Linux and Android - maximum flexibility for diverse system environments.

Rugged aluminum housing: High-quality workmanship for long-term use in a professional environment.

The InLine® USB 3.2 Gen.2 hub expands workstations with four USB-C ports and also offers a powerful Power Delivery port with up to 100 W input power. The compact design and high-quality aluminum housing make it the ideal solution for modern working environments. Thanks to support for USB 3.2 Gen.2, the hub enables data transfer rates of up to 10 Gb/s. The integrated OTG function allows operation with compatible mobile devices. No driver installation is required - the hub is ready for immediate use. It is ideal for professional use in heterogeneous IT structures where flexibility, performance and compatibility are required.

Input: USB-C plug + 1x USB-C socket with Power Delivery

Output: 4x USB-C socket

Power Delivery: Up to 100 W, Power Delivery 3.0

Input voltage: 5 - 20 V

Chip sets: VL822-Q7, VL103-QFN48, AWS3410, TMI62638H, STI3411A, MT3905, MX25L20COI-12G

OTG support for compatible mobile devices

Dimensions: approx. 129 x 30 x 10.8 mm

Cable length: approx. 15 cm

Weight: approx. 50 g

Techninė specifikacija

Ports & interfaces	
Ports quantity	5
Host interface	USB Type-C
Hub interfaces	USB Type-C
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	5
Features	
Data transfer rate	10000 Mbit/s
Product colour	Grey
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
Cable length	0.15 m
Power	
Input voltage	5 - 20 V
System requirements	
Windows operating systems supported	Yes
Mac operating systems supported	MacOS
Linux operating systems supported	Yes
Other operating systems supported	Android
Weight & dimensions	
Width	30 mm
Depth	129 mm
Height	10 mm
Weight	51 g
Packaging data	
Package width	90 mm

Package depth	195 mm
Package height	25 mm
Package volume	400 cm³
Package weight	85 g
Package type	Hanging box
Technical details	
Compliance certificates	CE, TÜV mark
Other features	
Dimensions (WxDxH)	30 x 129 x 10 mm
Matmenys ir svoris	
Svoris	0,09kg

Gamintojo ir saugos informacija

GAMINTOJAS

Intos Electronic AG
Siemensstraße 11, D-35394 Gießen, DE
service@inline-info.com
[intos.de](https://www.intos.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt