

# InLine 17291B kabelių lizdinio / kištukinio jungčių tipo keitiklis DisplayPort Mini DisplayPort Juoda, Pilka

Gamintojas: **INLINE** · Modelis: **17291B** · EAN: **4043718338108** · Prekės kodas: **875416**



## 15,90 €

Kaina su PVM

Be PVM: **13,14 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ DisplayPort Tiesus Kištukinis
- ✓ Mini DisplayPort Tiesus Lizdinis
- ✓ Jungties kontaktų dengimas: Auksas
- ✓ „DisplayPort“ versija: 1.4 7680 x 4320 pikseliai
- ✓ Korpuso medžiaga: Aliuminis
- ✓ Juoda, Pilka



## Aprašymas

**Connection versatility for mixed systems:** The adapter connects devices with DisplayPort output to displays or accessories with Mini DisplayPort input – without any signal conversion.

**8K-compatible for high-resolution applications:** Supports Ultra HD resolutions up to 7680x4320 @ 60Hz, ideal for modern work environments and presentation systems.

**Reliable connection thanks to high-quality construction:** Gold-plated contacts ensure signal stability and minimise interference.

**Ideal for compact setups and on the go:** Thanks to its minimalist design, the adapter fits easily into mobile or confined working environments.

**Standard-compliant and future-proof:** Complies with the DisplayPort 1.4 standard – perfect for system houses, technical service providers or industrial applications.

The InLine® DisplayPort 1.4 adapter with DisplayPort plug to Mini DisplayPort socket is the ideal solution for connecting modern hardware to devices with a Mini DisplayPort interface, such as older monitors, Apple displays or certain notebooks. The adapter enables a direct, pure signal connection

and is a practical addition, especially in mixed system landscapes.

With support for resolutions up to 8K UHD, the adapter is suitable for demanding image applications in the professional sector. The gold-plated contacts ensure stable signal transmission and are resistant to corrosion – a decisive advantage for frequent use or in mobile environments.

Thanks to its compact design, the adapter is not only ideal for stationary use, but also an excellent choice for on the go – for example, for field service, training or at trade fairs. Whether for temporary installations or daily use, the adapter is a useful tool for anyone who needs maximum flexibility in video connections.

Connection 1: DisplayPort plug

Connection 2: Mini DisplayPort socket

Standard: DisplayPort 1.4

Max. resolution: up to 8K UHD

Contacts: gold-plated

Application: Connection adapter DP plug to Mini DP socket

Design: Compact

## Techninė specifikacija

| Ryšys                                 |                       |
|---------------------------------------|-----------------------|
| Jungtis 1                             | DisplayPort           |
| Jungtis 2                             | Mini DisplayPort      |
| 1 jungtis – vidinė ar išorinė         | Kištukinis            |
| 2 jungtis – vidinė ar išorinė         | Lizdinis              |
| 1 jungties forma                      | Tiesus                |
| 2 jungties forma                      | Tiesus                |
| „DisplayPort“ versija                 | 1.4                   |
| Jungties kontaktų dengimas            | Auksas                |
| Veikimo charakteristikos              |                       |
| Produkto spalva                       | Juoda, Pilka          |
| Korpuso medžiaga                      | Aliuminis             |
| Maksimali rezoliucija                 | 7680 x 4320 pikseliai |
| Aplinkos sąlygos                      |                       |
| Darbo temperatūros diapazonas (TT)    | -10 - 60 °C           |
| Sandėliavimo temperatūros norma (T-T) | -20 - 80 °C           |
| Sertifikatai                          |                       |
| Atitikties sertifikatai               | TÜV mark, RoHS        |
| Svoris ir matmenys                    |                       |
| Ilgis                                 | 36 mm                 |
| Svoris                                | 11 g                  |
| Plotis                                | 20 mm                 |
| Aukštis                               | 10 mm                 |

## Pakuotės duomenys

|                  |                        |
|------------------|------------------------|
| Pakuotės tipas   | Užspaudžiamas maišelis |
| Pakuotės plotis  | 70 mm                  |
| Pakuotės gylis   | 120 mm                 |
| Pakuotės aukštis | 10 mm                  |
| Paketo svoris    | 13 g                   |

## Logistikos duomenys

|              |          |
|--------------|----------|
| Kilmės šalis | Taivanas |
|--------------|----------|

## Kitos savybės

|                  |                 |
|------------------|-----------------|
| Matmenys (WxDxH) | 20 x 36 x 10 mm |
|------------------|-----------------|

## Matmenys ir svoris

|        |        |
|--------|--------|
| Svoris | 0,01kg |
|--------|--------|

## Gamintojo ir saugos informacija

## GAMINTOJAS

## Intos Electronic AG

Siemensstraße 11, D-35394 Gießen, DE

service@inline-info.com

[intos.de](https://www.intos.de)

## PLATINTOJAS

## MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt