

D-Link S12 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) White

Gamintojas: **D-LINK** · Modelis: **S12/E** · EAN: **790069482380** · Prekės kodas: **875625**



48,90 €

Kaina su PVM

Be PVM: **40,41 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AC1200 Dual-Band: Delivers reliable speeds up to 867 Mbps (5 GHz) and 300 Mbps (2.4 GHz) for smoother HD streaming and browsing¹
- ✓ Optimize Coverage: Equipped with four adjustable external antennas to enhance signal reception and reduce dead zones
- ✓ Gigabit Connectivity: A Gigabit WAN port and 3× Gigabit LAN ports for more reliable connections to wired devices
- ✓ Improved Efficiency: MU-MIMO technology allow more devices to connect simultaneously
- ✓ Enhanced Security: Supports WPA3 encryption,
- ✓ EN 18031 certification, and a guest network for stronger data protection
- ✓ Multi-Mode Networking: Supports Router, Bridge, and Repeater modes for easy network customization
- ✓ Easy Setup: Network setup is simplified through the
- ✓ D-Link SetupGo app



Aprašymas

The S Series | Wi-Fi Routers & Extenders

Simple Internet Access, Secured by Default.

Affordable Wi-Fi for Every Home

Enjoy reliable everyday connectivity with the S12 AC1200 Wi-Fi Router. A balanced choice for those who want reliable internet, with dual-band speeds up to 1200 Mbps for smoother HD streaming and browsing.

Stronger Signal, Wider Coverage

Equipped with four adjustable external high-gain antennas, the S12 helps boost Wi-Fi signal strength, expand coverage, and reduce dead zones for more consistent performance. Adjustable antenna angles let you fine-tune reception and optimize speeds across your devices.

Reliable Wired Connections

With a Gigabit WAN port and 3x Gigabit LAN ports, the S12 provides fast and stable wired connections for your wired devices.

Improve Network Efficiency

Equipped with MU-MIMO technology, the S12 keeps your Wi-Fi running smoothly by reducing congestion, connecting more devices, and improving network efficiency.

Enhanced Network Security

The S12 provides advanced security to protect your network and personal data, featuring WPA3 encryption and EN 18031 certification to keep your network more secure.

Multi-Mode Networking

Designed for flexible networking, it supports Router, Bridge, and Repeater modes, giving you the flexibility to customize your network setup, expand wireless coverage, and deliver stable Wi-Fi where you need it most.

Router Mode

Connects to your modem to create and manage your network.

Bridge Mode

Adds Wi-Fi to your wired network as a wireless access point.

Repeater Mode

Repeats your Wi-Fi signal to expand your wireless coverage.

Simple Setup and Management

Set up and manage your network in minutes with the D-Link SetupGo app, while automatic Firmware Over-The-Air (FOTA) updates keep your router secure and up to date.

Techninė specifikacija

WAN connection	
Ethernet WAN	Yes
DSL WAN	No
SIM card slot	No
3G/4G USB modem compatibility	No
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max)	1200 Mbit/s
Wi-Fi standards	Wi-Fi 4 (802.11n), 802.11a, 802.11b, 802.11g, Wi-Fi 5 (802.11ac)
WLAN data transfer rate (first band)	300 Mbit/s
WLAN data transfer rate (second band)	867 Mbit/s
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	1000 Mbit/s
Cabling technology	10/100/1000Base-T(X)
Networking standards	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b, IEEE 802.11ac, IEEE 802.11a, IEEE 802.3u, IEEE 802.3ab, IEEE 802.11k, IEEE 802.11v, IEEE 802.11h
Ports & interfaces	
Ethernet LAN (RJ-45) ports	3
USB port	No
Management features	
Web-based management	Yes
Reset button	Yes
WPS push button	Yes
Security	
Security algorithms	WPA-Personal, WPA2-Personal, WPA3-Personal, WPS
Firewall	Yes
Guest access	Yes
Filtering	Yes
MAC address filtering	Yes

IP address filtering	Yes
DMZ support	Yes
Design	
Product type	Tabletop router
Product colour	White
LED indicators	Power, Status, WLAN, WPS
Certificates	
Compliance certificates	CE
Packaging content	
AC adapter included	Yes
Quick start guide	Yes
Antenna	
Antenna design	External
Antennas quantity	4
Power	
Power source type	DC
Output voltage	12/1A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 65 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%
System requirements	
Mobile operating systems supported	Yes
Weight & dimensions	
Width	187.4 mm
Depth	104.5 mm
Height	30.8 mm
Weight	254.9 g
Matmenys ir svoris	
Svoris	0,50kg

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

D-Link

ATSAKINGAS ASMŪO ES

D-Link Benelux

Postbus 48, 5480 AA Schijndel, NL

dlink.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt