

TSC TC210 label printer Thermal transfer 203 x 203 DPI 152 mm/sec Wired Ethernet LAN

Gamintojas: **TSC** · Modelis: **99-059A001-54LF** · EAN: **4016139144115** · Prekės kodas: **876592**



503,90 €

Kaina su PVM

Be PVM: **416,45 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Thermal transfer
- ✓ 203 x 203 DPI
- ✓ Printing colours: Black
- ✓ Maximum printing width: 10.8 cm Print speed: 152 mm/sec
- ✓ Built-in barcodes: Code 11, Code 128 (A/B/C), Code 39, Code 49, Code 93, Code-128 Codabar Library, EAN128, EAN13, EAN8, ITF-14, POSTNET, UPC-A, UPC-E
- ✓ Connectivity technology: Wired
- ✓ USB port Ethernet LAN
- ✓ Display: TFT 5.84 cm (2.3") 320 x 240 pixels Colour display
- ✓ 2.3 kg



Aprašymas

The TSC TC series of desktop thermal barcode printers is based on the best features our bestselling TTP-245C Series with some colorful improvements. Like the TTP-245C Series, the TC features a small footprint and the high performance that customers have come to expect from TSC. Durable, reliable and fast, TC series printers produce 4-inch-wide labels, tags or receipts at up to 6 ips, offering a price-performance combination that is unmatched by other desktop thermal barcode printers on the market.

The TC Series is designed for ease of use. Media and ribbons are easy to install. The printer uses thermal transfer ribbons of up to 110 meters in

length on 0.5" notched cores. The media cabinet holds label rolls up to 5 inches in diameter on 1" or 1.5" cores and are easily loaded into a center biased spring loaded roll holder.

Standard communications interfaces for TC210 and TC310 models includes Ethernet, USB 2.0, USB host port (to support optional scanners and keyboards) and serial RS-232.

Techninė specifikacija

Printing	
Print technology	Thermal transfer
Colour	No
Maximum resolution	203 x 203 DPI
Print speed	152 mm/sec
Maximum printing width	10.8 cm
Printing colours	Black
Minimum print length	2.29 m
Rotated printing	Yes
Paper handling	
Ribbon width	4 cm
Ribbon length	110 m
Maximum label width	10.8 cm
Maximum label length	2.2 m
Maximum roll diameter	12.7 cm
Media thickness	0.06 - 0.19 mm
Core diameter	3.81 cm
Ports & interfaces	
Connectivity technology	Wired
Ethernet LAN	Yes
Wi-Fi	No
USB port	Yes
USB 2.0 ports quantity	1
Parallel ports quantity	1
RS-232 ports	1
Optional connectivity	Bluetooth, Wireless LAN
Performance	
Page description languages	TSPL-EZ
Internal memory	64 MB

Flash memory	128 MB
Built-in barcodes	Code 11, Code 128 (A/B/C), Code 39, Code 49, Code 93, Code-128 Codabar Library, EAN128, EAN13, EAN8, ITF-14, POSTNET, UPC-A, UPC-E
Built-in processor	Yes
Number of fonts	8
Certification	FCC Class B, CE Class B, C-Tick Class B, UL, cUL, TÜV/safety, CCC, CoC-Mexico

Design

Product colour	Navy
Display	TFT
Built-in display	Yes
Display diagonal	5.84 cm (2.3")
Display resolution	320 x 240 pixels
Colour display	Yes
Housing material	Plastic

Power

Power consumption (printing)	90 W
AC input voltage	100- 240 V
AC input frequency	50 - 60 Hz
AC adapter output voltage	2.5 V
AC adapter output current	3.75 A

System requirements

Windows operating systems supported	Yes
Mac operating systems supported	Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave
Linux operating systems supported	Yes

Operational conditions

Operating relative humidity (H-H)	25 - 85%
Storage relative humidity (H-H)	10 - 90%
Operating temperature (T-T)	5 - 40 °C
Storage temperature (T-T)	-40 - 60 °C

Weight & dimensions

Width	203 mm
Depth	259.3 mm
Height	191.5 mm
Weight	2.3 kg

Packaging data	
Quantity per pack	1 pc(s)
Package type	Box
Packaging content	
Cables included	DC
Bundled software	Windows labeling
Quick start guide	Yes
Technical details	
Sustainability certificates	ENERGY STAR
Other features	
LED indicators	Yes
Clock function	Yes
Matmenys ir svoris	
Svoris	3,92kg

Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › Gaminio lankstinukas
- › Vaizdo įrašas youtube.com/watch?v=Sb5HAa1r4jM

Gamintojo ir saugos informacija

GAMINTOJAS

TSC

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt