

InLine 31519C mobile device charger Universal White AC Indoor

Gamintojas: **INLINE** · Modelis: **31519C** · EAN: **4043718341856** · Prekės kodas: **877414**



33,90 €

Kaina su PVM

Be PVM: **28,02 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Charger compatibility: Universal
- ✓ Charger type: Indoor
- ✓ Power source type: AC
- ✓ White
- ✓ 100 - 240 V 50/60 Hz 65 W Maximum output voltage: 20 V



Aprašymas

High charging power for professional devices: Supports Power Delivery (PD) and PPS with up to 65 W - ideal for notebooks, tablets and smartphones.

Dual USB-C outputs for parallel charging: Power two devices simultaneously - ideal for office, warehouse or service applications.

Worldwide use with travel adapter: Includes adapters for EU, UK, AU and integrated US plug - perfect for international projects.

Flat design for confined socket situations: Fits easily behind furniture, in power strips or hard-to-reach wall sockets.

Safe and energy-efficient power supply: Protection against overheating, short circuits and overvoltage with over 86% energy efficiency.

The InLine® USB power supply charger with dual USB-C outputs was developed for professional use and impresses with its high charging power and maximum flexibility. It offers up to 65 W of power distributed over two USB-C outputs, which are ideal for charging smartphones, tablets and notebooks simultaneously. Support for the modern fast charging protocols Power Delivery (PD) and PPS ensures shorter charging times and maximum efficiency.

International usability is ensured by the included adapters for EU, UK and AU as well as the integrated US plug - a great advantage for business trips, trade fairs or international project work.

An exemplary list of supported countries:

AU Plug type I, valid for the following countries: Australia, New Zealand, Papua New Guinea, China (partially), Argentina, Uruguay

UK Plug type G (Commonwealth plug), valid for the following countries: United Kingdom, Ireland, Singapore, Malaysia, Bahrain, Botswana, Brunei, Gambia, Ghana, Gibraltar, Hong Kong, Iraq, Jordan, Qatar, Kenya, Kuwait, Macau, Malta, Mauritius, Nigeria, Oman, Saudi Arabia, Seychelles, Tanzania, Uganda, United Arab Emirates, Cyprus

EU Plug type C ('Euro plug' CEE 7/16), valid for most European countries.

US Plug type A, applies to the following countries: USA, Canada, Japan, China (partially), Philippines (partially), Taiwan

Particularly noteworthy is the flat and compact design, which enables use even in cramped socket situations such as behind desks, sofas or panels. With a wide voltage range (100-240 V) and comprehensive protection mechanisms against short circuits, overheating and overvoltage, the power supply fulfils the highest safety standards. The automatic continuation of the charging process after the temperature has been switched off emphasises the practical suitability for continuous professional operation.

Input voltage: 100-240VAC, 1.5 A

Input AC frequency: 50/60Hz

Output voltage/output current/output power: USB-C1/C2 output: DC 5.0V/3.0A/15.0W - 9.0V/3.0A/27.0W - 12.0V/3.0A/36.0W - 15.0V/3.0A/45.0W - 20.0V/3.25A/65.0W PPS: 5.0-11.0V/4.05A/44.55W USB-C1 + USB-C2 output: 12.0W+45.0W USB-C1 5.0V/2.4A/12.0W USB-C2 5.0V/2.4A/12.0W - 9.0V/3.0A/27.0W - 12.0V/2.5A/30.0W - 15.0V/2.0A/30.0W - 20.0V/2.25A/45.0W

Average operating efficiency: 86.30% (230V, 50Hz, USB-C1 (5.0V/2.4A); USB-C2 (20.0V/2.25A))

Low load efficiency (10%): 77.47% (230 V, 50 Hz, USB-C1 (5.0V/2.4A); USB-C2 (20.0V/2.25A))

Power consumption at no load: 0.09 W

Total output power: max. 65.0 W

Dimensions: 85.6 x 46.1 x 15 mm (LxWxH)

Techninė specifikacija

Performance	
Charger type	Indoor
Charger compatibility	Universal
Power source type	AC
Number of simultaneously connected devices (max)	2
USB Type-C ports quantity	2
Wireless charging	No
Programmable power supply (PPS)	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
Design	
Product colour	White

Gallium nitride (GaN) transistors	Yes
Power	
Input voltage	100 - 240 V
Input frequency	50/60 Hz
Input current	1.5 A
Maximum power	65 W
Maximum output voltage	20 V
Minimum output voltage	5 V
Output voltage accuracy (±)	86.3%
Port 1 output power	65 W
Port 2 output power	65 W
Output current (5V)	3 A
Output current (9V)	3 A
Output current (12V)	3 A
Output current (15V)	3 A
Output current (20V)	3.25 A
Port 1 output current	3.25 A
Port 2 output current	3.25 A
Power plug type	Universal
Weight & dimensions	
Width	46 mm
Depth	86 mm
Height	60 mm
Weight	121 g
Packaging data	
Package width	92 mm
Package depth	145 mm
Package height	50 mm
Package volume	700 cm ³
Package weight	170 g
Package type	Hanging box
Certificates	
Compliance certificates	TÜV mark
Logistics data	

Country of origin

Taiwan

Other features

Dimensions (WxDxH)

46 x 86 x 60 mm

Matmenys ir svoris

Svoris

0,17kg

Gamintojo ir saugos informacija

GAMINTOJAS

Intos Electronic AG

Siemensstraße 11, D-35394 Gießen, DE

service@inline-info.com

[intos.de](https://www.intos.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt