

APC NetShelter WX AR106SH6, 6U, 19inch patch cabinet, Wall mounting, Pre-assembled, 600mm deep

Gamintojas: **APC** · Modelis: **AR106SH6** · EAN: **731304402701** · Prekės kodas: **878454**



465,90 €

Kaina su PVM

Be PVM: **385,04 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Wall mounting
- ✓ 6U/HE, 600 mm deep, Max. load 90.7 KG
- ✓ Reversible door with a single hinge
- ✓ Locking crank handle
- ✓ Can also be installed upright
- ✓ Pre-assembled



Aprašymas

Product description

This compact lockable rack is suitable for all kinds of 19 inch IT/network equipment. With 6U/HE internal height and two adjustable rack mount styles, you can easily mount rack-mountable devices (max 528mm deep). Due to its limited dimensions and weight (14.38KG), it is easy to mount on the wall. Because the door can be mounted both right and left opening, it fits in almost any environment.

Easy installation

This APC patch cabinet is delivered pre-assembled, making this rack easy and quick to install.

Placement

This rack can be mounted on the wall as a patch, edge or network cabinet using 4 recesses at the rear (suitable for up to max m6 bolts). However, because its door is free from the ground, this server rack can also be placed upright. This makes it suitable for many environments. Installation materials for wall mounting are not included.

Cable and accessory integration

The bottom and roof of this patch cabinet are pre-treated, see photo top, so that they can be easily adjusted and thus made suitable as a cable outlet or for installing a patch panel (AR8452).

Easy assembly

This wall-mounted server rack is designed for quick and easy assembly and all necessary materials and tools for assembly except a spirit level are included, see manual. A template for wall mounting is also included.

Multiple sizes

The assembled black NetShelter WX wall enclosures are available in three heights and two depths, 6U (AR106xxx), 9U (AR109xxx) and 12U (AR112xxx). All six can handle a maximum static load of 90.7KG.

Rackmount styles

The two rackmount styles can be mounted in six positions in the rack and at each position it is possible to fine-tune the exact position up to 23 mm, see documentation.

Safety

Mounted network equipment in the rack is safe, because the door at the front is equipped with a lock. Two keys are included.

Warranty

The standard factory warranty is five years.

Ideal for retail, healthcare, and educational facilities, this wall mount rack offers an efficient solution for deploying server and networking equipment for edge computing applications. This rack enclosure is wall mountable, ideal for areas with limited floor space, and is designed specifically for servers and network switches and patch panels. The cabinet's door is reversible and is compatible with APC's Netbotx security upgrade to provide remote access, video surveillance, and environmental monitoring (sold separately). Optional 120V fan tray can be top or bottom mounted (sold separately) Both the top and bottom feature knockouts of 1/2U mounting space for accessories. And several APC Smart-UPS models low-profile provide easy UPS integration and mounting 6U Wall mount cabinet, mounting depth range of 2.87 to 20.8 inches, 200lb weight capacity, 19 rack width, ships fully assembled, ventilated with accessory integration options, 5 year APC warranty

Techninė specifikacija

Features	
Rack capacity	6U
Type	Wall mounted rack
Maximum weight capacity	90 kg
Product colour	Black

Material	Steel
Front door construction	Perforated
Preassembled	Yes
Weight & dimensions	
Size (imperial)	48.3 cm (19")
Width	600 mm
Depth	600 mm
Height	355 mm
Mounting depth (max)	52.8 cm
Technical details	
Total carbon footprint (kg of CO2e)	53.13
Logistics data	
Harmonized System (HS) code	85381000
Matmenys ir svoris	
Svoris	19,61kg

Gamintojo ir saugos informacija

GAMINTOJAS	PLATINTOJAS
Schneider Electric SE	MB KOMPIUTERIŲ GURU
rue Joseph Monier 35, 92500 Rueil Malmaison, FR	V. Nagevičiaus g. 3, LT-08237 Vilnius
se.com	info@shopro.lt