InLine 17950T HDMI cable 50 m HDMI Type A (Standard) Black

Gamintojas: **INLINE** · Modelis: **17950T** · EAN: **4043718347292** · Prekės kodas: **880069**

137,90 €

Kaina su PVM

Be PVM: **113,97 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 50 m
- ✓ HDMI Type A (Standard) Straight Male
- ✓ HDMI Type A (Standard) Straight Male
- ✓ HDMI version: 2.1
- ✓ 48 Gbit/s
- ✓ Black

Aprašymas

Seamless AV transmission over long distances: The HDMI AOC cable enables stable, high-resolution signal transmission up to 8K at 60 Hz and 4K at 120 Hz.
Reinforced and robust for continuous use: Metal armor and protected connectors protect the cable against mechanical stress and external influences.
High flexibility without loss of performance: The integrated fiber optic technology ensures interference-free transmission without an additional power supply.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Practical handling thanks to cable reel: The integrated reel facilitates transport, storage, and controlled laying of the cable.
Safe under electromagnetic stress: The design is resistant to electromagnetic and high-frequency interference.

The InLine HDMI AOC cable reel is suitable for professional AV installations where signal quality, flexibility, and range are crucial. The cable transmits HDMI 2.1 signals in resolutions up to 8K at 60 Hz and 4K at 120 Hz. It achieves a bandwidth of 48 Gb/s and does not require an additional power connection. The directional signal routing (source to display) ensures clear and reliable signal distribution.
Thanks to its metal-shielded design, the cable can withstand high tensile and compressive forces. The integrated connectors are secured by robust protective sleeves. This prevents damage during storage or use. The cable reel allows for easy unwinding and rewinding as well as secure storage.
The cable is ideal for demanding environments such as trade shows, live events, conference rooms, or permanently installed AV systems. It provides an interference-free connection even with complex signal architectures.

HDMI Type A plug ↔ HDMI Type A plug
8K @ 60 Hz, 48 Gb/s, HDMI 2.1
Directional - Source → Display
Supports EDID, HDCP, CEC, eARC
Passive operation - no external power supply required
PVC jacket, cable color black
Ø 5.5 mm, cable length 50 m / 90 m
Operating temperature −20 °C to +50 °C
Storage temperature −20 °C to +70 °C

Techninė specifikacija

Features	
Cable length	50 m
Connector 1	HDMI Type A (Standard)
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
HDMI cable type	Ultra High Speed HDMI cable
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDMI version	2.1
Supported graphics resolutions	3840 x 2160, 7680 x 4320
HDCP	Yes
Data transfer rate	48 Gbit/s
AWG wire size	30
Cable type	Round cable
Cable jacket material	Polyvinyl chloride (PVC)
Magnetically shielded	Yes
Enhanced Audio Return Channel (eARC)	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Extended display identification data (EDID)	Yes
Operational conditions	
Operating temperature (T-T)	-20 - 50 °C
Storage temperature (T-T)	-20 - 70 °C
Weight & dimensions	
Cable diameter	5.5 mm
Weight	4.9 kg
Package volume	44000 cm³
Packaging data	
Quantity per pack	1 pc(s)
Package width	280 mm
Package depth	350 mm
Package height	450 mm
Package weight	5.5 kg
Other features	
Depth	340 mm
Height	430 mm
Width	260 mm
Dimensions (WxDxH)	260 x 340 x 430 mm
Logistics data	
Country of origin	Taiwan
Matmenys ir svoris	
Svoris	7,00kg

Gamintojo ir saugos informacija

GAMINTOJAS

Intos Electronic AG
Siemensstraße 11, D-35394 Gießen, DE
service@inline-info.com
intos.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt