

Manhattan 190305 knyginių kompiuterių dokas / jungčių replikatorius Vielinis USB 3.2 Gen 1 (3.1 Gen 1) Type-C Sidabras

Gamintojas: **MANHATTAN** · Modelis: **190305** · EAN: **766623190305** · Prekės kodas: **881606**



89,90 €

Kaina su PVM

Be PVM: **74,30 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Vielinis
- ✓ Priimančioji sąsaja: USB 3.2 Gen 1 (3.1 Gen 1) Type-C
- ✓ „USB Power Delivery“
- ✓ Ethernet LAN jungtis 10,100,1000 Mbit/s
- ✓ MicroSD (TransFlash), SD
- ✓ „Plug and Play“ funkcija



Aprašymas

Multiport Adapter / Docking Station for Laptop and MacBook® - use three 4K monitors at once with 12 connections to your device

Elevate your device's connectivity with the Manhattan 12-in-1 Multiport Adapter. This versatile docking station fills the gaps in your laptop or MacBook®, offering essential connections such as HDMI, DisplayPort, Power Delivery, Ethernet, card reader, audio and USB ports.

Triple display connectivity in 4K without down-scaling

The two HDMI ports and the DP port let you multitask on more monitors at once. While other triple monitor docking stations often need to reduce the resolution of the third monitor to 1080p, this one will let you display in gigantic 4K across all three.

Versatile Connectivity for Your Peripherals and Wired Network

You're also able to meet most connectivity needs with three USB-A ports that connect and charge compatible devices fast, as well as a SuperSpeed USB-C data-transfer port to connect high-bandwidth devices. Address the absence of wired network connectivity in most contemporary Ultrabooks™ and MacBooks® by utilizing the Gigabit RJ45 port for reliable 10/100/1000 Mbps speeds. Thanks to two slots for SD/microSD cards, you don't need an external card reader anymore.

Powerful Charging with up to 100 W

Charge your notebook with up to 100 W through the featured USB-C PD port. Simultaneously charge other mobile devices like tablets or smartphones through the USB-A connections. The Power Delivery feature intelligently determines the power requirements of compatible devices, ensuring safe charging, faster than standard chargers.

Seamless Phone-to-Screen Experience

Connect any Android 9 and later smartphone supporting video output over USB-C DP Alt Mode. Enjoy your apps and media on a larger scale by watching videos or presenting slides directly from your phone to your monitor.

A Portable Companion for Your Travels

Encased in sturdy aluminum, this multiport adapter is designed to be your ideal travel companion. Compact enough to easily fit alongside your primary device in your computer bag or backpack, it ensures that connectivity is never compromised on the go.

Techninė specifikacija

Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
HDMI ports quantity	2
Microphone in	No
Headphone outputs	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes

USB Power Delivery up to	100 W
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.4
Combo headphone/mic port	Yes
HDCP	Yes
HDCP version	2.3
USB Type-C DisplayPort Alternate Mode	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Performance	
Product colour	Silver
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash), SD
Maximum memory card size	2 GB
Data transfer rate	5 Gbit/s
HD type	4K Ultra HD
Maximum digital resolution	3840 x 2160 pixels
Number of displays supported	3
Maximum refresh rate	60 Hz
Plug and Play	Yes
Housing material	Aluminium
Power	
Power source type	USB
Power connector	USB Type-C
Output voltage	5 - 20 V
Output current	5 A
USB cable length	0.5 m
Software	
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1
Mac operating systems supported	Yes
Mobile operating systems supported	Android

Other operating systems supported	ChromeOS
-----------------------------------	----------

Operational conditions

Operating temperature (T-T)	0 - 60 °C
Storage temperature (T-T)	-10 - 80 °C
Operating relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	80 mm
Depth	284 mm
Height	17 mm
Weight	300 g

Packaging data

Quantity per pack	1 pc(s)
Package weight	400 g

Packaging content

Manual	Yes
Packaging content	USB-C PD 12-in-1 4K Docking Station / Multiport Hub Instructions

Technical details

Warranty period	3 year(s)
Compliance certificates	CE, REACH, RoHS, UKCA, Federal Communications Commission (FCC)

Logistics data

Products per master (outer) case	20 pc(s)
Master (outer) case width	456 mm
Master (outer) case length	620 mm
Master (outer) case height	212 mm
Master (outer) case gross weight	8.9 kg

Matmenys ir svoris

Svoris	0,40kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE

intellinetnetwork.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt