

Manhattan HDMI to Micro HDMI Plenum-Rated Cable, 4K@60Hz (Premium High Speed), 20m, Active, Detachable HDMI Male (Type A), Male to Male, Black, Gold Plated Contacts, Lifetime Warranty

Gamintojas: **MANHATTAN** · Modelis: **355513** · EAN: **766623355513** · Prekės kodas: **884936**



111,90 €

Kaina su PVM

Be PVM: **92,48 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extends an HDMI signal over long distances without an external repeater, signal loss or interference
- ✓ Supports Ultra-High-Definition (UHD) 4K@60Hz 4:4:4 chroma subsampling
- ✓ Standard HDMI connector (type A) to Micro HDMI (type D) for a narrower connection through walls; includes HDMI type-A adapter for traditional source-to-display connection
- ✓ Fiber and copper-wire hybrid for a thinner cable; ideal for in-wall installations and narrow spaces
- ✓ Immune to EMI (electromagnetic interference) and RFI (radio frequency interference)
- ✓ Gold-plated contacts for corrosion-free connections
- ✓ High Dynamic Range (HDR) for superior contrast and brilliant colors
- ✓ Supports HDMI Ethernet Channel (HEC)
- ✓ Supports HDCP 2.2, CEC and ARC
- ✓ Compatible with Dolby, Dolby Atmos, DTS and PCM audio formats





Aprašymas

HDMI Active Optical Cable - enjoy Ultra-High-Definition (UHD) performance over extra-long distances with flexible connections and no interference

The Manhattan High-Speed HDMI Active Optical Cable with Detachable Connector is the perfect solution for delivering an HDMI signal to a desired location such as a classroom, conference room, healthcare facility, trade show or another commercial environment. Active Optical Cable (AOC) technology offers several advantages over standard HDMI cables. Its smaller cable diameter ensures greater flexibility and maneuverability during installation into tight spaces and features a Micro HDMI type-D connector for a narrower connection through walls. You can attach the included HDMI type-A adapter for your traditional, full-scale source-to-display connection and enjoy your videos in ultra-sharp, smooth 4K@60Hz. Its construction from fiber strands eliminates the risk of electromagnetic/radio frequency interference to give the best performance, stability and reliability when in use. The AOC is an excellent choice for high-interference environments such as data centers, surgical theaters, DJ events or manufacturing facilities where high resolution and consistent display are critical.

Techninė specifikacija

Features	
Cable length	20 m
Connector 1	HDMI Type A (Standard)
Connector 2	HDMI Type D (Micro)
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector contacts plating	Gold
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Supported graphics resolutions	3840 x 2160
Audio Return Channel (ARC)	Yes
HDCP	Yes
HDCP version	2.2
Data transfer rate	18 Gbit/s
High Dynamic Range (HDR) supported	Yes
AWG wire size	28
Operational conditions	
Operating temperature (T-T)	0 - 75 °C
Storage temperature (T-T)	-20 - 70 °C

Operating relative humidity (H-H)	10 - 85%
-----------------------------------	----------

Certificates

Certification	RoHS CE FCC
---------------	-------------

Weight & dimensions

Weight	600 g
--------	-------

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Package type	Polybag
--------------	---------

Matmenys ir svoris

Svoris	0,60kg
--------	--------

Dokumentai ir vaizdo įrašai

> [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE

intellinetnetwork.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt