

Manhattan 153713 vaizdo kabelio adapteris 0,15 m DisplayPort HDMI Juoda

Gamintojas: **MANHATTAN** · Modelis: **153713** · EAN: **766623153713** · Prekės kodas: **885423**



15,90 €

Kaina su PVM

Be PVM: **13,14 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 0,15 m
- ✓ DisplayPort Tiesus Kištukinis
- ✓ HDMI Tiesus Lizdinis
- ✓ Juoda
- ✓ 1 vnt



Aprašymas

4K DisplayPort to HDMI Adapter - easily connect a DisplayPort PC to an HDMI display

The Manhattan 4K@60Hz Active DisplayPort to HDMI Adapter enables you to connect a DisplayPort-equipped desktop computer to an HDMI display. It is compatible with DisplayPort 1.2 & HDMI 4K@60Hz to support video resolutions up to Ultra HD (4K) as well as the accompanying digital audio up to 7.1 channel surround sound. It is also backward compatible with previous DisplayPort revisions 1.0/1.1 with support for resolutions up to 1080p. If your computer's HDMI port is already in use, you can start multi-tasking by connecting a second HDMI display to an available DisplayPort port.

The benefits of an active adapter over a passive one - also great as gaming adapter.

To ensure compatibility with any DisplayPort output this DP Adapter offers an active conversion. Active video conversion is required to maintain 4K resolutions when converting DisplayPort to HDMI. This active DP Adapter is also ideal for outputting 1080p video resolutions by ensuring compatibility with graphics cards that are not capable of outputting multi-mode DP++ signals (like AMD Eyefinity), which makes it great as a gaming adapter.

Maximum compatibility

For a hassle-free setup this DisplayPort to HDMI Adapter works with plug-and-play installation without any additional software or drivers. Plus, with a small footprint and lightweight design, the adapter maximizes portability.

Techninė specifikacija

Ports & interfaces	
Connector 1	DisplayPort
Connector 2	HDMI
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
DisplayPort version	1.2
Cable length	0.15 m
Performance	
Product colour	Black
Housing material	Plastic
AWG wire size	28
HDCP	Yes
Compatible operating systems	Windows 7/8.1/10/11, Linux
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 85 °C
Relative humidity	10 - 90%
Certificates	
Compliance certificates	CE, REACH, RoHS, UKCA, Federal Communications Commission (FCC)
Certification	CE FCC RoHS REACH UKCA

Weight & dimensions

Width	45 mm
Depth	238 mm
Height	11 mm
Weight	30 g

Packaging content

Quantity per pack	1 pc(s)
Manual	Yes

Packaging data

Package weight	35 g
----------------	------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbHLöhbacher Str. 7, D-58553 Halver, DE
[intellinetnetwork.eu](mailto:info@intellinetnetwork.eu)

PLATINTOJAS

MB KOMPIUTERIŲ GURUV. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt