

Microconnect DP-MMG-1500MBV1.4OP DisplayPort cable 15 m Black

Gamintojas: **MICRO CONNECT** · Modelis: **DP-MMG-1500MBV1.4OP** · EAN: **5704174034841** · Prekės kodas: **888681**



201,90 €

Kaina su PVM

Be PVM: **166,86 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supporting 8K60Hz, 32.4Gbps
- ✓ Sampling : YUV 4:4:4
- ✓ Outer Diameter: 4,8mm, very flexible
- ✓ Support DP1.4 standard, bandwidth can reach 8.1 Gbps per channel
- ✓ Supports EDID, HDCP (2.2), HDR (High Dynamic Range), HBR3
- ✓ Hybrid optical cable with fibre and copper wire
- ✓ Has Source & Display clearly printed on the connector for easy identification
- ✓ No loss of signal – delivering crystal clear digital images instantly
- ✓ Low RFI / EMI profile for sensitive applications
- ✓ Has high pulling strength and compression load



Aprašymas

See the full Premium Assortment at the following link:

<https://www.eetgroup.com/en-zz/campaigns/microconnect-premium>

This active optical Mini DisplayPort – DisplayPort 1.4 Cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations. This cable also comes with an additional DisplayPort adapter, which makes it possible to use it also as a DisplayPort Male to DisplayPort male cable if needed.

Techninė specifikacija

Features	
Cable length	15 m
Connector 1	DisplayPort
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	7680 x 4320 pixels
Product colour	Black
Connector contacts plating	Gold
DisplayPort version	1.4
Maximum refresh rate	60 Hz
HDCP	Yes
DisplayPort Content Protection (DPCP)	Yes
3D	Yes
Latching connectors	Yes
Cable material	Fiber optic
Jacket material	Polyvinyl chloride (PVC)
Data transfer rate	32.4 Gbit/s
Plug and Play	Yes
Certificates	
Compliance certificates	RoHS
Weight & dimensions	
Cable diameter	4.8 mm
Weight	850 g
Packaging data	
Package width	240 mm
Package depth	231 mm
Package height	76 mm
Package weight	932 g
Packaging content	
Quantity per pack	1 pc(s)
Logistics data	
Harmonized System (HS) code	84733080

Gamintojo ir saugos informacija

GAMINTOJAS

EET Group A/S

Bregnerødvej 133D, 3460 Birkerød, DK

eetgroup.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt