Axagon PCEM2-1U sąsajos plokštė / adapteris Vidinis M.2

Gamintojas: **AXAGON** · Modelis: **PCEM2-1U** · EAN: **8595247904324** · Prekės kodas: **890349**



11,89 €

Kaina su PVM

Be PVM: **9,83 €**

Sandėlyje


Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės

- ✓ Vidinis
- ✓ Priimančioji sąsaja: PCIe
- ✓ Išvesties sąsaja: M.2
- ✓ NVMe TRIM palaikymas
- ✓ Paskirtis: PC













Aprašymas

The AXAGON PCEM2-1U internal adapter allows connecting an M.2 SSD disk to a desktop computer using a PCI-Express bus.

The well thought-out design and ultra compact size of the adapter allow using it easily in a desktop computer not equipped with an M.2 slot. The card is also ideal for a rack 1U server and low profile cases. Its unique design allows using it not only in x16 slots, but also in x4 and x8 slots.

The adapter supports the use of NVMe (PCI-Express) M.2 SSD disks, both one-sided and double-sided ones. The reduction does not have a limit of

SSD disk capacities and M.2 cards with a size of up to 22x80 mm can be used. Due to the PCI-Express 3.0 4-lane interface rates of up to 8 GBps can be achieved.

The thermally conductive pads and coppered vents help to remove better heat generated during the operation of M.2 SSD disks. The LED indication indicates connection and data transfer.

Input:
• PCI-Express 3.0 interface, compatible with PCI-Express 1.0a / 1.1 / 2.0 / 2.1.
• Number of 4-Lane lines, compatible with x4 / x8 / x16 PCIe slots.
• Bandwidth of the 4-Lane PCI-Express 3.0 bus of up to 8 GB/s (two-way).

Output:
• NGFF 75-pin M-key slot to install the NVMe (PCI-Express) M.2 SSDs.

Other features:
• Full Plug and Play support.
• Support of M.2 disks of size - 2230, 2242, 2260, 2280 mm.
• Support of M key or B+M key NVMe (PCI-Express) M.2 SSD disks without a maximum capacity limit.
• Support of both one-sided and double-sided M.2 disks.
• A better dissipation of heat due to coppered vents and thermally conductive pad.
• Support of booting from SSD card.
• Possibility of using in 1U rack servers.
• Dimensions: 90 x 22 x 5 mm, weight: 10 g.
• No drivers need to be installed.

Power supply:
• The adapter is supplied directly from a PCI-Express bus, external power supply is not necessary.

Supported operating systems:
• MS Windows 7 / 8 / 8.1 / 10 /11, Windows Server 2008 R2 / 2012 / 2016 (all 32-bit as well as 64-bit versions of OS Windows are supported), Linux with kernel 2.6.31 and higher.
• Note: When operating under Windows 7, contact the manufacturer of the M.2 SSD to find whether this OS is supported.

Package contains:
• PCI-Express adapter,
• 1 thermally conductive pad,
• Mounting material and a screwdriver,
• Printed installation manual in CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / BG / CN / TR / ARA,
• Packaged in a cardboard box.

Techninė specifikacija

Ryšys	
Priimančioji sąsaja	PCIe
Išvesties sąsaja	M.2
Pagrindinio įrenginio sąsajos tipas	Kištukinis
Išplėtimo kortelės formos faktorius	Žemas profilis
Išplėtimo kortelės standartas	PCIe 4.0

NVMe	Taip
M.2 (M) angų skaičius	1
Konstrukcija	
Vidinis	Taip
Paskirtis	PC
Kilmės šalis	Kinija
Sertifikavimas	CE, RoHS
Savybės	
TRIM palaikymas	Taip
„Plug and Play“ funkcija	Taip
Sistemos reikalavimai	
Palaikomos „Windows“ operacinės sistemos	Taip
Palaikomos MAC operacinės sistemos	Taip
Palaikoma operacinė sistema „Linux“	Taip
Palaikomos serverio valdymo sistemos	Taip
Techninė informacija	
Garantinis laikotarpis	3 metai
Atitikties sertifikatai	RoHS, CE
Svoris ir matmenys	
Plotis	90 mm
Ilgis	5 mm
Aukštis	22 mm
Svoris	10 g
Pakuotės duomenys	
Kiekis pakuotėje	1 vnt
Instrukcija	Taip
Pakuotės plotis	130 mm
Pakuotės gylis	100 mm
Pakuotės aukštis	30 mm
Paketo svoris	48 g
Pakuotės tipas	„Box“
Matmenys ir svoris	
Matmenys (I × P × A)	3,00cm × 10,00cm × 13,00cm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

RealQ, s.r.o.
Železná 663/5, 619 00 Brno-jih, CZ
axagon.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt