StarTech.com Thunderbolt 3 PCIe Expansion Chassis, External Enclosure W/Dual PCI Express Slots, PCIe Box for Laptops/Desktops/All-In-Ones, 8K/4K Output Via TB3/DP 1.4 Ports, For Video Capture/Fiber/Ethernet Cards - TAA

Gamintojas: **STARTECH.COM** · Modelis: **2TBT3-PCIE-ENCLOSURE** · EAN: **065030895002** · Prekės kodas: **890475**



681,90 €

Kaina su PVM

Be PVM: **563,55 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ THUNDERBOLT 3 PCIE EXPANSION CHASSIS: Add PCI Express support to a Thunderbolt 3/4 capable laptop/desktop computer; Dual external PCIe 3.0 x16 slots; 32Gbps of combined bandwidth (up to 21.6Gbps/2700Mbps per slot); 3.3ft (1m) Thunderbolt cable included
- ✓ EXPANDABILITY FOR LAPTOPS: Integrate video capture cards, high-speed fiber/Ethernet connectivity, NVMe drives, FireWire cards, and more to unlock the potential of a notebook using this Thunderbolt 3 to PCIe chassis; Toolless design; Aluminum construction
- ✓ 8K & 4K DISPLAY SUPPORT: Connect a display through the external PCIe enclosure; The DP 1.4 port and TB3 ports support video outputs up to 8K/5K 60Hz or dual 4K 60Hz (other video resolutions are also supported); PCIe box does not support GPU graphic cards
- ✓ ROBUST POWER: The chassis delivers 25W per PCIe slot and features dual internal 12V 15W SATA power ports for up to 40W per card; 12V 10A (120W) universal power adapter is included and is compatible with NA/JP, UK, EU, and ANZ regions
- ✓ COMPATIBILITY: Use single-width cards up to 8in (20.3cm) long; Built-in fan for active cooling; Daisy chain compatible with multiple TB3/4 devices; The chassis is driverless and is compatible with macOS, Windows; TAA-compliant









Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.












Aprašymas

Add dual external PCIe (PCI Express 3.0) slots, Thunderbolt 3 ports, and a DisplayPort connection to a Thunderbolt 3 equipped system.

Add two PCI-Express 3.0 x16 capable cards and increase the potential of a Thunderbolt 3 or 4 capable laptop, desktop, or all-in-one system. This Thunderbolt 3 PCIe Expansion Chassis lets you take advantage of the vast range of PCIe expansion cards with computers that lack PCIe slots. The chassis lets you connect an external monitor via the DisplayPort (DP) or Thunderbolt 3 ports, supporting Ultra High Definition (UHD) 4K or 8K resolutions.

Enhanced Computer Capabilities

Connect the expansion box to a Thunderbolt 3 or 4 computer with the included 3.3ft (1m) Thunderbolt-certified cable. The chassis features dual PCIe 3.0 x16 slots with 32Gbps of bandwidth that is shared dynamically between both slots (each slot supports up to 2700MBps/21.6Gbps). Add extra functionality to a host device using video capture cards, high-speed fiber or Ethernet networking, NVMe drives, FireWire, sound cards, or any other PCIe-compatible card.

Flexible Card Support

The expansions chassis supports single-slot cards to a maximum length of 8in (20.3cm), allowing current or legacy PCIe cards to be installed. The built-in fan ensures active cooling for your hardware, preventing overheating during heavy usage.

The TAA-Compliant chassis delivers up to 25W per slot, ensuring optimal performance for your connected devices. In addition, the two internal 12V 15W SATA power ports ensure the installed cards have enough power (up to 40W per card) at their disposal.

8K & 4K Monitor Support

Connect a second high-resolution monitor using the DP 1.4 or Thunderbolt 3 ports at the back of the chassis. Enjoy video resolutions of up to single 8K or 5K 60Hz or dual 4K 60Hz (other video resolutions are also supported).

Compatibility

The enclosure is driverless, enabling rapid deployment and is supported in macOS, Windows, and Linux.

The chassis can be placed horizontally or vertically, adapting to your workspace. The toolless design and aluminum construction ensure fast card installation and longevity.

Note: Some expansion cards installed in the chassis may require drivers to be installed.

The StarTech.com Advantage

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Techninė specifikacija

Ports & interfaces	
Connectivity technology	Wired
Host interface	Thunderbolt 3
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	0
HDMI ports quantity	0
Microphone in	No
Headphone outputs	0
DisplayPorts quantity	1
DisplayPort version	1.4
Thunderbolt 3 ports quantity	2
PCI Express x16 slots	2
PCIe version	3
Network	
Ethernet LAN	No
Performance	
Product colour	Silver
Card reader integrated	No
HD type	8K Ultra HD
Number of displays supported	2
Maximum refresh rate	60 Hz
LED indicators	Power
Rubber feet	Yes
Housing material	Aluminium
Cooling	
Built-in fan	Yes
Number of fans	1 fan(s)
Fan diameter	6 cm
Power	
Power source type	DC
AC input voltage	100 - 240 V
Input current	3 A
Output voltage	12 V

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Output current	10 A
Power consumption (max)	120 W
Compatible power plug types	AU, EU, JP, UK, US

Software

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura

Operational conditions

Operating temperature (T-T)	5 - 65 °C
Storage temperature (T-T)	-20 - 65 °C
Operating relative humidity (H-H)	20 - 80%

Weight & dimensions

Width	281 mm
Depth	84 mm
Height	142 mm
Weight	1.6 kg

Packaging data

Package width	285 mm
Package depth	353 mm
Package height	143 mm
Package weight	3.4 kg

Packaging content

Cables included	Thunderbolt
AC adapter included	Yes
Quick start guide	Yes

Technical details

Compliance certificates	RoHS, Trade Agreements Act (TAA)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Logistics data	
Products per master (outer) case	3 pc(s)
Master (outer) case width	375 mm
Master (outer) case length	455 mm
Master (outer) case height	325 mm
Other features	
Chipset	Titan Ridge DSL7440 (x2), Ti TPS65983B (x2)
Sustainability	
Sustainability compliance	Yes

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt