Yealink W79P IP phone Black 20 lines TFT Wi-Fi

Gamintojas: **YEALINK** · Modelis: **W79P** · EAN: **6938818308497** · Prekės kodas: **891167**



223,90 €

Kaina su PVM

Be PVM: **185,04 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Professional ruggedized SIP cordless phone system eligible for challenging environments (IP67)
- ✓ Built-in Bluetooth and vibration alarm features
- ✓ Premium audio quality and voice communication experience
- ✓ Effortless provision and deployment
- ✓ Seamlessly compatible with Yealink full-range DECT endpoints

Aprašymas

A High-performance Solution with Efficient Communication Network

Supporting registration with up to 10 Yealink W59R DECT handsets, the W79P system is launched with robust processing capacity for up to 10 SIP accounts and 20 silmultaneous calls. More flexibility and mobility could be enabled through up to 6 optional repeaters for extended network coverage.

A Protective & Considerate
Solution for Challenging Environments

Designed to working as a professional ruggedized DECT handset (certified to IP67) with integrated Bluetooth and vibration alarm, the W59R handset is eligible and qualified for the environments may be affected by dusty, humid, and harsh.

Reliable & Distraction-free Audio Performance for Mobile Communication

Based on the full compatibility with Yealink W70B base station, which presents enhanced processing capability while embracing cutting-edge wireless communication technologies, Yealink W79P always provides the users with high-quality audio even in the complicated or impressionable environments.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Streamline the Provision and Management,
Saving Your Labor and Time Costs

The W79P supports efficient provisioning and effortless mass deployment with Yealink's Redirection and Provisioning Service (RPS) and Boot mechanism to help realize remote deployment, maintenance and upgrade.

Moreover, the new web portal for device management brings clear and intuitive interface to upgrade user experience.

Yealink Full-range of DECT Devices Solutions

Yealink W79P DECT IP phone system is also compatible with Yealink whole series of DECT endpoints including handsets, conference phones and DD phones,
offering additional choices for building up wireless communication network in various workspaces across small and medium size business.

Techninė specifikacija

Design	
Product type	IP mobile phone
Product colour	Black
Handset type	Wireless handset
Device lock	Yes
Mounting	Desk/Wall
Performance	
Maximum indoor range	50 m
Maximum outdoor range	300 m
Hearing aid compatibility	Yes
Phone features	
Lines quantity	20 lines
Caller ID	Yes
Phonebook capacity	1000 entries
Call waiting	Yes
Speed dialling	Yes
Intercom	Yes
Call hold	Yes
Call forwarding	Yes
Conference call	Yes
Redialing	Yes
Anonymous call rejection	Yes
Full duplex	Yes
Direct call	Yes

Vibrating alert	Yes
Frequency band	1.9 GHz
Call transfer	Yes
Message-waiting indicator (MWI)	Yes
Call history	Yes
Management features	
Integrated voicemail	Yes
Keypad number of keys	25
Number of function keys	6
Display	
Display	TFT
Display diagonal	4.57 cm (1.8")
Display resolution	128 x 160 pixels
Backlight display	Yes
Audio	
Speakerphone	Yes
Microphone mute	Yes
Noise reduction	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	Yes
Ethernet LAN data rates	10,100 Mbit/s
DHCP client	Yes
Networking standards	IEEE 802.3af
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Power	
AC adapter input voltage	100 - 240 V
Battery	
Battery technology	Lithium-Ion (Li-Ion)
Battery capacity	1460 mAh
Battery voltage	3.7 V
Operational conditions	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Operating temperature (T-T)	-10 - 50 °C
Operating relative humidity (H-H)	10 - 95%
Storage temperature (T-T)	-30 - 70 °C
Weight & dimensions	
Handset dimensions (WxDxH)	157 x 51 x 24 mm
Base dimensions (WxDxH)	130 x 100 x 25.1 mm
Package width	205 mm
Package depth	182 mm
Package height	95 mm
Package weight	9.1 kg
Packaging content	
Ethernet cable	Yes
Handset	Yes
AC adapter included	Yes
Charger	Yes
Logistics data	
Harmonized System (HS) code	85171800

Dokumentai ir vaizdo įrašai

- Greitos pradžios vadovas
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Yealink Network Technology Co., Ltd
Hu'an Road High Tech Park 666, Huli District Xiamen, CN
yealink.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt